Fillauer®

2018
CATALOG

Upper Extremity

In 1914, George Fillauer Sr. founded the Red Star Pharmacy in Chattanooga, Tennessee. In 1934, his son and fellow CPO, Carlton Fillauer expanded his father's business to establish Fillauer Orthopedic as an innovator in the orthotics and prosthetics industry. Today, the Fillauer Companies are headed by Karl Fillauer as Chairman and his son Michael as the CEO, since their inception, the Fillauer Companies have always been headed by CPO's, and have grown to be a globally renowned leader in the development, manufacturing, distribution and application of orthotic and prosthetic products. The expansion has mainly taken place by acquisitions of smaller manufacturing companies with a unique profile. Over the years we have become nine companies under the Fillauer umbrella and during the 100 year celebration in 2014 a decision was taken on how the company would be steered into the next century. Therefore a consolidation took place in 2015 where all the companies became Fillauer.

Fillauer Europe was founded as Centri in 1948. Located just outside Stockholm, Sweden, Centri joined the Fillauer Companies 2002. While Centri maintained the close, cooperative relationships it traditionally had with prosthetists in Scandinavia, as Fillauer Europe it has now become the European headquarters of Fillauer. With its extensive portfolio of products, Fillauer Europe is committed to working with prosthetists both in Europe, but also in other regions of the world in order to create only the best solutions for patients with all manner of prosthetic and orthotic needs. In addition, Fillauer Europe plays a lead Research & Development role within Fillauer. Fillauer Europe's products include upper and lower extremity prosthetics and the Dynamic Walk which has catapulted us to the forefront of the drop foot orthotics market. Our R&D department also works in partnership with many of Sweden's leading hospitals to develop innovative and high-tech machinery.

Index

Fillauer Product Warranty 6
Catalog symbol legend 6

Passive TD's & Gloves

Natural Definition Glove - 13901/13902 Crawling Small 10
Natural Definition Glove - 13903/13904 Crawling Medium 11
Natural Definition Glove - 13905/13906 Crawling Large 12
Natural Definition Glove - 10900L/10900R Age 0-18 months 13
Natural Definition Glove - 10901/10902 Age 1-3 years 14
Natural Definition Glove - 10903/10904 Age 3-6 years 15
Natural Definition Glove - 10905/10906 Age 5-9 years 16
Natural Definition Glove - 20909/20910 17
Natural Definition Glove - 20911/20912 18
Natural Definition Glove - 20913/20914 Long fingers and nails 19
Natural Definition Glove - 20915/20916 20
Natural Definition Glove - 20917/20918 Prominent skin structure 21
Natural Definition Glove - 22907/22908 Medium nails 22
Natural Definition Glove - 22909/22910 Medium nails 23
Natural Definition Glove - 22911/22912 Long nails 24
Natural Definition Glove - 22703/22704 Long nails 25
Natural Definition Glove - 22917/22918 Long nails & prominent skin 26
Natural Definition Glove - 30909/30910 27
Natural Definition Glove - 30911/30912 28
Natural Definition Glove - 30913/30914 Prominent veins 29
Natural Definition Glove - 30915/30916 30
Natural Definition Glove - 30917/30918 Long fingers 31
Natural Definition Glove - 30919/30920 Stout-Plump 32
Natural Definition Glove - 30921/30922 Stout-Plump 33
Hard PVC Gloves - Child & Female 34
Hard PVC Gloves - Female & Male 35
Silicone Gloves - Child & Female 36
Silicone Gloves - Female & Male 37

Body Powered TD's & Gloves

Child CAPP Hand 39
Female Soft Voluntary Closing (SVC) Hand 40
Female Soft Voluntary Opening (SVO) Hand 41
Male Soft Voluntary Closing (SVC) Hand 42
Male Soft Voluntary Opening (SVO) Hand 43
Male Dorrance 400 - 401 Mechanical Hand 44
Male Becker Lock Grip Hand 45
Male Becker Imperial Hand 46
Male APRL Voluntary Closing Hand 47
Male Sierra Voluntary Opening Hand 48
Hook Materials & Measurements 49
Hosmer #12P & 10P Hooks 52
Hosmer #10X Hook 52
Hosmer #99P Hook 53
Hosmer #99X Hook 53
Hosmer #5 Hook 54
Hosmer #5X Hook 54
Hosmer #8 Hooks 55
Hosmer #8X Hook 55
Hosmer #88X Hooks 56
Hosmer #555 Hook 56
Work Hooks 57
Hosmer APRL Hook 58
Hosmer Sierra 2 Hook 58
E-Z hook Tension Band Applier 59
Hook Tension Bands 59

Modular Components

NEXO Transradial 62
NEXO Transhumeral 63
Endo-Arm 64
Endo-Arm Elbow 65
Cosmetic Foam for TR 65
Modular Endoskeletal System 66

Wrists

Economy Friction Wrists 70
Wrist Socket With Ball Lock 70
Hand Plate, long stem 71
Hand Plate, short stem 71
Grooved Stem 71
Economy Wrist With Straps 72
WA Disarticulation Friction Wrist 72
WedgeGrip Wrist 73
CAPP Delrin Body Friction Wrist 73
Shapeable Passive Hand Wrist 73
WE Infant Friction Wrist 74
WE Friction Wrist 74
APRL Child Wrist Flexion unit WF-50 75
Sierra Wrist Flex Unit 75
FW Flexion Friction Wrist 76
Quick Disconnect Wrist 77
FM Quick Change Wrist 77
Friction Disconnect Wrist 78
WD Quick Change Wrist 78
Four Function Wrist 79
Rotational Wrist 79
Arm Frames 79
Omega Wrist 80
Wooden Wrist Fitting 80
Connecting Pin 80

Elbows & Shoulder Joints

Elbows E-50, E-200, E-400, E-200 NEXO & E-400 NEXO 82
Friction Elbow 83
Lift Assist Unit for E-200 & E-400 Elbows 83
Endo - Arm Elbow 84
Endoskeletal Elbow 84
Manual Lock Elbow 84
Alternating Lock Elbow 84
Outside Locking Hinge 85
Step Up Below Elbow Hinge 85
Residual Limb Activated Locking Hinge Below Elbow 86
Prefabricated Forearms 87
Shoulder Flexion Abduction Joint 88

Harnessing

Northwestern Ring Harness 90
Heavy Duty harness 90
Neo-Axilla Loop Padding 91
ELF-Straps 91
Anchor system T-R & T-H 92
Anchor Companion Strap 92
Rapid Adjust Buckle 92
Cable, Swaged Rolls 93
Cable Housing & Housing Liner 93
Cable Housing Cover 93
Cable Housing Anchors 94
Cable, Swaging Tool 94
Triple Swivels 94
Ball terminals 3/16 inch 95
Ball terminals 9/32 inch 95
Ball Receivers 95
BAHA 96
Binary Swivels 96
Base Plates 97
Retainers 97
Ferrule 97

Python, Stainless Aircraft Cable 98
Heavy Duty Cable Housing 98
Perfect Flare Tool 98
Spectra® Prosthetic Cable 99
Spectra® Cable Hanger 99
Spectra Ball Fittings 99
In-Line Hook To Grip Adapter 100
Adept Cable Adapters 100
Triple Swivel 100
Control Cabel Insulator 101
Adjustable Hanger 101
Elbow Lock Cable Hanger 101
Hangers 102
Anchor Plates 102
Cross Bars 102
Housing Cross Bar Assembly 103
Leather Cross Bar 103
Buckles 103
Northwestern Lift Tab Drilling Jig 104
Forearm Lift Assembly 104
Deluxe Forearm Lift Assembly 105
Northwestern Harness Rings 105
Axilla Loop Pads 105

Myoelectric Systems

Flowchart - Transradial setup 107
Flowchart - Terminal Device 108
Flowchart - Terminal Devices 109
Flowchart - Proplus Hand 110
Flowchart - ProPlus ETD 111
ProPlus Hand / ETD with Standard Wrist 112
Wrist Disarticulation Option 112
Short Hand Option 112
Flexion Wrist Option 113
Multi-Flex Wrist Option 113
In Terminal Device Wrist Rotator 114
Forearm Mounting Wrist Rotator 114
Lamination Collar for Prowrist and Endcap 115
Forearm Endcap 115
Otto Bock Lamination Collar 115
Coaxial Plug 116
Preamp Electrodes 116
Alternative Electrodes 116
Adapter Cables 117
Inputs 117
Battery Spare Parts 118
Internal Battery Sets 119
Computer Interface 119
Flowchart - Transhumeral Setup 120
Flowchart - Utah 3+ and Hybrid Arm 121
Flowchart - E-Two Elbow with MC setup 122
Motion Control Utah Arm 3+ 123
Motion Control Utah Hybrid Arm 124
Options for Motion Control Utah Arm 3+ and Hybrid Arm 124
Cables 126
Adapter Cables 126
Adapter Cables for Battery 127
AFB Adapter 127
Remote Power Switch 128
MyoLab II 128
Remote Lock/ Unlock Switches for U3+ and Hybrid Elbow 129
Computer Interface 129
E-two Electric Elbows from Hosmer (Endoskeletal) 130
E-two Electric Elbows from Hosmer (Exoskeletal) 130
ProControl 2 system package 131
Forearm Mounting Wrist Rotator 131
ProControl 2 Battery Sets 131

Body Restorations

Partial Hand 133
Partial Finger 133
Order Form Partial Hand / Finger 134

Recreational Devices

Greek Series Infant & Pediatric Hands 137
Infant 2 Hand 6 - 18 Months 137
L'il E-Z Infant Hand 6 - 24 Months 138
Lite Touch Biomechanical Hands 139
Adept Prehensors 140
Super Sports 141
Free Flex 141
Grip Prehensor 142
Locking Pin 142
Grip 5 Evolution Prehensor 143
Black Iron Lite 144
Black Iron Master and Trainer 144
HP Hoopster 145
Barrage Volley Ball TD 145
Swinger TD 145
Downhill Racer Ski TD - Pediatric and Adult models 146
Ski 2 146
Hammerhead 146
Helix 147
Shroom Tumblers 147
Cobra Baseball & Softball Throwing TD's 147
HI-fly Fielders 148
Pinch Hitter Bat Adapters 148
Mill's Rebound Pro Basketball Hand 148
Grand Slam TD 149
Slap Shot Hockey TD 149
Power Play Hockey 149
Lamprey Gun Turret 150
Criterium bicycle handlebar adapters 150
Dual Bike Brake Lever 150
Mountain Master Mountain Bike TD 151
ISHI Archery and F-ISHI Fishing TDs 151
Kahuna TD 152
Freestyle Swimming Device 152
Swim Fin Kit 152
Rocky Mountain High Skip Ropes 153
Multi-D TD 153
Ener-Joint 153
Golf Pro system 154
Eagle & Eagle Flex Golf 154
TRS Dragon TD 155
Hustler TD 155
Amp-U-Pod 155
Guitar Pick Adapter 156
Violin Bow Adapter 2 156
Drum Stick Adapter 156
Raptor Sky Hook Rock and Gym Climbing TD 157
Simulator 157
Pro Cuff "Prosthosis" 158
Pro Cuff "Prosthosis", Pediatric 158
Prosthosos & Procuff Terminal Device Adapters 159
Sure-Lok Cable Lock Control Systems Surface Mount & Vertical Models 159
Arm Skinz 160

Regal Gloves

101 - Cosmetic Glove 162
102 - Glove and Passive Hand 163
103 - Glove for Partial Hand with zipper 164
200 - Set of Four Connected Fingers and Thumb 164
Regal - Silicone Sleeve 165
Regal - Glove Color Swatch 165
Order Form Custom Made Regal Gloves 166
Regal Silicone Prosthetic Gloves- Size measurement chart 167

Fillauer Product Warranty

Fillauer items under warranty will be replaced or repaired (at Fillauer's discretion) at no charge, if the material or workmanship is found to be defective. Normal wear is not warranted. The warranty will be void if the item has been: a. fabricated or installed outside Fillauer's recommendations b. modified c. exposed to a corrosive environment d. if used in extremely abusive activities. Below is a summary of warranties.

PROSTHETIC COMPONENTS

are warranted for 12 months from the date of shipment from the Fillauer warehouse or from an authorized Fillauer distributor with the following exceptions:

COSMETIC BODY RESTORATIONS & SILICONE GLOVES

are warranted for 90 days from the date of shipment from the Fillauer warehouse or from an authorized Fillauer distributor.

COSMETIC GLOVES

are warranted for 6 months from the date of shipment from the Fillauer warehouse or from a Fillauer authorized distributor.

HOSMER HOOKS

are warranted for 18 months from the date of shipment from the Fillauer warehouse or from a Fillauer authorized distributor.

ELBOWS

are warranted for 18 - 24 months from the date of shipment from the Fillauer warehouse or from a Fillauer authorized distributor. See specific product warranty for more information.

All warranties are voided by alterationor misuse of the product.

RETURNS, ADJUSTMENTS, AND CREDITS

Inspect all goods immediately upon receipt for damage or errors in shipping. Call customer service within three business days in the event of errors or damage. Credit will not be issued for custom items made to specification or non-stock items older than 30 days, unless Fillauer shipped in error or there is defect in materials or workmanship.

Prior approval and a return authorization number must be obtained from the customer service department for all goods returned. Credit for returned merchandise is subject to inspection and may be subject to a 15% restocking fee for merchandise in resalable condition. Goods returned without prior approval are subject to a 25% restocking fee. No credit shall be issued for goods that are more than 12 months old. Returns must be accompanied by a copy of original invoice, order number, or PO number. The return authorization number must appear on the shipping label.

TRS only in Europe
Regal only in Scandinavia

Catalog symbol legend

Specification symbols

- SE — Manufactured in Sweden
- US — Manufactured in USA
- TR — Transradial
- TH — Transhumeral

Color symbols

- Tan
- Light Brown
- Dark Brown
- Black
- Turqoise
- Light Pink
- **Violet**
- **Powder Blue**
- **White**

Limited Warranty for Motion Control Products

Seller warrants to Buyer that the equipment delivered here under will be free from defects in materials and manufacturing workmanship, that it will be of the kind and quality described and that it will perform as specified in Seller's written quotation. The limited warranties shall apply only to failures to meet said warranties that appear within the effective period of this Agreement. The effective period shall be two years
(24 months) for the Utah Arm 3, 3+ , Hybrid Arm, ProControl 2, and Motionfoot MX, and one year (12 months) for other prosthetic components (including MC Hand and ETD, MC Wrist Rotator, ProWrist, etc.) from the date of delivery to the fitting center that has purchased the components. Refer to the shipping receipt for the date of shipment.

The conditions of any tests to determine failures to meet the above limited warranties shall be mutually agreed upon between Buyer & Seller. Seller must be notified of and may be represented at all tests that may be made. If any equipment fails to meet the foregoing limited warranties, Seller shall correct any such failure at Seller's option either by: 1) repairing any defective or damaged part(s); or, 2) by making available via collect shipment to the Buyer any necessary repaired or replacement parts or assemblies.

Except as set forth in any applicable patient indemnity, the foregoing limited warranties are exclusive and in lieu of all warranties, whether written, oral implied, or statutory. No implied warranty, merchantability, or fitness for purpose shall apply. Seller does not warranty any products of others where the Seller serves solely as a distributor or reseller, in particular the Otto Bock Hand, Otto Bock Greifer, Otto Bock Wrist Components, or other devices not manufactured directly by Motion Control Inc.

The limited warranties and remedies set forth herein are conditioned: 1) Upon inspection of the equipment by Motion Control Inc. or its representative before the initiation of the Limited Warranty, and verification that the equipment is in good working order and free of damage; 2) upon proper use and maintenance of the equipment and conformance with any applicable recommendations of Seller; 3) upon Buyer promptly notifying Seller in writing within the Limited Warranty period of any defects; 4) upon Buyer making the equipment available for correction, by prepaid shipment to the Seller at Seller's option; and 5) upon receipt of the fees quoted at the time of the Agreement for the Limited Warranty. In no event shall Seller be liable for special or consequential damages.

THIS AGREEMENT DOES NOT INCLUDE:

1. Prosthetic services for fitting and maintaining the prosthesis made with the equipment.
2. Damage caused by neglect, misuse or improper operation by anyone other than the Seller.
3. Damage due to accident, fire, water, vandalism, unsuitable environmental conditions or replacement parts not approved or recommended by Motion Control.
4. Damage or defects occurring prior to the beginning of the Agreement, except as covered under a previous warranty agreement.
5. Modifications to the equipment which occur during the period of the Agreement except by mutual consent of the parties in writing, including payment of additional charges as specified by the Seller.

Passive TD's & Gloves

Specification symbols

- SE Manufactured in Sweden
- US Manufactured in USA
- TR Transradial
- TH Transhumeral

Natural Definition Glove

With the Natural Definition Glove, we take the prosthetic cosmetic glove to the next level. Using a dual layer PVC with added fibers and airbrush technique, the glove will show a deeper definition and a more natural look. Available in a red and yellow scale with eight colors in each scale, the glove will come in 16 skin colors covering most skin tones. The glove is treated with a Micro Coated surface making it more durable and stain resistible compared to a standard PVC glove. Making sure we take our responsibility towards the environment and a sustainable future, the PVC used is free from all heavy metals and phthalates which gives you a skin friendly and fully recyclable product.

Product Features

Airbrushed dual layer PVC with fibers for natural definition

Skin friendly

Micro Coated for durability, easy cleaning and low friction against clothing

Recyclable - Free from all heavy metals and phthalates

Warranty

This product has a 6 month warranty against manufacturing defects

Natural Definition Guide

For your convenience, we made the Natural Defintion Guide to help determine which color to choose for your patient.

The Guide consists of two different scales, R and Y (Red and Yellow).
Each one has 8 different colors to choose from to cover most skin tones.

Product number

611200003

Natural Definition Glove - 13901/13902 Crawling Small

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08(Natural Definition Guide - 611200003)

	LEFT	RIGHT
PVC Standard	**113901XXX1**	**113902XXX1**
MCV Standard	**113901XXX3**	**113902XXX3**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2" - 20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**513901000**	**513901010**	**513901020**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2" - 20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**513902000**	**513902010**	**513902020**

Natural Definition Glove - 13903/13904
Crawling Medium

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611200003)

	LEFT	RIGHT
PVC Standard	**113903XXX1**	**113904XXX1**
MCV Standard	**113903XXX3**	**113904XXX3**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**513903000**	**513903010**	**513903020**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**513904000**	**513904010**	**513904020**

Natural Definition Glove - 13905/13906
Crawling Large

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611200003)

	LEFT	RIGHT
PVC Standard	**113905XXX1**	**113906XXX1**
MCV Standard	**113905XXX3**	**113906XXX3**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2" - 20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**513905000**	**513905010**	**513905020**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2" - 20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**513906000**	**513906010**	**513906020**

Natural Definition Glove - 10900L/10900R
Age 0-18 months

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611200003)
** Please indicate when ordering Left or Right

DESCRIPTION	PRODUCT NUMBER
**PVC Standard	**110900XXX1**
**PVC Expanded	**110900XXX2**
**MCV Standard	**110900XXX3**
**MCV Expanded	**110900XXX4**

Natural Definition Glove - 10901/10902
Age 1-3 years

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611200003)

	LEFT	RIGHT
PVC Standard	**110901XXX1**	**110902XXX1**
PVC Expanded	**110901XXX2**	**110902XXX2**
MCV Standard	**110901XXX3**	**110902XXX3**
MCV Expanded	**110901XXX4**	**110902XXX4**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2" - 20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**510901000**	**510901010**	**510901020**
Passive Hand Reinforced	**510901001**	**510901011**	**510901021**
Passive Hand Super Reinforced	**510901002**	**510901012**	**510901022**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2" - 20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**510902000**	**510902010**	**510902020**
Passive Hand Reinforced	**510902001**	**510902011**	**510902021**
Passive Hand Super Reinforced	**510902002**	**510902012**	**510902022**

Natural Definition Glove - 10903/10904
Age 3-6 years

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611200003)

	LEFT	RIGHT
PVC Standard	**110903XXX1**	**110904XXX1**
PVC Expanded	**110903XXX2**	**110904XXX2**
MCV Standard	**110903XXX3**	**110904XXX3**
MCV Expanded	**110903XXX4**	**110904XXX4**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**510903000**	**510903010**	**510903020**
Passive Hand Reinforced	**510903001**	**510903011**	**510903021**
Passive Hand Super Reinforced	**510903002**	**510903012**	**510903022**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**510904000**	**510904010**	**510904020**
Passive Hand Reinforced	**510904001**	**510904011**	**510904021**
Passive Hand Super Reinforced	**510904002**	**510904012**	**510904022**

Natural Definition Glove - 10905/10906
Age 5-9 years

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611200003)

	LEFT	RIGHT
PVC Standard	**110905XXX1**	**110906XXX1**
PVC Expanded	**110905XXX2**	**110906XXX2**
MCV Standard	**110905XXX3**	**110906XXX3**
MCV Expanded	**110905XXX4**	**110906XXX4**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**510905000**	**510905010**	**510905020**
Passive Hand Reinforced	**510905001**	**510905011**	**510905021**
Passive Hand Super Reinforced	**510905002**	**510905012**	**510905022**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**510906000**	**510906010**	**510906020**
Passive Hand Reinforced	**510906001**	**510906011**	**510906021**
Passive Hand Super Reinforced	**510906002**	**510906012**	**510906022**

Natural Definition Glove - 20909/20910

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611200003)

	LEFT	RIGHT
PVC Standard	**120909XXX1**	**120910XXX1**
PVC Expanded	**120909XXX2**	**120910XXX2**
MCV Standard	**120909XXX3**	**120910XXX3**
MCV Expanded	**120909XXX4**	**120910XXX4**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**520909000**	**520909010**	**520909020**
Passive Hand Reinforced	**520909001**	**520909011**	**520909021**
Passive Hand Super Reinforced	**520909002**	**520909012**	**520909022**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**520910000**	**520910010**	**520910020**
Passive Hand Reinforced	**520910001**	**520910011**	**520910021**
Passive Hand Super Reinforced	**520910002**	**520910012**	**520910022**

Natural Definition Glove - 20911/20912

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611200003)

	LEFT	RIGHT
PVC Standard	**120911XXX1**	**120912XXX1**
PVC Expanded	**120911XXX2**	**120912 XXX2**
MCV Standard	**120911XXX3**	**120912 XXX3**
MCV Expanded	**120911XXX4**	**120912 XXX4**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**520911000**	**520911010**	**520911020**
Passive Hand Reinforced	**520911001**	**520911011**	**520911021**
Passive Hand Extra Reinforced	**520911003**	**520911013**	**520911023**
Passive Hand Super Reinforced	**520911002**	**520911012**	**520911022**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**520912000**	**520912010**	**520912020**
Passive Hand Reinforced	**520912001**	**520912011**	**520912021**
Passive Hand Extra Reinforced	**520912003**	**520912013**	**520912023**
Passive Hand Super Reinforced	**520912002**	**520912012**	**520912022**

Natural Definition Glove - 20913/20914
Long fingers and nails

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611200003)

	LEFT	RIGHT
PVC Standard	**120913XXX1**	**120914XXX1**
PVC Expanded	**120913XXX2**	**120914XXX2**
MCV Standard	**120913XXX3**	**120914XXX3**
MCV Expanded	**120913XXX4**	**120914XXX4**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**520913000**	**520913010**	**520913020**
Passive Hand Reinforced	**520913001**	**520913011**	**520913021**
Passive Hand Extra Reinforced	**520913003**	**520913013**	**520913023**
Passive Hand Super Reinforced	**520913002**	**520913012**	**520913022**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**520914000**	**520914010**	**520914020**
Passive Hand Reinforced	**520914001**	**520914011**	**520914021**
Passive Hand Extra Reinforced	**520914003**	**520914013**	**520914023**
Passive Hand Super Reinforced	**520914002**	**520914012**	**520914022**

Natural Definition Glove - 20915/20916

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611200003)

	LEFT	RIGHT
PVC Standard	**120915XXX1**	**120916XXX1**
PVC Expanded	**120915XXX2**	**120916XXX2**
MCV Standard	**120915XXX3**	**120916XXX3**
MCV Expanded	**120915XXX4**	**120916XXX4**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2" - 20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**520915000**	**520915010**	**520915020**
Passive Hand Reinforced	**520915001**	**520915011**	**520915021**
Passive Hand Extra Reinforced	**520915003**	**520915013**	**520915023**
Passive Hand Super Reinforced	**520915002**	**520915012**	**520915022**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2" - 20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**520916000**	**520916010**	**520916020**
Passive Hand Reinforced	**520916001**	**520916011**	**520916021**
Passive Hand Extra Reinforced	**520916003**	**520916013**	**520916023**
Passive Hand Super Reinforced	**520916002**	**520916012**	**520916022**

Natural Definition Glove - 20917/20918
Prominent skin structure

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611200003)

	LEFT	RIGHT
PVC Standard	**120917XXX1**	**120918XXX1**
PVC Expanded	**120917XXX2**	**120918XXX2**
MCV Standard	**120917XXX3**	**120918XXX3**
MCV Expanded	**120917XXX4**	**120918XXX4**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**520917000**	**520917010**	**520917020**
Passive Hand Reinforced	**520917001**	**520917011**	**520917021**
Passive Hand Extra Reinforced	**520917003**	**520917013**	**520917023**
Passive Hand Super Reinforced	**520917002**	**520917012**	**520917022**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**520918000**	**520918010**	**520918020**
Passive Hand Reinforced	**520918001**	**520918011**	**520918021**
Passive Hand Extra Reinforced	**520918003**	**520918013**	**520918023**
Passive Hand Super Reinforced	**520918002**	**520918012**	**520918022**

Natural Definition Glove - 22907/22908
Medium nails

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611220003)

	LEFT	RIGHT
PVC Standard	**122907XXX1**	**122908XXX1**
PVC Expanded	**122907XXX2**	**122908XXX2**
MCV Standard	**122907XXX3**	**122908XXX3**
MCV Expanded	**122907XXX4**	**122908XXX4**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**522907000**	**522907010**	**522907020**
Passive Hand Reinforced	**522907001**	**522907011**	**522907021**
Passive Hand Extra Reinforced	**522907003**	**522907013**	**522907023**
Passive Hand Super Reinforced	**522907002**	**522907012**	**522907022**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2" - 20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**522908000**	**522908010**	**522908020**
Passive Hand Reinforced	**522908001**	**522908011**	**522908021**
Passive Hand Extra Reinforced	**522908003**	**522908013**	**522908023**
Passive Hand Super Reinforced	**522908002**	**522908012**	**522908022**

Natural Definition Glove - 22909/22910
Medium nails

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611220003)

	LEFT	RIGHT
PVC Standard	**122909XXX1**	**122910XXX1**
PVC Expanded	**122909XXX2**	**122910XXX2**
MCV Standard	**122909XXX3**	**122910XXX3**
MCV Expanded	**122909XXX4**	**122910XXX4**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**522909000**	**522909010**	**522909020**
Passive Hand Reinforced	**522909001**	**522909011**	**522909021**
Passive Hand Extra Reinforced	**522909003**	**522909013**	**522909023**
Passive Hand Super Reinforced	**522909002**	**522909012**	**522909022**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**522910000**	**522910010**	**522910020**
Passive Hand Reinforced	**522910001**	**522910011**	**522910021**
Passive Hand Extra Reinforced	**522910003**	**522910013**	**522910023**
Passive Hand Super Reinforced	**522910002**	**522910012**	**522910022**

Natural Definition Glove - 22911/22912
Long nails

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611220003)

	LEFT	RIGHT
PVC Standard	**122911XXX1**	**122912XXX1**
PVC Expanded	**122911XXX2**	**122912XXX2**
MCV Standard	**122911XXX3**	**122912XXX3**
MCV Expanded	**122911XXX4**	**122912XXX4**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**522911000**	**522911010**	**522911020**
Passive Hand Reinforced	**522911001**	**522911011**	**522911021**
Passive Hand Extra Reinforced	**522911003**	**522911013**	**522911023**
Passive Hand Super Reinforced	**522911002**	**522911012**	**522911022**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**522912000**	**522912010**	**522912020**
Passive Hand Reinforced	**522912001**	**522912011**	**522912021**
Passive Hand Extra Reinforced	**522912003**	**522912013**	**522912023**
Passive Hand Super Reinforced	**522912002**	**522912012**	**522912022**

Natural Definition Glove - 22703/22704
Long nails

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611200003)

	LEFT	RIGHT
PVC Standard	**122703XXX1**	**122704XXX1**
PVC Expanded	**122703XXX2**	**122704XXX2**
MCV Standard	**122703XXX3**	**122704XXX3**
MCV Expanded	**122703XXX4**	**122704XXX4**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**522703000**	**522703010**	**522703020**
Passive Hand Reinforced	**522703001**	**522703011**	**522703021**
Passive Hand Extra Reinforced	**522703003**	**522703013**	**522703023**
Passive Hand Super Reinforced	**522703002**	**522703012**	**522703022**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**522704000**	**522704010**	**522704020**
Passive Hand Reinforced	**522704001**	**522704011**	**522704021**
Passive Hand Extra Reinforced	**522704003**	**522704013**	**522704023**
Passive Hand Super Reinforced	**522704002**	**522704012**	**522704022**

Natural Definition Glove - 22917/22918
Long nails & prominent skin

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611220003)

	LEFT	RIGHT
PVC Standard	**122917XXX1**	**122918XXX1**
PVC Expanded	**122917XXX2**	**122918XXX2**
MCV Standard	**122917XXX3**	**122918XXX3**
MCV Expanded	**122917XXX4**	**122918XXX4**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**522917000**	**522917010**	**522917020**
Passive Hand Reinforced	**522917001**	**522917011**	**522917021**
Passive Hand Extra Reinforced	**522917003**	**522917013**	**522917023**
Passive Hand Super Reinforced	**522917002**	**522917012**	**522917022**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**522918000**	**522918010**	**522918020**
Passive Hand Reinforced	**522918001**	**522918011**	**522918021**
Passive Hand Extra Reinforced	**522918003**	**522918013**	**522918023**
Passive Hand Super Reinforced	**522918002**	**522918012**	**522918022**

Natural Definition Glove - 30909/30910

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611200003)

	LEFT	RIGHT
PVC Standard	**130909XXX1**	**130910XXX1**
PVC Expanded	**130909XXX2**	**130910XXX2**
MCV Standard	**130909XXX3**	**130910XXX3**
MCV Expanded	**130909XXX4**	**130910XXX4**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**530909000**	**530909010**	**530909020**
Passive Hand Reinforced	**530909001**	**530909011**	**530909021**
Passive Hand Extra Reinforced	**530909003**	**530909013**	**530909023**
Passive Hand Super Reinforced	**530909002**	**530909012**	**530909022**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**530910000**	**530910010**	**530910020**
Passive Hand Reinforced	**530910001**	**530910011**	**530910021**
Passive Hand Extra Reinforced	**530910003**	**530910013**	**530910023**
Passive Hand Super Reinforced	**530910002**	**530910012**	**530910022**

Natural Definition Glove - 30911/30912

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611200003)

	LEFT	RIGHT
PVC Standard	**130911XXX1**	**130912XXX1**
PVC Expanded	**130911XXX2**	**130912XXX2**
MCV Standard	**130911XXX3**	**130912XXX3**
MCV Expanded	**130911XXX4**	**130912XXX4**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**530911000**	**530911010**	**530911020**
Passive Hand Reinforced	**530911001**	**530911011**	**530911021**
Passive Hand Extra Reinforced	**530911003**	**530911013**	**530911023**
Passive Hand Super Reinforced	**530911002**	**530911012**	**530911022**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**530912000**	**530912010**	**530912020**
Passive Hand Reinforced	**530912001**	**530912011**	**530912021**
Passive Hand Extra Reinforced	**530912003**	**530912013**	**530912023**
Passive Hand Super Reinforced	**530912002**	**530912012**	**530912022**

Natural Definition Glove - 30913/30914
Prominent veins

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611200003)

	LEFT	RIGHT
PVC Standard	**130913XXX1**	**130914XXX1**
PVC Expanded	**130913XXX2**	**130914XXX2**
MCV Standard	**130913XXX3**	**130914XXX3**
MCV Expanded	**130913XXX4**	**130914XXX4**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**530913000**	**530913010**	**530913020**
Passive Hand Reinforced	**530913001**	**530913011**	**530913021**
Passive Hand Extra Reinforced	**530913003**	**530913013**	**530913023**
Passive Hand Super Reinforced	**530913002**	**530913012**	**530913022**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**530914000**	**530914010**	**530914020**
Passive Hand Reinforced	**530914001**	**530914011**	**530914021**
Passive Hand Extra Reinforced	**530914003**	**530914013**	**530914023**
Passive Hand Super Reinforced	**530914002**	**530914012**	**530914022**

Natural Definition Glove - 30915/30916

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611200003)

	LEFT	RIGHT
PVC Standard	**130915XXX1**	**130916XXX1**
PVC Expanded	**130915XXX2**	**130916XXX2**
MCV Standard	**130915XXX3**	**130916XXX3**
MCV Expanded	**130915XXX4**	**130916XXX4**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**530915000**	**530915010**	**530915020**
Passive Hand Reinforced	**530915001**	**530915011**	**530915021**
Passive Hand Extra Reinforced	**530915003**	**530915013**	**530915023**
Passive Hand Super Reinforced	**530915002**	**530915012**	**530915022**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**530916000**	**530916010**	**530916020**
Passive Hand Reinforced	**530916001**	**530916011**	**530916021**
Passive Hand Extra Reinforced	**530916003**	**530916013**	**530916023**
Passive Hand Super Reinforced	**530916002**	**530916012**	**530916022**

Natural Definition Glove - 30917/30918
Long fingers

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611200003)

	LEFT	RIGHT
PVC Standard	**130917XXX1**	**130918XXX1**
PVC Expanded	**130917XXX2**	**130918XXX2**
MCV Standard	**130917XXX3**	**130918XXX3**
MCV Expanded	**130917XXX4**	**130918XXX4**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**530917000**	**530917010**	**530917020**
Passive Hand Reinforced	**530917001**	**530917011**	**530917021**
Passive Hand Extra Reinforced	**530917003**	**530917013**	**530917023**
Passive Hand Super Reinforced	**530917002**	**530917012**	**530917022**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**530918000**	**530918010**	**530918020**
Passive Hand Reinforced	**530918001**	**530918011**	**530918021**
Passive Hand Extra Reinforced	**530918003**	**530918013**	**530918023**
Passive Hand Super Reinforced	**530918002**	**530918012**	**530918022**

Natural Definition Glove - 30919/30920 Stout-Plump

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611200003)

	LEFT	RIGHT
PVC Standard	**130919XXX1**	**130920XXX1**
PVC Expanded	**130919XXX2**	**130920XXX2**
MCV Standard	**130919XXX3**	**130920XXX3**
MCV Expanded	**130919XXX4**	**130920XXX4**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**530919000**	**530919010**	**530919020**
Passive Hand Reinforced	**530919001**	**530919011**	**530919021**
Passive Hand Extra Reinforced	**530919003**	**530919013**	**530919023**
Passive Hand Super Reinforced	**530919002**	**530919012**	**530919022**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**530920000**	**530920010**	**530920020**
Passive Hand Reinforced	**530920001**	**530920011**	**530920021**
Passive Hand Extra Reinforced	**530920003**	**530920013**	**530920023**
Passive Hand Super Reinforced	**530920002**	**530920012**	**530920022**

Natural Definition Glove - 30921/30922 Stout-Plump

SE TR TH

MEASUREMENTS - MM



Ordering information

PRODUCT NUMBER GLOVE

Replace XXX with the chosen color Y01-08 or R01-08 (Natural Definition Guide - 611200003)

	LEFT	RIGHT
PVC Standard	**130921XXX1**	**130922XXX1**
PVC Expanded	**130921XXX2**	**130922XXX2**
MCV Standard	**130921XXX3**	**130922XXX3**
MCV Expanded	**130921XXX4**	**130922XXX4**

PRODUCT NUMBER PASSIVE HANDS - LEFT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**530921000**	**530921010**	**530921020**
Passive Hand Reinforced	**530921001**	**530921011**	**530921021**
Passive Hand Extra Reinforced	**530921003**	**530921013**	**530921023**
Passive Hand Super Reinforced	**530921002**	**530921012**	**530921022**

PRODUCT NUMBER PASSIVE HANDS - RIGHT

DESCRIPTION	INTERNAL THREAD M12 X 1,5	EXTERNAL THREAD 1/2"-20	EXTERNAL THREAD M12 X 1,5
Passive Hand Standard	**530922000**	**530922010**	**530922020**
Passive Hand Reinforced	**530922001**	**530922011**	**530922021**
Passive Hand Extra Reinforced	**530922003**	**530922013**	**530922023**
Passive hand Super Reinforced	**530922002**	**530922012**	**530922022**

Silicone Gloves - Child & Female

SE TR TH

Product Features

- Silicone glove without inner hand
- For size charts and structure info see corresponding glove number on previous pages (see in chart below, right column)
- Available in colors 01-18 only
- Micro coating optional (Y)
- Warranty: 3 months

Ordering information

Replace XX with the chosen color 01-18
(Color Guide - 611200002)

Replace Y with the chosen surface finish
1 - Standard
3 - Added micro coating

PRODUCT NUMBER SILICONE CRAWLING

DESCRIPTION	SILISCONE	HAND/GLOVE NO.	COLOR	SURFACE FINISH	SEE PAGE
Crawling Hand, Left	**3**	**13901**	**XX**	**Y**	8
Crawling Hand, Right	**3**	**13902**	**XX**	**Y**	8
Crawling Hand, Left	**3**	**13903**	**XX**	**Y**	9
Crawling Hand, Right	**3**	**13904**	**XX**	**Y**	9
Crawling Glove, Left	**3**	**13905**	**XX**	**Y**	10
Crawling Glove, Right	**3**	**13906**	**XX**	**Y**	10

PRODUCT NUMBER SILICONE CHILD GLOVE

DESCRIPTION	SILICONE	HAND/GLOVE NO.	COLOR	SURFACE FINISH	SEE PAGE
Child Glove, Left	**3**	**10900L**	**XX**	**Y**	11
Child Glove, Right	**3**	**10900R**	**XX**	**Y**	11
Child Glove, Left	**3**	**10901**	**XX**	**Y**	12
Child Glove, Right	**3**	**10902**	**XX**	**Y**	12
Child Glove, Left	**3**	**10903**	**XX**	**Y**	13
Child Glove, Right	**3**	**10904**	**XX**	**Y**	13
Child Glove, Left	**3**	**10905**	**XX**	**Y**	14
Child Glove, Right	**3**	**10906**	**XX**	**Y**	14

PRODUCT NUMBER SILICONE FEMALE GLOVES

DESCRIPTION	SILICONE	HAND/GLOVE NO.	COLOR	SURFACE FINISH	SEE PAGE
Female Glove, Left	**3**	**20909**	**XX**	**Y**	15
Female Glove, Right	**3**	**20910**	**XX**	**Y**	15
Female Glove, Left	**3**	**20911**	**XX**	**Y**	16
Female Glove, Right	**3**	**20912**	**XX**	**Y**	16
Female Glove, Left	**3**	**20913**	**XX**	**Y**	17
Female Glove, Right	**3**	**20914**	**XX**	**Y**	17
Female Glove, Left	**3**	**20915**	**XX**	**Y**	18
Female Glove, Right	**3**	**20916**	**XX**	**Y**	18
Female Glove, Left	**3**	**20917**	**XX**	**Y**	19
Female Glove, Right	**3**	**20918**	**XX**	**Y**	19

Silicone Gloves - Female & Male

SE TR TH

Product Features

- Silicone glove without inner hand
- For size charts and structure info see corresponding glove number on previous pages (see in chart below, right column)
- Available in colors 01-18 only
- Micro coating optional (Y)
- Warranty: 3 months

Ordering information

Replace XX with the chosen color 01-18
(Color Guide - 611200002)

Replace Y with the chosen surface finish
1 - Standard
3 - Added micro coating

PRODUCT NUMBER SILICONE FEMALE GLOVES

DESCRIPTION	SILICONE	HAND/GLOVE NO.	COLOR	SURFACE FINISH	SEE PAGE
Female Glove, Left	**3**	**22907**	**XX**	**Y**	20
Female Glove, Right	**3**	**22908**	**XX**	**Y**	20
Female Glove, Left	**3**	**22909**	**XX**	**Y**	21
Female Glove, Right	**3**	**22910**	**XX**	**Y**	21
Female Glove, Left	**3**	**22911**	**XX**	**Y**	22
Female Glove, Right	**3**	**22912**	**XX**	**Y**	22
Female Glove, Left	**3**	**22703**	**XX**	**Y**	23
Female Glove, Right	**3**	**22704**	**XX**	**Y**	23
Female Glove, Left	**3**	**22917**	**XX**	**Y**	24
Female Glove, Right	**3**	**22918**	**XX**	**Y**	24

PRODUCT NUMBER SILCONE MALE GLOVES

DESCRIPTION	SILICONE	HAND/GLOVE NO.	COLOR	SURFACE FINISH	SEE PAGE
Male Glove, Left	**3**	**30909**	**XX**	**Y**	25
Male Glove, Right	**3**	**30910**	**XX**	**Y**	25
Male Glove, Left	**3**	**30911**	**XX**	**Y**	26
Male Glove, Right	**3**	**30912**	**XX**	**Y**	26
Male Glove, Left	**3**	**30913**	**XX**	**Y**	27
Male Glove, Right	**3**	**30914**	**XX**	**Y**	27
Male Glove, Left	**3**	**30915**	**XX**	**Y**	28
Male Glove, Right	**3**	**30916**	**XX**	**Y**	28
Male Glove, Left	**3**	**30917**	**XX**	**Y**	29
Male Glove, Right	**3**	**30918**	**XX**	**Y**	29
Male Glove, Left	**3**	**30919**	**XX**	**Y**	30
Male Glove, Right	**3**	**30920**	**XX**	**Y**	30
Male Glove, Left	**3**	**30921**	**XX**	**Y**	31
Male Glove, Right	**3**	**30922**	**XX**	**Y**	31

Body Powered TD's & Gloves

Specification symbols

- SE — Manufactured in Sweden
- US — Manufactured in USA
- TR — Transradial
- TH — Transhumeral

Child CAPP Hand

US TR TH

Specifications

Wrist to fingertip: 3.3 in. (84 mm)

Weight: 5.7 oz. (161 g)

Thread: 1/2"-20

Cable exit: Dorsal

Product Features

- Soft, durable urethane cosmesis with a life-like appearance
- Adjustable spring tension
- Does not require cosmetic glove
- Smooth, voluntary opening performance

Ordering information

CHILD CAPP HAND FROM HOSMER

COLOR	PROD. NO. LEFT	PROD. NO. RIGHT
	61826	**61827**
	61828	**61829**
	61830	**61831**

SPARE PARTS

DESCRIPTION	PRODUCT NUMBER
Spring, soft	**61825**
Spring, heavy duty mates to 1.5 in. (38 mm) round wrist	**61824**

Female Soft Voluntary Closing (SVC) Hand

US TR TH

Specifications

Weight: 10.8 oz. (335 g)

Thread: External 1/2"-20 or M12 x 1.5 mm

Cable Exit: Dorsal/ palmar

Product Features

- Locks in any position, unlocks with a simple pull of the cable
- Internal springs can be adjusted to compensate for hand shell and glove
- No maintenance required
- Choice of dorsal (standard) or palmar cable exit

Ordering information

FEMALE SOFT VOLUNTARY CLOSING (SVC) HAND – LEFT

SIZE	WRIST TO THUMB	CABLE EXIT	THREAD 1/2"-20	THREAD M12	GLOVE NUMBER
7-1/4 in.	5-1/4 in.	Dorsal	**61791**	**62000**	**20701**
7-3/4 in.	5-3/8 in.	Dorsal	**61793**	**61990**	**20715**
7-1/4 in.	5-1/4 in.	Palmar	**61797**	**62002**	**20701**
7-3/4 in.	5-3/8 in.	Palmar	**61799**	**61988**	**20715**

FEMALE SOFT VOLUNTARY CLOSING (SVC) HAND – RIGHT

SIZE	WRIST TO THUMB	CABLE EXIT	THREAD 1/2"-20	THREAD M12	GLOVE NUMBER
7-1/4 in.	5-1/4 in.	Dorsal	**61792**	**62001**	**20702**
7-3/4 in.	5-3/8 in.	Dorsal	**61794**	**61989**	**20716**
7-1/4 in.	5-1/4 in.	Palmar	**61798**	**62003**	**20702**
7-3/4 in.	5-3/8 in.	Palmar	**61800**	**61987**	**20716**

PRODUCT NUMBER GLOVE

1. Replace YYYYY with the glove number from the table above
2. Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611220003)

MATERIAL	LEFT	RIGHT
PVC Standard	**1YYYYYXXX1**	**1YYYYYXXX1**
PVC Expanded	**1YYYYYXXX2**	**1YYYYYXXX2**
MCV Standard	**1YYYYYXXX3**	**1YYYYYXXX3**
MCV Expanded	**1YYYYYXXX4**	**1YYYYYXXX4**

Female Soft Voluntary Opening (SVO) Hand

US TR TH

Specifications

Weight: 10.3 oz. (288 g)

Thread: External 1/2”-20 or M12 x 1.5 mm

Cable Exit: Dorsal/ palmar

Product Features

- Adjustable prehension from 2.0 - 6.0 lbs. (0.9 - 2.7 kg)
- Lightweight, rugged construction
- No maintenance required

Ordering information

FEMALE SOFT VOLUNTARY OPENING (SVO) HAND – LEFT

SIZE	WRIST TO THUMB	CABLE EXIT	THREAD 1/2”-20	THREAD M12	GLOVE NUMBER
7-1/4 in.	5-1/4 in.	Dorsal	**61064**	**61997**	**20701**
7-1/4 in.	5-1/4 in.	Palmar	**61484**	**61999**	**20701**

FEMALE SOFT VOLUNTARY OPENING (SVO) HAND – RIGHT

SIZE	WRIST TO THUMB	CABLE EXIT	THREAD 1/2”-20	THREAD M12	GLOVE NUMBER
7-1/4 in.	5-1/4 in.	Dorsal	**61063**	**61996**	**20702**
7-1/4 in.	5-1/4 in.	Palmar	**61483**	**61998**	**20702**

PRODUCT NUMBER GLOVE

1 Replace YYYYY with the glove number from the table above
2 Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611220003)

MATERIAL	LEFT	RIGHT
PVC Standard	**1YYYYYXXX1**	**1YYYYYXXX1**
PVC Expanded	**1YYYYYXXX2**	**1YYYYYXXX2**
MCV Standard	**1YYYYYXXX3**	**1YYYYYXXX3**
MCV Expanded	**1YYYYYXXX4**	**1YYYYYXXX4**

Male Soft Voluntary Closing (SVC) Hand

US TR TH

Specifications

Weight: 10.9 - 11.3 oz. (339 - 351 g)

Thread: External 1/2"-20 or M12 x 1.5 mm

Cable Exit: Dorsal/ palmar

Product Features

- Locks in any position, unlocks with a simple pull of the cable
- Internal springs can be adjusted to compensate for hand shell and glove
- No maintenance required

Ordering information

MALE SOFT VOLUNTARY CLOSING (SVC) HAND – LEFT

SIZE	WRIST TO THUMB	CABLE EXIT	WEIGHT	THREAD 1/2"-20	THREAD M12	GLOVE NUMBER
7-3/4 in.	5-3/8 in.	Standard	10.9 oz. (339 g)	**61793**	**61990**	**30703**
8-1/4 in.	5-3/8 in.	Standard	11.3 oz. (351 g)	**61795**	**62009**	**30707**
7-3/4 in.	5-3/8 in.	Palmar	10.9 oz. (339 g)	**61799**	**61988**	**30703**
8-1/4 in.	5-3/8 in.	Palmar	11.3 oz. (351 g)	**61801**	**62011**	**30707**

MALE SOFT VOLUNTARY CLOSING (SVC) HAND – RIGHT

SIZE	WRIST TO THUMB	CABLE EXIT	WEIGHT	THREAD 1/2"-20	THREAD M12	GLOVE NUMBER
7-3/4 in.	5-3/8 in.	Standard	10.9 oz. (339 g)	**61794**	**61989**	**30704**
8-1/4 in.	5-3/8 in.	Standard	11.3 oz. (351 g)	**61796**	**62010**	**30708**
7-3/4 in.	5-3/8 in.	Palmar	10.9 oz. (339 g)	**61800**	**61987**	**30704**
8-1/4 in.	5-3/8 in.	Palmar	11.3 oz. (351 g)	**61802**	**62012**	**30708**

PRODUCT NUMBER GLOVE

1 Replace YYYYY with the glove number from the table above
2 Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611220003)

MATERIAL	LEFT	RIGHT
PVC Standard	**1YYYYXXX1**	**1YYYYYXXX1**
PVC Expanded	**1YYYYYXXX2**	**1YYYYYXXX2**
MCV Standard	**1YYYYYXXX3**	**1YYYYYXXX3**
MCV Expanded	**1YYYYYXXX4**	**1YYYYYXXX4**

Male Soft Voluntary Opening (SVO) Hand

US TR TH

Specifications

Weight: 11 oz. (308 g)

Thread: External 1/2"-20 or M12 x 1.5 mm

Cable exit: Dorsal/ palmar

Product Features

- Adjustable prehension from 2.0 - 6.0 lbs. (0.9 - 2.7 kg)
- Lightweight, rugged construction
- No maintenance required

Ordering information

MALE SOFT VOLUNTARY OPENING (SVO) HAND – LEFT

SIZE	WRIST TO THUMB	CABLE EXIT	THREAD 1/2"-20	THREAD M12	GLOVE NUMBER
7-3/4 in.	5-3/8 in.	Standard	**61066**	**61993**	**30703**
8-1/4 in.	5-3/8 in.	Standard	**61068**	**62006**	**30707**
7-3/4 in.	5-3/8 in.	Palmar	**61486**	**61991**	**30703**
8-1/4 in.	5-3/8 in.	Palmar	**61488**	**62008**	**30707**

MALE SOFT VOLUNTARY OPENING (SVO) HAND – RIGHT

SIZE	WRIST TO THUMB	CABLE EXIT	THREAD 1/2"-20	THREAD M12	GLOVE NUMBER
7-3/4 in.	5-3/8 in.	Standard	**61065**	**61994**	**30704**
8-1/4 in.	5-3/8 in.	Standard	**61067**	**62005**	**30708**
7-3/4 in.	5-3/8 in.	Palmar	**61485**	**61992**	**30704**
8-1/4 in.	5-3/8 in.	Palmar	**61487**	**62007**	**30708**

PRODUCT NUMBER GLOVE

1 Replace YYYYY with the glove number from the table above
2 Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611220003)

MATERIAL	LEFT	RIGHT
PVC Standard	**1YYYYYXXX1**	**1YYYYYXXX1**
PVC Expanded	**1YYYYYXXX2**	**1YYYYYXXX2**
MCV Standard	**1YYYYYXXX3**	**1YYYYYXXX3**
MCV Expanded	**1YYYYYXXX4**	**1YYYYYXXX4**

Male Dorrance 400 - 401 Mechanical Hand

US TR TH

Specifications

Weight: 14.0 oz. (397 g)

Wrist to thumb: 4.5 in. (114 mm)

Thread: External 1/2"-20

Size: 8.0 in.

Cable Exit: Dorsal

Product Features

- Provides voluntary simultaneous opening of the thumb and first two fingers
- Adjustable pinch force
- Breakaway release protects wearer if excessive force is applied
- Heavy duty construction

Ordering information

DESCRIPTION	PRODUCT NUMBER	GLOVE NUMBER
Male Dorrance 401 Mechanical Hand – Left	**50543**	**30801**
Male Dorrance 400 Mechanical Hand – Right	**50542**	**30802**

SPARE PARTS

55410 - **Replacement Spring**

PRODUCT NUMBER GLOVE

1 Replace YYYYY with the glove number from the table above
2 Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611220003)

MATERIAL	LEFT	RIGHT
PVC Standard	**1YYYYYXXX1**	**1YYYYYXXX1**
PVC Expanded	**1YYYYYXXX2**	**1YYYYYXXX2**
MCV Standard	**1YYYYYXXX3**	**1YYYYYXXX3**
MCV Expanded	**1YYYYYXXX4**	**1YYYYYXXX4**

Male Becker Lock Grip Hand

US TR TH

Specifications

Weight: 13.6 - 16.8 oz. (382 - 467 g)

Length: 5-5/8 in. (143 mm)

Thread: 1/2"-20

Cable Exit: Dorsal

Product Features

- All five fingers operate
- Locking mechanism provides a secure grip
- Size corresponds to MCP circumference
- Heavy duty construction

Ordering information

MALE BECKER LOCK GRIP HAND – LEFT

SIZE	WEIGHT	PRODUCT NUMBER	GLOVE NUMBER
7 in.	13.6 oz. (382 g)	**53827**	**30911**
7-1/2 in.	14 oz. (392 g)	**50275**	**30915**
8 in.	14.8 oz. (416 g)	**53821**	**30915**
8-1/2 in.	15.7 oz. (440 g)	**53822**	**30917**
9 in.	16 oz. (450 g)	**53823**	**30917**
9-1/2 in.	16.6 oz. (465 g)	**53828**	**30919**
10 in.	16.8 oz. (467 g)	**53829**	**30919**

MALE BECKER LOCK GRIP HAND – RIGHT

SIZE	WEIGHT	PRODUCT NUMBER	GLOVE NUMBER
7 in.	13.6 oz. (382 g)	**53824**	**30912**
7-1/2 in.	14 oz. (392 g)	**50274**	**30916**
8 in.	14.8 oz. (416 g)	**53818**	**30916**
8-1/2 in.	15.7 oz. (440 g)	**53819**	**30918**
9 in.	16 oz. (450 g)	**53820**	**30918**
9-1/2 in.	16.6 oz. (465 g)	**53825**	**30920**
10 in.	16.8 oz. (467 g)	**53826**	**30920**

PRODUCT NUMBER GLOVE

1 Replace YYYYY with the glove number from the table above
2 Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611220003)

MATERIAL	LEFT	RIGHT
PVC Standard	**1YYYYYXXX1**	**1YYYYYXXX1**
PVC Expanded	**1YYYYYXXX2**	**1YYYYYXXX2**
MCV Standard	**1YYYYYXXX3**	**1YYYYYXXX3**
MCV Expanded	**1YYYYYXXX4**	**1YYYYYXXX4**

Male Becker Imperial Hand

US TR TH

Specifications

Weight: 14 oz. (393 g)

Wrist to thumb: 5.2 in. (133 mm)

Thread: 1/2"-20

Size: 8 in.

Cable Exit: Dorsal

Product Features

- Round shaped wire fingers provide a secure grip on irregularly shaped objects
- Hand grip is adjustable using a screwdriver
- Heavy duty construction

Ordering information

DESCRIPTION	PRODUCT NUMBER	GLOVE NUMBER
Male Becker Imperial Hand – Left	**50317**	**30913**
Male Becker Imperial Hand – Right	**50316**	**30914**

SPARE PARTS

59034 - Inner Cloth Glove

PRODUCT NUMBER GLOVE

1 Replace YYYYY with the glove number from the table above
2 Replace XXX with the chosen color Y/R 01-08
(Natural Definition Guide - 611220003)

MATERIAL	LEFT	RIGHT
PVC Standard	**1YYYYYXXX1**	**1YYYYYXXX1**
PVC Expanded	**1YYYYYXXX2**	**1YYYYYXXX2**
MCV Standard	**1YYYYYXXX3**	**1YYYYYXXX3**
MCV Expanded	**1YYYYYXXX4**	**1YYYYYXXX4**

Male APRL Voluntary Closing Hand

US TR TH

Specifications

Weight: 12.5 oz. (354 g)

Wrist to thumb: 5.0 in. (127 mm)

Thread: 1/2"-20

Size: 8 in.

Cable Exit: Dorsal

Product Features

- Movable thumb, index and middle finger
- Self-locking at any finger position and pre-positioning of the thumb in either of 2 positions permits handling of a wide variety of objects
- Heavy duty construction

Ordering information

DESCRIPTION	PRODUCT NUMBER	GLOVE NUMBER
APRL Voluntary Closing Hand – Left	**52541**	**30703**
APRL Voluntary Closing Hand – Right	**52540**	**30704**

SPARE PARTS

52462 - Replacement Cable, APRL Voluntary Closing Hand

PRODUCT NUMBER GLOVE

1 Replace YYYYY with the glove number from the table above
2 Replace XXX with the chosen color Y/R 01-08
(Natural Definition Guide - 611220003)

MATERIAL	LEFT	RIGHT
PVC Standard	**1YYYYYXXX1**	**1YYYYYXXX1**
PVC Expanded	**1YYYYYXXX2**	**1YYYYYXXX2**
MCV Standard	**1YYYYYXXX3**	**1YYYYYXXX3**
MCV Expanded	**1YYYYYXXX4**	**1YYYYYXXX4**

Male Sierra Voluntary Opening Hand

US TR TH

Specifications

Weight: 12.5 oz. (354 g)

Wrist to thumb: 5.0 in. (127 mm)

Thread: 1/2"-20

Size: 8 in.

Cable Exit: Dorsal

Product Features

- Back lock feature operates in all finger positions
- Two thumb positions permit easy handling of objects
- Heavy duty construction

Ordering information

DESCRIPTION	PRODUCT NUMBER	GLOVE NUMBER
Male APRL Voluntary Opening Hand – Left	**52566**	**30801**
Male APRL Voluntary Opening Hand – Right	**52565**	**30802**

SPARE PARTS

52578 - Replacement Cable, Sierra Voluntary Opening Hand

PRODUCT NUMBER GLOVE

1 Replace YYYYY with the glove number from the table above
2 Replace XXX with the chosen color Y01-08 or R01-08
(Natural Definition Guide - 611220003)

MATERIAL	LEFT	RIGHT
PVC Standard	**1YYYYYXXX1**	**1YYYYYXXX1**
PVC Expanded	**1YYYYYXXX2**	**1YYYYYXXX2**
MCV Standard	**1YYYYYXXX3**	**1YYYYYXXX3**
MCV Expanded	**1YYYYYXXX4**	**1YYYYYXXX4**

Hook Materials & Measurements



Standard Hooks

Hook measurements refer to the length from the top of the fingers to the base of the hook, not including the threaded stud.

Work Hooks

For work hooks, the tool tab is not included in the measurement.

Titanium - Same strenght as steel but 40% lighter. Titanium hooks are only 10% heavier than aluminum

Aluminum - 60% lighter than stainless steel and adequate strenght for light to medium use. A maximum of 5 rubber bands can be used for prehension.

Stainless steel - Heavier than aluminum and is customarily for heavy duty use. Rubber bands can be used in conjunction with steel springs for maximum prehension.

Plastisol coating - Nontoxic plastisol is normally used on pediatric hooks to provide protection for themselves and other children. Adults also have their hooks coated to electrically insulat the device.

Nitrile rubber lining - Nitrile rubber provides a secure, non-marring, holding surface and resistant to most chemicals.

Serrated surface - A serrated surface allows for an extra secure hold suitable for heavy work.

Ball bearings - Most of the hooks are made with precise ball bearing races. This prevents play and gives the user the sensitive proprioception touch.

Pediatric Hooks

Model 12P	Length	Left
SS P	2 ¾ in. 7 cm	**55056** Light **54281** Dark Brown
	Weight	Right
	3 oz. 85 g	**55057** Light **54282** Dark Brown

Model 10P	Length	Left
Al P	3 ⅜ in. 8.6 cm	**55050** Light **54283** Dark Brown **61984** Light, 12 mm **62329** Dark Brown, 12 mm
	Weight	Right
	3 oz. 85 g	**55051** Light **54284** Dark Brown **61977** Light, 12 mm **62327** Dark Brown, 12 mm

Standard Hooks

Hook measurements refer to the length from the top of the fingers to the base of the hook, not including the threaded stud.

Work Hooks

For work hooks, the tool tab is not included in the measurement.

Model 10X	Length	Left
Al N	3 ⅜ in. 8.6 cm	**55053** Model 10X **61985** Model 10X, 12 mm
	Weight	Right
	3 oz. 85 g	**55054** Model 10X **61972** Model 10X, 12 mm

Small/Medium Adult Hooks

Model 99P	Length	Left
Al P	3 ⅞ in. 9.8 cm	**52946** Light **56871** Dark Brown **61980** Light, 12 mm **62328** Dark Brown, 12 mm
	Weight	Right
	3.5 oz. 99 g	53604 Light 56872 Dark Brown 61974 Light, 12 mm 62326 Dark Brown, 12 mm

Model 99X	Length	Left
Al N	3 ⅞ in. 9.8 cm	**55043** Model 99X **61983** Model 99X, 12 mm
	Weight	Right
	3 oz. 85 g	**55044** Model 99X **61976** Model 99X, 12 mm

Canted Hooks

Model 5	Length	Left
SS S	⅞ in. 12.4 cm	**55003** Model 5
	Weight	Right
	8 oz. 227 g	**55004** Model 5

Model 5X	Length	Left
SS N	4 ⅞ in. 12.4 cm	**55009** Model 5X
	Weight	Right
	5 oz. 213 g	**55010** Model 5X

Model 5XA	Length	Left
Al N	4 ⅞ in. 12.4 cm	**55012** Model 5XA **61981** Model 5XA, 12 mm
	Weight	Right
	4 oz. 113 g	**55013** Model 5XA **61973** Model 5XA, 12 mm

Canted Hooks

Model 5XTi	Length	Left
Ti N	4 ⅞ in. 12.4 cm	**62332** Model 5XTi
	Weight	**Right**
	4.2 oz. 118 g	**62331** Model 5XTi

Model 8	Length	Left
SS S	4 ⅝ in. 11.7 cm	**55028** Model 8
	Weight	**Right**
	8 oz. 227 g	**55029** Model 8

Model 8X	Length	Left
SS N	4 ⅝ in. 11.7 cm	**55031** Model8X
	Weight	**Right**
	7.5 oz. 213 g	**55032** Model 8X

Model 88X	Length	Left
Al N	4 ⅝ in. 11.7 cm	**55035** Model 88X **61982** 12 mm
	Weight	**Right**
	4 oz. 113 g	**55036** Model 88X 61975 12 mm

SS Stainless Steel
Al Aluminum
Ti Titanium

P Plastisol Coating
N Nitrile Lined
S Serrated Surface

Lyre/Bilateral Hooks

Model 555	Length	Left
Al N	5 ¼ in. 13.3 cm	**55059** Model 555 **61978** Model 555, 12 mm
	Weight	**Right**
	4.5 oz. 121 g	**55060** Model 555 **61979** Model 555, 12 mm

Model 555-SS	Length	Left
SS N	5 ¼ in. 13.3 cm	**55062** Model 555-SS
	Weight	**Right**
	8.5 oz. 241 g	**55063** Model 555-SS

Work Hooks

Model 7	Length	Left
SS S	4 ⅞ in. 12.4 cm	**55021** Model 7
	Weight	**Right**
	10.5 oz. 298 g	**55022** Model 7

Model 7LO	Length	Left
SS S	5 in. 12.7 cm	**55024** Model 7LO
	Weight	**Right**
	11 oz. 312 g	**55025** Model 7LO

Variable Force Hooks

APRL Voluntary Closing Hook	Length	Left
N	6 ⅜ in. 16.2 cm	52602 APRL Voluntary Closing Hook
	Weight	**Right**
	8.6 oz. 243 g	52601 APRL Voluntary Closing Hook

Sierra 2 Voluntary Opening Hook	Length	Left
N	5 in. 12.7 cm	52432 Sierra 2 Voluntary Opening Hook
	Weight	**Right**
	12.5 oz. 354 g	52431 Sierra 2 Voluntary Opening Hook

Hosmer #12P & 10P Hooks

US TR TH

Product Features

- Titanium, stainless steel and aluminum
- Thread 1/2"-20/ M12 x 1.5 mm (see table)
- Canted fingers
- Plastisol coating

Model 12P

Model 10P

Ordering information

CHILD

DESCRIPTION	MATERIAL	COLOR	THREAD	LENGTH	WEIGHT	PROD. NO. LEFT	PROD. NO. RIGHT
12P	SS		1/2"-20	2.75 in. (70 mm)	3.0 oz. (85 g)	**55056**	**55057**
12P	SS		1/2"-20	2.75 in. (70 mm)	3.0 oz. (85 g)	**54281**	**54282**
10P	Al		1/2"-20	3.4 in. (86 mm)	3.0 oz. (85 g)	**55050**	**55051**
10P	Al		1/2"-20	3.4 in. (86 mm)	3.0 oz. (85 g)	**54283**	**54284**
10P	Al		M12 x 1.5 mm	3.4 in. (86 mm)	3.0 oz. (85 g)	**61984**	**61977**
10P	Al		M12 x 1.5 mm	3.4 in. (86 mm)	3.0 oz. (85 g)	**62329**	**62327**

Hosmer #10X Hook

US TR TH

Product Features

- Stainless steel and aluminum
- Thread 1/2"-20/ M12 x 1.5 mm (see table below)
- Canted fingers, nitrile lined

Ordering information

CHILD

DESCRIPTION	MATERIAL	THREAD	LENGTH	WEIGHT	PROD. NO. LEFT	PROD. NO. RIGHT
10X	Al	1/2"-20	3.4 in. (86 mm)	3.0 oz. (85 g)	**55053**	**55054**
10X	Al	M12 x 1.5 mm	3.4 in. (86 mm)	3.0 oz. (85 g)	**61985**	**61972**

Hosmer #99P Hook

US TR TH

Product Features

- Aluminum
- Thread 1/2”-20 or M12 x 1.5 mm (see table)
- Canted fingers
- Plastisol coating

Ordering information

SMALL

DESCRIPTION	MATERIAL	COLOR	THREAD	LENGTH	WEIGHT	PROD. NO. LEFT	PROD. NO. RIGHT
99P	Al		1/2”-20”	3.9 in. (98 mm)	3.5 oz. (99 g)	**52946**	**53604**
99P	Al		1/2”-20”	3.9 in. (98 mm)	3.5 oz. (99 g)	**56871**	**56872**
99P	Al		M12 x 1.5 mm	3.9 in. (98 mm)	3.5 oz. (99 g)	**61980**	**61974**
99P	Al		M12 x 1.5 mm	3.9 in. (98 mm)	3.5 oz. (99 g)	**62328**	**62326**

Hosmer #99X Hook

US TR TH

Product Features

- Stainless steel and aluminum
- Thread 1/2”-20/ M12 x 1.5 mm (see table below)
- Canted fingers, nitrile lined

Ordering information

SMALL

DESCRIPTION	MATERIAL	THREAD	LENGTH	WEIGHT	PROD. NO. LEFT	PROD. NO. RIGHT
99X	Al	1/2”-20	3.9 in. (98 mm)	3.0 oz. (85 g)	**55043**	**55044**
99X	Al	M12 x 1.5 mm	3.9 in. (98 mm)	3.0 oz. (85 g)	**61983**	**61976**

Hosmer #5 Hook

US TR TH

Product Features

- Stainless steel
- Thread 1/2"-20
- Canted fingers

Ordering information

LARGE

DESCRIPTION	MATERIAL	THREAD	LENGTH	WEIGHT	PROD. NO. LEFT	PROD. NO. RIGHT
5	SS	1/2"-20	4.9 in. (124 mm)	8.0 oz. (227 g)	**55003**	**55004**

Hosmer #5X Hook

US TR TH

Model 5XTi Model 5XA Model 5XA Model 5XA Model 5XA

Product Features

- Titanium, stainless steel and aluminum
- Thread 1/2"-20/ M12 x 1.5 mm (see table)
- Canted fingers, nitrile lined
- Can be anodized in red, blue, black or gold

Ordering information

LARGE

DESCRIPTION	MATERIAL	THREAD	LENGTH	WEIGHT	PROD. NO. LEFT	PROD. NO. RIGHT
5X	SS	1/2"-20	4.9 in. (124 mm)	7.5 oz. (213 g)	**55009**	**55010**
5XTi	Ti	1/2"-20	4.9 in. (124 mm)	4.2 oz. (118 g)	**62332**	**62331**
5XA	Al	1/2"-20	4.9 in. (124 mm)	4.0 oz. (113 g)	**55012**	**55013**
5XA-Blue	Al	1/2"-20	4.9 in. (124 mm)	4.0 oz. (113 g)	**55012BLU**	**55013BLU**
5XA-Gold	Al	1/2"-20	4.9 in. (124 mm)	4.0 oz. (113 g)	**55012G**	**55013G**
5XA-Red	Al	1/2"-20	4.9 in. (124 mm)	4.0 oz. (113 g)	**55012RED**	**55013RED**
5XA-Black	Al	1/2"-20	4.9 in. (124 mm)	4.0 oz. (113 g)	**55012BLK**	**55013BLK**
5XA	Al	M12 x 1.5 mm	4.9 in. (124 mm)	4.0 oz. (113 g)	**61981**	**61973**
5XA-Blue	Al	M12 x 1.5 mm	4.9 in. (124 mm)	4.0 oz. (113 g)	**61981BLU**	**61973BLU**
5XA-Gold	Al	M12 x 1.5 mm	4.9 in. (124 mm)	4.0 oz. (113 g)	**61981G**	**61973G**
5XA-Red	Al	M12 x 1.5 mm	4.9 in. (124 mm)	4.0 oz. (113 g)	**61981RED**	**61973RED**
5XA-Black	Al	M12 x 1.5 mm	4.9 in. (124 mm)	4.0 oz. (113 g)	**61981BLK**	**61973BLK**

Hosmer #8 Hooks

US TR TH

Product Features

- Stainless steel
- Thread 1/2”-20
- Canted fingers, nitrile lined
- Serrated surface

Ordering information

MEDIUM

DESCRIPTION	MATERIAL	THREAD	LENGTH	WEIGHT	PROD. NO. LEFT	PROD. NO. RIGHT
8	SS	1/2”-20	4.6 in. (117 mm)	8.0 oz. (227 g)	**55028**	**55029**

Hosmer #8X Hook

US TR TH

Product Features

- Stainless steel
- Thread 1/2”-20
- Canted fingers, nitrile lined

Ordering information

MEDIUM

DESCRIPTION	MATERIAL	THREAD	LENGTH	WEIGHT	PROD. NO. LEFT	PROD. NO. RIGHT
8X	SS	1/2”-20	4.6 oz. (117 mm)	7.5 oz. (213 g)	**55031**	**55032**

Hosmer #88X Hooks

US TR TH

Product Features

- Aluminum
- Thread 1/2"-20 orM12 x 1.5 mm (see table below)
- Canted fingers, nitrile lined

Ordering information

MEDIUM

DESCRIPTION	MATERIAL	THREAD	LENGTH	WEIGHT	PROD. NO. LEFT	PROD. NO. RIGHT
88X	Al	1/2"-20	4.6 oz. (117 mm)	4.0 oz. (113 g)	**55035**	**55036**
88X	Al	M12 x 1.5 mm	4.6 oz. (117 mm)	4.0 oz. (113 g)	**61982**	**61975**

Hosmer #555 Hook

US TR TH

Model 555-55

Product Features

- Stainless steel and aluminum
- Thread 1/2"-20/ M12 x 1.5 mm (see table below)
- Nitrile lined
- Lyre shaped

Ordering information

LARGE

DESCRIPTION	MATERIAL	THREAD	LENGTH	WEIGHT	PROD. NO. LEFT	PROD. NO. RIGHT
555	Al	1/2"-20	5.2 in. (133 mm)	4.3 oz. (121 g)	**55059**	**55060**
555	Al	1/2"-20	5.2 in. (133 mm)	4.3 oz. (121 g)	**61978**	**61979**
555-55	SS	M12 x 1.5 mm	5.2 in. (133 mm)	8.5 oz. (241 g)	**55062**	**55063**

Work Hooks

US TR TH

Product Features

- Stainless steel
- Thread 1/2”-20” and M12 x 1.5 mm
- Canted fingers
- Serrated surface

Model 7LO

Model 7

Ordering information

WORKHOOK

DESCRIPTION	THREAD	LENGTH	WEIGHT	PROD. NO. LEFT	PROD. NO. RIGHT
7LO - Stainless Steel	1/2”-20	5 in. (127 mm)	11 oz. (312 g)	**55024**	**55025**
7 - Stainless Steel	M12 x 1.5 mm	4.9 in. (124 mm)	10.5 oz. (298 g)	**55021**	**55022**

Hosmer APRL Hook

US TR TH

Product Features

- Voluntary closing
- Stainless steel and aluminum
- Thread 1/2”-20”
- Lyre shape
- Nitrile lined

Ordering information

LARGE

DESCRIPTION	THREAD	LENGTH	WEIGHT	PROD. NO. LEFT	PROD. NO. RIGHT
APRL Hook	1/2” - 20	6.4 in. (162 mm)	8.6 oz. (243 g)	**52601**	**52602**

Hosmer Sierra 2 Hook

US TR TH

Product Features

- Voluntary opening
- Stainless steel
- Thread 1/2”-20”
- Lyre shape
- Nitrile lined

Ordering information

MEDIUM

DESCRIPTION	THREAD	LENGTH	WEIGHT	PROD. NO. LEFT	PROD. NO. RIGHT
Sierra 2 Hook	1/2”-20	6.4 in. (162 mm)	12.5 oz. (353 g)	**52432**	**52431**

E-Z hook Tension Band Applier

US TR TH

Product Features

- Six hook tension bands included

Ordering information

DESCRIPTION	PRODUCT NUMBER
E-Z Hook Tension Band applier	**55144**

Hook Tension Bands

US TR TH

Product Features

- Each band applies approximately 7 newtons (1.6 lbs) of prehension

Ordering information

DESCRIPTION	PRODUCT NUMBER
Hook Tension Band, 4 oz. (80 pcs), Beige	**53869**
Hook Tension Band, 8 oz. (160 pcs), Black	**53870BLK**
Hook Tension Band, 8 oz. (160 pcs), Beige	**53870**
Hook Tension Band, for model 12P, 12 pcs	**55674**

Modular Components

Specification symbols

- SE Manufactured in Sweden
- US Manufactured in USA
- TR Transradial
- TH Transhumeral

NEXO Transradial

US TR

Product Features

- Lightweight, high-strength, flexible materials
- Adjustable force and vibration dampening
- Smooth, simple alignment and length adjustments
- Choice of two attachment methods
- Comes with a USMC style quick disconnect or friction wrist and insert

Patent pending

Ordering information - Transradial Kit with Set Screw Attachment

MODEL CIRCUMFERENCE	RING DIAMETER	KIT WITH QUICK DISCONNECT WRIST	KIT WITH FRICTION WRIST
15.2 – 16.5 cm	5.1 cm	**158100**	**158200**
17.1 – 18.4 cm	5.7 cm	**158101**	**158201**
19.1 – 20.3 cm	6.4 cm	**158102**	**158202**
21 – 22.2 cm	7.0 cm	**158103**	**158203**
22.9 – 24.1 cm	7.6 cm	**158104**	**158204**



Ordering information - Transradial Kit with Adhesive Attachment

MODEL CIRCUMFERENCE	RING DIAMETER	KIT WITH QUICK DISCONNECT WRIST	KIT WITH FRICTION WRIST
15.2 – 16.5 cm	5.1 cm	**158106**	**158206**
17.1 – 18.4 cm	5.7 cm	**158107**	**158207**
19.1 – 20.3 cm	6.4 cm	**158108**	**158208**
21 – 22.2 cm	7.0 cm	**158109**	**158209**
22.9 – 24.1 cm	7.6 cm	**158110**	**158210**



Ordering information - Replacement Socket Rings

MODEL CIRCUMFERENCE	RING DIAMETER	SET SCREW ATTACHMENT	ADHESIVE ATTACHMENT
15.2 – 16.5 cm	5.1 cm	**158150**	**158156**
17.1 – 18.4 cm	5.7 cm	**158151**	**158157**
19.1 – 20.3 cm	6.4 cm	**158152**	**158158**
21 – 22.2 cm	7.0 cm	**158153**	**158159**
22.9 – 24.1 cm	7.6 cm	**158154**	**158160**

Socket ring includes fabrication dummy and set screws where applicable

Socket rings

REPLACEMENT PARTS
158170 - NEXO quick disconnect wrist, 1/2"-20 thread
158171 - NEXO wrist adapter ring
158172 - NEXO friction wrist
158161 - PEEK Rod, ¼ × 8 in., Transradial
158525 - NEXO Lift Tab
158190 - NEXO 4-Rod Damping Ring
880102 - Set screw, 10-32 x 3/16 in. nylon patch SS

Quick disconnect wrist

Friction wrist

NEXO Transhumeral

US TR

Product Features

- Lightweight, high-strength, flexible materials
- Adjustable force and vibration dampening
- Smooth, simple alignment and length adjustments
- Choice of two attachment methods
- Comes with a USMC style quick disconnect or friction wrist and insert
- Can easily connect to an E-200 or E-400 elbow

Elbow not included with kit

Ordering information - Transhumeral Kit

DESCRIPTION	ELBOW DIAMETER	KIT WITH QUICK DISCONNECT WRIST	KIT WITH FRICTION WRIST
NEXO Kit for Medium Elbows	6.1 cm	**158500**	**158600**
NEXO Kit for Large Elbows	7.1 cm	**158501**	**158601**



NEXO Transhumeral with Quick Disconnect Wrist includes five PEEK rods, saddle uprights, upright connector, lift tab, and five-rod damping ring.

Ordering information - E-200 Medium Elbows for NEXO

DESCRIPTION	LOCKING POSITIONS	ELBOW DIAMETER	ELBOW
NEXO E-200, with Outside Cable	11	6.1 cm	**50690**
NEXO E-200HD, with Outside Cable	9	6.1 cm	**50691**

Ordering information - E-400 Large Elbows for NEXO

DESCRIPTION	LOCKING POSITIONS	ELBOW DIAMETER	ELBOW
NEXO E-400, with Outside Cable	11	7.1 cm	**50692**
NEXO E-400HD, with Outside Cable	8	7.1 cm	**50693**
NEXO Powerbow, Stainless Steel with Outside Cable Exit	8	7.1 cm	**60667**



NEXO Transhumeral with Friction Wrist includes five PEEK rods, saddle uprights, upright connector, lift tab, and five-rod damping ring.

REPLACEMENT PARTS
158280 - NEXO Quick Disconnect Wrist, Transhumeral ½-20
158281 - NEXO Wrist Adapter Ring, Transhumeral
158282 - NEXO Friction Wrist, Transhumeral
158162 - PEEK Rod, ¼ × 12 in., Transhumeral
158520 - NEXO E-Series Saddle Upright RH
158521 - NEXO E-Series Saddle Upright LH
158522 - NEXO E-200 Upright Connector
158523 - NEXO E-400 Upright Connector
158525 - NEXO Lift Tab
158290 - NEXO 5-Rod Damping Ring
880092 - Screw 6-32 × ¼ in.
880102 - Set Screw, 10-32 × 3⁄16 in.

Endo-Arm

SE TR

Specifications

Length: 2.4 - 12.6 in. (60 - 320 mm)

Weight at Maximum Length: 5.2 oz. (148 g)

Material: Aluminum

Warranty: 12 month

Product Features

- Adjustable flexion/ friction/ rotation wrist
- Kit includes 20 x 250 mm aluminum tube

Glove not included

Ordering information

DESCRIPTION	PROD. NO
Endo - Arm Kit with Flexion/ Friction/ Rotation Wrist	**631028401**
Endo - Arm Kit	**631028402**

SPARE PARTS

631028300 - Flexion / friction / rotation wrist
631028306 - Center screw, M5 x 20 mm
631028310 - Tube Clamp, external thread 1/2”-20
631028311 - Tube Clamp, internal thread 1/2”-20
631028320 - Lamination adapter, M12 x 1.5 x 20 mm
631028330 - Tube 0.8 x 5.9 in. (20 x 150 mm)
631028340 - Tube Clamp, external thread M12 x 1.5
631028341 - Tube Clamp, internal thread M12 x 1.5
631028342 - Clamp screw, M3 x 16 mm

631028300

631028310 / 340

631028300

Endo-Arm Elbow

SE TR

Specifications

Length 5.5 in. (140 mm)

Weight: 4.6 oz. (132g)

Material: Aluminum

Warranty: 12 month

Product Features

- Shortening of the forearm when flexing the elbow to reduce the wear on the cosmetic foam covering the finished prosthetic
- The elbow unit will be delivered with the lock slide set so the elbow can be locked by pressing the button from the lateral side. This can be changed in the workshop if needed
- The proximal attachment features a M12*1.5mm internal thread or using a M8 bolt attachment to the socket (M8 bolt not included)
- The distal attachment is a 20mm tube clamp, standard to our EndoArm Tube. Please note that this tube cannot be shorter than 65mm due to the lift assist
- Complete modularity with our other EndoArm Products

Order information

DESCRIPTION	PRODUCT NUMBER
EndoArm Elbow, Left	**631028349**
EndoArm Elbow, Right	**631028350**
Lock Plate x 2 and Lock Rod	**631028351**
EndoArm Lock Side Button	**631028352**

Cosmetic Foam for TR

SE TR

Specifications

Length: 16.9 in. (430 mm)

Hole: 0.9 in. (22 mm)

Ordering information

DESCRIPTION	PRODUCT NUMBER
Cosmetic Foam for TR	**631300100**

Modular Endoskeletal System

US TR

Ordering information

DESCRIPTION	PROD. NO
A. Flare adapter for endoskeletal elbow	**60826**
A. O-ring	**59724**
B. Passive wrist, 1/2”-20 thread	**71983**
B. Passive wrist, M12 x 1.5 mm thread	**56966**
C. Forearm lift kit	**56658**
D. Friction wrist	**71988**
E. Distal attachment ring, small	**56758**
E. Distal attachment ring, large	**56255**
F. Socket adapter	**55132**
F. O-ring	**59724**
G. Socket adapter, CAPP wrist 1413, 1-3/4” (4.4 cm) diameter, weight 1 oz. (28 g)	**55109**
G. Socket adapter, CAPP wrist 1413 includes:	
Housing	**55106**
Clamp assembly	**59711**
Socket head screw	**56661**
Allen wrench	**55313**
H. Pylon tube kit	**55573**
H. Pylon tube kit includes:	
Friction washer	**71991**
Tube sleeve	**71993**
Collar	**71984**
Pylon tube	**71990**

For elbows see page 80

A

B

C

D

E

F

G

H

Wrists

Specification symbols

SE Manufactured in Sweden

US Manufactured in USA

TR Transradial

TH Transhumeral

Economy Friction Wrists

Economy Wrist	Part Number	Dimensions	Feature
	52159 Al 64g	Diameter: 2 in.	• Variable friction using compressible discs
	52162 SS 134g	Diameter: 2 in.	
	59491 Ti 93g	Diameter: 2 in.	
	58690 Al 68g LR	Diameter: 2 in.	
OW Oval Wrist, Economy	**Part Number**	**Dimensions**	**Feature**
	51622 Al 72g	Length: 2 ¼ in. Width: 1 ⅝ in.	• Oval wrist with variable friction using compressible discs
	58700 Al 76g LR	Length: 2 ¼ in. Width: 1 ⅝ in.	
Economy Wrist with Straps	**Part Number**	**Dimensions**	**Feature**
	52163 SS 170g	Diameter: 2 in.	• Anchor straps allow for heavy duty use
	59463 Ti 140g	Diameter: 2 in.	

WA Disarticulation Friction Wrist	Part Number	Dimensions	Feature
	52119 SS 57g	Diameter: 1 ⅜ in.	• Wrist disarticulation model
	52117 SS 71g LR	Diameter: 1 ¾ in.	

Constant Friction Wrists

WedgeGrip Wrist	Part Number	Dimensions	Feature
	62351 Al 62g	Diameter: 1 ¾ in.	• Constant friction using metal on metal contact for longer wear
	61897 Al 79g	Diameter: 2 in.	
WedgeGrip Wrist Oval	**Part Number**	**Dimensions**	
	62354 Al 79g	Length: 2 in. Width: 1 ½ in.	
	61970 Al 93g	Length: 2 ¼ in. Width: 1 ⅝ in.	

CAPP Wrist	Part Number	Dimensions	Feature
	55108 D 16g	Diameter: 1 ½ in.	• Lightweight and shapeable wrist for passive and lightweight devices
	55109 D 22g	Diameter: 1 ¾ in.	
	55110 D 30g	Diameter: 2 in.	
Shapeable Passive Hand Wrist	**Part Number**	**Dimensions**	
	62022 ABS 21g	Length: 1.9 in. Width: 1.4 in.	
	62021 ABS 28g	Length: 2.2 in. Width: 1.5 in.	
	62020 ABS 36g	Length: 2.6 in. Width: 1.7 in.	

WE Infant Friction Wrist	Part Number	Dimensions	Feature
	52142 Al 28g NR	Diameter: 1 ¼ in.	• Constant friction wrist using nylon thread compression with set screw • Uses replaceable friction unit except infant size (52142)
WE Friction Wrist	**Part Number**	**Dimensions**	
	52147 Al 42g	Diameter: 1 ½ in.	
	52156 Al 57g	Diameter: 1 ¾ in.	
	58688 Al 65g LR	Diameter: 1 ¾ in.	
	52160 Al 74g	Diameter: 2 in.	
	58684 Al 78g LR	Diameter: 2 in.	
OW Oval Friction Wrist	**Part Number**	**Dimensions**	
	51618 Al 57g	Length: 2 in. Width: 1 ½	
	51623 Al 71g	Length: 2 ¼ in. Width: 1 ⅝	
	58697 Al 75g LR	Length: 2 ¼ in. Width: 1 ⅝	
OW Friction Wrist Insert	**Part Number**	**Dimensions**	
	52151 Al 30g	½-20 Insert	

Flexion

APRL Child Flexion Wrist	Part Number	Dimensions	Feature
	52176 Al 42g	Diameter: 1 ¼ in. Length: 1 1/16 in.	• Constant friction • Resistance at 0 and 36 degrees of flexion • Proximal ½-20 thread

FW Flexion Friction Wrist	Part Number	Dimensions	Feature
	51078 Al 49g	Diameter: 1 ½ in.	• Constant friction • Can lock in 0, 30, or 50 degrees or flexion • For use with hooks only
	51084 Al 71g	Diameter: 1 ¾ in.	
	51100 Al 92g	Diameter: 2 in.	
	51101 SS 221g	Diameter: 2 in.	

Sierra Flexion Wrist	Part Number	Dimensions	Feature
	52371 Al 113g	Diameter: 2 in. Length: 1 7/16 in.	• Constant friction • Can lock in 0, 25, or 50 degrees of flexion, friction rotation • Proximal ½-20 thread

SS Stainless Steel
Al Aluminum
Ti Titanium
D Delrin
ABS ABS
g Product Weight, includes Insert
LR Lamination Ring Model
NR Non-removable Insert

Quick Disconnect: Locking Wrist

Quick Disconnect Wrist	Part Number	Dimensions	Feature
	62342 Al 89g	Diameter: 1 ¾ in.	• Push button to unlock rotation (light push) and remove terminal device (harder push) • Insert included with each wrist
	61862 Al 105g	Diameter: 2 in.	
Quick Disconnect Oval Wrist	**Part Number**	**Dimensions**	
	62343 Al 92g	Length: 2 in. Width: 1 ½ in.	
	61921 Al 105g	Length: 2 ¼ in. Width: 1 ⅝ in.	
Quick Disconnect Insert	**Part Number**	**Thread**	
	61860 SS 23g	½-20 Insert	
	61861 SS 23g	12 mm Insert	

FM Quick Change Wrist	Part Number	Dimensions	Feature
	51043 Al 92g	Diameter: 2 in.	• Push button to unlock rotation (light push) and remove terminal device (harder push) • Insert included with each wrist
	51044 SS 170g	Diameter: 2 in.	
	58297 Al 112g LR	Diameter: 2 in.	
	62436 Ti 166g LR	Diameter: 2 in.	
FM Quick Change Wrist Insert	**Part Number**	**Thread**	
	51052 SS 29g	½-20 Insert	
	58229 SS 29g	12 mm Insert	

Quick Disconnect: Friction Wrist

Friction Disconnect Wrist	Part Number	Insert	Dimensions	Feature
	58151 Al 102g LR	SS Insert	Diameter: 1 ¾ in.	• Free and friction mode by push button • Lamination ring on all models • Insert included with each wrist
	58152 Al 129g LR	SS Insert	Diameter: 2 in.	
Friction Disconnect Oval Wrist	**Part Number**	**Insert**	**Dimensions**	
	58150 Al 122g LR	SS Insert	Width: 2 ¼ in.	
Friction Disconnect Insert	**Part Number**	**Thread**		
	58153 SS 32g	½-20 Insert		

WD Quick Change Wrist	Part Number	Insert	Dimensions	Feature
	52127 Al 98g	Al Insert	Diameter: 2 in.	• Free, locked, and friction modes activated by alternating rotation of the wrist • Insert included with each wrist
	52128 Al 120g	SS Insert	Diameter: 2 in.	
	53896 SS 200g	SS Insert	Diameter: 2 in.	
WD Quick Change Insert	**Part Number**	**Thread**		
	50527 Al 18g	½-20 Insert		
	50528 SS 40g	½-20 Insert		

Specialty

Four Function Wrist	Part Number	Dimensions	Feature
	62268 Al 247g	Diameter: 2 in.	• Four Functions: Flexion: 0, 25, 50 degrees Extension Pronation: 180 degrees Supination: 180 degrees • 18 Rotational Locking Positions • Combination of the Sierra and Rotational Wrists

Rotational Wrist	Part Number	Dimensions	Feature
	61875 Al 104g	Diameter: 2 in.	• Cable pull achieves 360 degrees rotation with 18 locking positions

Economy Friction Wrists

US TR TH

Product Features

- Stainless steel threaded bushing fits into body
- Titanium version is corrosion resistant
- Variable friction using compressible discs
- 1/2"-20 thread

52159

58700

Ordering information

DESCRIPTION	MATERIAL	DIAMETER	WEIGHT	PRODUCT NUMBER
WE-500, Threaded Stainless Steel Bushing	Al	2.0 in. (51 mm)	2.3 oz. (64 g)	**52159**
WE-500S	SS	2.0 in. (51 mm)	4.7 oz. (134 g)	**52162**
Economy Wrist	Ti	2.0 in. (51 mm)	3.3 oz. (93 g)	**59491**

SPARE PARTS

A. **52164** - Body, WE-500
52831 - Body, WE-500S
59490 - Body, titanium wrist
B. **52171** - Rubber
C. **52172** - Cover, WE-500
59464 - Cover, WE-500S and titanium wrist
D. **52173** - Brass washer



Ordering information

DESCRIPTION	MATERIAL	LENGTH	WIDTH	WEIGHT	PRODUCT NUMBER
OW Oval Wrist, Economy	Al	2.25 in. (56 mm)	1.63 in. (41 mm)	2.5 oz. (72 g)	**51622**
OW Oval Wrist, Economy, with Lamination Ring	Al	2.25 in. (56 mm)	1.63 in. (41 mm)	2.7 oz. (76 g)	**58700**

Wrist Socket With Ball Lock

SE TR TH

Product Features

- Hand plates sold separately
- See page 69 for corresponding size and choice of thread

631060100

631060200

Ordering information

DESCRIPTION	MATERIAL	WEIGHT	PRODUCT NUMBER
50 mm diameter for Long Stem	Al	**139g**	**631060100**
50 mm diameter for Short Stem	Al	**94g**	**631060200**
40 mm diameter for Long Stem	Al	**101g**	**631040100**
Lamination Ring 50 mm diameter	SS	**42g**	**631060101**

Hand Plate, long stem

SE TR TH

Product Features

- For use with Wrist Socket With Ball Lock see page 68 for corresponding wrist

Ordering information

40 MM DIAMETER

THREAD	WEIGHT	PRODUCT NUMBER
M12 x 1.5 mm	**30g**	**621050401**
1/2" - 20	**29g**	**621050402**
Unthreaded	**26g**	**621050403**

50 MM DIAMETER

THREAD	WEIGHT	PRODUCT NUMBER
M12 x 1.5 mm	**37g**	**621050501**
1/2" - 20	**35g**	**621050502**
Unthreaded	**34g**	**621050503**

Hand Plate, short stem

SE TR TH

Product Features

- For use with Wrist Socket With Ball Lock see page 68 for corresponding wrist

Ordering information

40 MM DIAMETER

THREAD	WEIGHT	PRODUCT NUMBER
M12 x 1.5 mm	**25g**	**621050404**
1/2" - 20	**26g**	**621050405**
Unthreaded	**22g**	**621050406**

50 MM DIAMETER

THREAD	WEIGHT	PRODUCT NUMBER
M12 x 1.5 mm	**35g**	**621050504**
1/2" - 20	**31g**	**621050505**
Unthreaded	**31g**	**621050506**

Grooved Stem

SE TR TH

Product Features

- Fits Ball lock wrist

Ordering information

THREAD	PRODUCT NUMBER
M12 x 1.5 mm	**621030100**

Economy Wrist With Straps

US TR TH

Product Features

- Anchor straps allow for heavy duty use
- 1/2”-20 thread

Ordering information

DESCRIPTION	MATERIAL	DIAMETER	WEIGHT	PRODUCT NUMBER
Economy Wrist with Straps	SS	2 in. (51 mm)	6 oz. (170 g)	**52163**
Economy Wrist with Straps	Ti	2 in. (51 mm)	5 oz. (140 g)	**59463**

WA Disarticulation Friction Wrist

US TR TH

Product Features

- Anchor straps allow for heavy duty use
- 1/2”-20 thread

Ordering information

DESCRIPTION	MATERIAL	DIAMETER	WEIGHT	PRODUCT NUMBER
WA Disarticulation Friction Wrist	SS	1.38 in. (35 mm)	6 oz. (57 g)	**52119**
WA Disarticulation Friction Wrist with Lamination Ring	SS	1.75 in. (44 mm)	5 oz. (71 g)	**52117**

WedgeGrip Wrist

US TR TH

Product Features

- Adjustable friction control with metal to metal fixation
- Available in round or oval style
- Uses Hosmer style lamination ring

62351

Ordering information

DESCRIPTION	MATERIAL	DIAMETER	THREAD	WEIGHT	PRODUCT NUMBER
Round	Al	2 in. (5.1 cm)	1/2"-20	79 g	**61897**
Round	Al	1 3/4 in. (4.4 cm)	1/2"-20	62 g	**62351**
Oval	Al	2.25 x 1.63 in. (57 x 41 mm)	1/2"-20	93 g	**61970**
Oval	Al	2 x 1.5 in. (51 x 38 mm)	1/2"-20	79 g	**62354**

CAPP Delrin Body Friction Wrist

US TR TH

Product Features

- Constant friction applied with unique friction adjustment collar
- Lightweight and shapeable wrist for passive and lightweight devices
- 1/2"-20 thread

Ordering information

DESCRIPTION	MATERIAL	DIAMETER	WEIGHT	PRODUCT NUMBER
CAPP wrist 1412	Delrin	1.5 in. (38 mm)	0.6 oz. (16 g)	**55108**
CAPP wrist 1413	Delrin	1.75 in. (44 mm)	0.8 oz. (22 g)	**55109**
CAPP wrist 1414	Delrin	2.0 in. (51 mm)	1.1 oz. (30 g)	**55110**

Shapeable Passive Hand Wrist

US TR TH

Product Features

- Constant friction applied with unique friction collar
- Lightweight and shapeable wrist for passive and lightweight devices
- 1/2"-20 thread

Ordering information

DESCRIPTION	MATERIAL	LENGTH	WIDTH	WEIGHT	PRODUCT NUMBER
Small	ABS	1.9 in. (48 mm)	1.4 in. (35 mm)	0.6 oz. (21 g)	**62022**
Medium	ABS	2.2 in. (56 mm)	1.5 in. (38 mm)	0.8 oz. (28 g)	**62021**
Large	ABS	2.6 in. (66 mm)	1.7 in. (43 mm)	1.1 oz. (36 g)	**62020**

WE Infant Friction Wrist

US TR TH

Product Features

- Permits terminal device to be rotated to any position
- Friction is easily adjusted by set screw in body of wrist
- Insert is pressed in and non-removable

Ordering information

DESCRIPTION	MATERIAL	DIAMETER	WEIGHT	THREAD	PRODUCT NUMBER
WE-100N Infant size	Al	1.25 in. (32 mm)	1.0 oz. (28 g)	Standard 1/2"-20	**52142**
WE-100N Infant size	Al	1.25 in. (32 mm)	1.0 oz. (28 g)	M12 x 1.5 mm	**58217**

WE Friction Wrist

US TR TH

Product Features

- Permits terminal device to be rotated to any position
- Friction is easily adjusted by set screw in body of wrist
- Friction insert has stainless steel lead threads and is replaceable
- Laminating ring version available
- 1/2" - 20 thread or M12 x 1.5 mm thread (see chart below)

51618

52147

52151

Ordering information

DESCRIPTION	MATERIAL	DIAMETER	WEIGHT	THREAD	PRODUCT NUMBER
WE-200N child size	Al	1.5 in. (38 mm)	1.5 oz. (42 g)	1/2"-20	**52147**
WE-300N medium	Al	1.75 in. (44 mm)	2.0 oz. (57 g)	1/2"-20	**52156**
WE-500N adult	Al	2.0 in. (51 mm)	2.6 oz. (74 g)	1/2"-20	**52160**
WE-500N adult	Al	2.0 in. (51 mm)	2.6 oz. (74 g)	M12 x 1.5 mm	**58225**

DESCRIPTION	MATERIAL	LENGTH	WIDTH	WEIGHT	THREAD	PRODUCT NUMBER
OW Oval Friction wrist	Al	2.0 in. (50 mm)	1.5 in. (38 mm)	2.0 oz. (57 g)	1/2"-20	**51618**
OW Oval Friction wrist	Al	2.25 in. (56 mm)	1.6 in. (41 mm)	2.5 oz. (71 g)	1/2"-20	**51623**
OW Friction wrist, insert only	Al	-	-	1.1 oz. (30 g)	1/2"-20	**52151**

APRL Child Wrist Flexion unit WF-50

US TR TH

Product Features

- Installs between terminal device and wrist allowing manual positioning of terminal device
- Resistance at 0° and 36° of flexion
- Length: 1.1 in. (27 mm)
- Diameter: 1.25 in. (32 mm)
- Weight: 1.5 oz. (42 g)
- Recommended for use with WE-100N
- 1/2”-20 thread

Ordering information

DESCRIPTION	PRODUCT NUMBER
APRL child wrist flexion unit WF-50	**52176**

SPARE PARTS

A	52177 - Body	E	52183 - Screw
B	52179 - Rocker	F	52181 - Plunger
C	52182 - Friction plug	G	52180 - Spring
D	52185 - Set screw	H	72056 - Set screw



Sierra Wrist Flex Unit

US TR TH

Product Features

- Can lock in 0°, 25° or 50° of flexion
- Length: 1.4 in. (36 mm)
- Constant friction rotation

Ordering information

DESCRIPTION	MATERIAL	DIAMETER	WEIGHT	THREAD	PRODUCT NUMBER
Sierra wrist flex unit 18-00t	Al	2.0 in. (5.0 cm)	4.0 oz. (113 g)	1/2”-20	**52371**

SPARE PARTS

A	**52380** - Base	G	**52301** - Screw
B	**52375** - Lever	H	**52790** - Pin
C	**52466** - Pin	I	**52378** - Plug
D	**54954** - Rocker	J	**52300** - Set screw
E	**52372** - Rocker bushing	K	**52376** - Compression spring
F	**52379** - Cover		

FW Flexion Friction Wrist

US TR TH

Product Features

- Can lock in 0°, 30°, or 50° of flexion
- Automatic locking in all settings
- Easily adjusted friction resistance
- For use with hooks only
- Constant friction rotation

51101

Ordering information

DESCRIPTION	MATERIAL	DIAMETER	WEIGHT	THREAD	PRODUCT NUMBER
FW flexion wrist, FW-200 child size	Al	1.5 in. (38 mm)	1.7 oz. (49 g)	1/2"-20	**51078**
FW flexion friction wrist, FW-300 medium-small size	Al	1.7 in. (44 mm)	2.5 oz. (71 g)	1/2"-20	**51084**
FW flexion friction wrist, FW-500 adult size	Al	2.0 in. (51 mm)	3.2 oz. (92 g)	1/2"-20	**51100**
FW flexion friction stainless wrist, FW-500S adult size	SS	2.0 in. (51 mm)	7.8 oz. (221 g)	1/2"-20	**51101**
FW-200, child		–	–	M12 x 1.5 mm	**58221**
FW-300, small-medium		–	–	M12 x 1.5 mm	**58220**
FW-500, adult		–	–	M12 x 1.5 mm	**58219**

SPARE PARTS

A. **51102** - Body, FW-500
51085 - Body, FW-300
51079 - Body, FW-200
51103 - Body, FW-500S

B. **51104** - Cover, FW-500
51086 - Cover, FW-300
51080 - Cover, FW-200
51105 - Cover, FW-500S

C. **51117** - Lever lock assembly,FW-500 and 500S
51089 - Lever lock assembly, FW-300
51083 - Lever lock assembly, FW-200

D. **51106** - Locking pin, FW-500 and 500S
51087 - Locking pin, FW-300
51081 - Locking pin, FW-200

E. **51114** - Swivel base assembly, FW-500, 300 and 200, 1/2" - 20 thread
52830 - Swivel base assembly, FW-500S, 1/2" - 20 thread
58218 - Swivel base assembly, FW-200, 300, 500 mm

F. **51111** - Spring FW-500, 300 and 500S
51082 - Spring FW-200

G. **50571** - Screw FW-500 and 500S
51825 - Screw FW-300
70058 - Screw FW-200

H. **52154** - Allen wrench
52155 - Adjustment screw (not shown)



Quick Disconnect Wrist

US TR TH

Product Features

- Quick changes and pro-/ supination lock
- 12 Locking positions
- Light pressure indexes pro-/ supination
- Heavier pressure detaches
- Push terminal device in to lock
- Uses Hosmer style laminating ring

61862

62343

61921

61860

Ordering information

DESCRIPTION	MATERIAL	DIAMETER	THREAD	WEIGHT	PRODUCT NUMBER
Round	Al	2 in. (50 mm)	1/2"-20	*106 g	**61862**
Round	Al	1.75 in. (44 mm)	1/2"-20	*90 g	**62342**
Round	Al	2 in. (51 mm)	M12 x 1.5 mm	*105 g	**61863**
Oval	Al	2.25 x 1.63 in. (57 x 41 mm)	1/2"-20	*105 g	**61922**
Oval	Al	2 x 1.5 in. (51 x 38 mm)	1/2"-20	*92 g	**62343**
Oval	Al	2.25 x 1.63 in. (57 x 41 mm)	M12 x 1.5 mm	*106 g	**61921**
Quick Disconnect, Insert only	SS		1/2"-20	23 g	**61860**
Quick Disconnect, Insert only	SS		M12 x 1.5 mm	24 g	**61861**

* Isert included

FM Quick Change Wrist

US TR TH

Product Features

- Designed for quick changes of the terminal device or its position
- Light pressure on the button unlocks the wrist and permits free rotation
- Heavier pressure on the button allows terminal device to be detached from the wrist
- Pressure on the end of terminal device will re-seat and lock it into position

51052

58297

Ordering information

DESCRIPTION	MATERIAL	DIAMETER	THREAD	WEIGHT	PRODUCT NUMBER
FM-100, w/ Insert	Al	2 in. (5.1 cm)	1/2"-20	92 g	**51043**
FM-100S, w/ Insert	SS	2 in. (5.1 cm)	1/2"-20	170 g	**51044**
FM-100LR, w/ Lam. Ring & w/ Insert	Al	2 in. (5.1 cm)	1/2"-20	112 g	**58297**
FM-100LR, w/ Lam. Ring & w/ Insert	Ti	2 in. (5.1 cm)	1/2"-20	166 g	**62436**
Quick Change Insert Only	SS		M12 x 1.5 mm	29 g	**58229**
Quick Change Insert Only	SS		1/2" - 20	29 g	**51052**

Friction Disconnect Wrist

US TR TH

Product Features

- Free and friction mode by push button
- Free rotation achieved by depressing push lever to first position; at second position, insert disconnects from wrist body
- Detachable laminating ring on all models
- Insert in stainless steel included with each wrist
- 1/2" - 20 thread

58150

58152

Ordering information

DESCRIPTION	DIAMETER	WEIGHT	PRODUCT NUMBER
Friction Disconnect, with Laminating Ring, Oval	2.2 x 1.6 in.(57 x 41 mm)	4.3 oz. (122 g)	**58150**
Friction Disconnect, with Laminating Ring, Medium	1.7 in. (44 mm)	3.6 oz. (102 g)	**58151**
Friction Disconnect, with Laminating Ring, Large	2.0 in. (51 mm)	4.2 oz. (119 g)	**58152**
Friction disconnect insert only	-	1.1 oz. (32 g)	**58153**

SPARE PARTS		OVAL	MEDIUM	LARGE
A	Laminating ring	**59526**	59523	59522
B	Body assembly	**58159**	58154	58155
C	Nut plate	–	–	58287
D	Insert	**58153**	58153	58153
E	Screw (4 each)	**58294**	58282	58283
F	Allen wrench	**52154**	52154	52154



WD Quick Change Wrist

US TR TH

Product Features

- Designed for quick changes of the terminal device or its position
- Wrist face is rotated in one direction to allow removal of terminal device
- Rotating in opposite direction will place terminal device in free rotation
- Central position of wrist face locks position of terminal device

50527

52127

Ordering information

DESCRIPTION	MATERIAL	DIAMETER	THREAD	WEIGHT	PRODUCT NUMBER
WD-400, w/ Al. Insert	Al	2 in. (5.1 cm)	1/2"-20	3.5 oz. (98 g)	**52127**
WD-400S, w/ SS Insert	Al	2 in. (5.1 cm)	1/2"-20	4.2 oz. (120 g)	**52128**
WD-400SS, w/lam ring & w/ SS Insert	SS	2 in. (5.1 cm)	1/2"-20	7.1 oz. (200 g)	**53896**
Quick Change Insert Only	Al		1/2"-20	0.6 oz. (18 g)	**50527**
Quick Change Insert Only	SS		1/2"-20	1.4 oz. (40 g)	**50528**

Four Function Wrist

US TR TH

Product Features

- Flexion 0°, 25°, and 50°
- Pronation 180°
- Supination 180°
- 18 Rotational locking positions
- Combination of the Sierra and Rotational wrists

Ordering information

DESCRIPTION	MATERIAL	DIAMETER	WEIGHT	THREAD	PRODUCT NUMBER
Four Function Wrist	Al	2 in. (50 mm)	8.7 oz. (247 g)	Standard 1/2"-20	**62268**

Rotational Wrist

US TR TH

Product Features

- Cable pull achieves 360° rotation with 18 locking positions

Ordering information

DESCRIPTION	MATERIAL	DIAMETER	WEIGHT	THREAD	PRODUCT NUMBER
Rotational Wrist	Al	2 in. (50 mm)	3.7 oz. (104 g)	Standard 1/2"-20	**61875**

Arm Frames

US TR TH

Product Features

- Stainless Steel
- 1/2"-20 thread

55963

54201

Ordering information

DESCRIPTION	PRODUCT NUMBER
Arm Frame Round, 11.5 in. (292 mm) overall length	**55963**
Arm Frame Oval Wrist Disarticulation, 11.5 in. (292 mm) overall length	**54201**

Omega Wrist

US TR TH

Product Features

- Totally machined from surgical stainless steel and aircraft aluminum
- "Tool-less" adjustable, rotational friction control with 12 locking positions
- Lock-in, Lock-out, and Lock-open disconnect features
- Lock-in, Lock-out, and Lock-open disconnect features
- Standard laminating ring fabrication

Ordering information

DESCRIPTION	WEIGHT	THREAD	PRODUCT NUMBER
OMEGA Wrist, Large, Aluminium	3.3 oz (94 gm)	Standard 1/2"-20	**699000324**
OMEGA Wrist, Medium, Aluminium	2.2 oz (62 gm)	Standard 1/2"-20	**699000325**
OMEGA Wrist, Large, Black	3.3 oz (94 gm)	Standard 1/2"-20	**699000326**
OMEGA Wrist, Medium, Black	2.2 oz (62 gm)	Standard 1/2"-20	**699000327**

SPARE PARTS

699000328 - Insert OMEGA Wrist

699000329 - Hook Adapter

699000322 - O-Ring For OMEGA

Wooden Wrist Fitting

SE TR TH

621020100

631028100

Ordering information

DIAMETER	THREAD	WEIGHT	PRODUCT NUMBER
2.4 in. (60 mm)	M12 x 1.5 mm	39 g	**621020100**
1.1 in. (28 mm)	M12 x 1.5 mm	12 g	**631028100**

Connecting Pin

SE TR TH

621040100

621040110

Ordering information

THREAD	PRODUCT NUMBER
M12 x 1.5 mm	**621040100**
M12 x 1.5 mm to 1/2" - 20	**621040110**

Elbows & Shoulder Joints

Specification symbols

- SE Manufactured in Sweden
- US Manufactured in USA
- TR Transradial
- TH Transhumeral

Elbows E-50, E-200, E-400, E-200 NEXO & E-400 NEXO

US TH

Product Features

- Provides locking positions and accommodates a liftassist unit on either left or right side
- E50, E200 & E400 includes the turntable lamination collar and the saddle assembly

E50 - 50557 E200 - 50610 E400 - 50651 E200- NEXO

Ordering information

E- 50 CHILD ELBOW WITH 10 LOCKING POSITIONS

DESCRIPTION	ELBOW AXIS TO SOCKET END	DIAMETER	WEIGHT	PRODUCT NUMBER
E-50 - with Outside Cable Exit	1.7 in. (44 cm)	2.0 in. (51 mm)	7.4 oz. (210 g)	**50556**
E-50A - with Inside Cable Exit	1.7 in. (44 cm)	2.0 in. (51 mm)	7.4 oz. (210 g)	**50557**

E- 200 MEDIUM SIZE ELBOW WITH 11 LOCKING POSITIONS

DESCRIPTION	ELBOW AXIS TO SOCKET END	DIAMETER	WEIGHT	PRODUCT NUMBER
E-200 - with Outside Cable Exit	2.0 in. (51 mm)	2.4 in. (61 mm)	12.3 oz. (350 g)	**50606**
E-200A - with Inside Cable Exit	2.0 in. (51 mm)	2.4 in. (61 mm)	12.3 oz. (350 g)	**50610**
E-200HD - Heavy Duty with 9 Locking Positions	2.0 in. (51 mm)	2.4 in. (61 mm)	12.3 oz. (350 g)	**50613**

SPARE PARTS E-50 AND E-200

50615 - Turntable lamination collar

50643 - Saddle assembly

E- 400 STANDARD SIZE ELBOW - 11 LOCKING POSITIONS

DESCRIPTION	ELBOW AXIS TO SOCKET END	DIAMETER	WEIGHT	PRODUCT NUMBER
E-400 - with Outside Cable Exit	2.1 in. (54 mm)	2.8 in. (71 mm)	14.8 oz. (420 g)	**50650**
E-400A - with Inside Cable Exit	2.1 in. (54 mm)	2.8 in. (71 mm)	14.8 oz. (420 g)	**50651**

E- 400HD STANDARD SIZE HEAVY DUTY ELBOW WITH 8 LOCKING POSITIONS

DESCRIPTION	ELBOW AXIS TO SOCKET END	DIAMETER	WEIGHT	PRODUCT NUMBER
E-400HD - with Outside Cable Exit	2.1 in. (54 mm)	2.8 in. (71 mm)	14.8 oz. (420 g)	**50653**
E-400HDA - with Inside Cable Exit	2.1 in. (54 mm)	2.8 in. (71 mm)	14.8 oz. (420 g)	**61658**
E-400XHD - with Outside Cable Exit.heavy Duty Saddle	2.1 in. (54 mm)	2.8 in. (71 mm)	16.9 oz. (480 g)	**60149**
Power bow - with Outside Cable Exit, Stainless Steel Frame, Cam & Reinforced Extra Heavy Duty Saddle	2.1 in. (54 mm)	2.8 in. (71 mm)	21.1 oz. (598 g)	**60665**

SPARE PARTS E-400 AND E-400HD

50658 - Turntable lamination collar

50730 - Saddle assembly

E-200 MEDIUM ELBOWS / E- 400 LARGE ELBOWS FOR NEXO

DESCRIPTION	LOCKING POSITIONS	ELBOW DIAMETER	ELBOW
NEXO E-200, with Outside Cable	11	6.1 cm	**50690**
NEXO E-200HD, with Outside Cable	9	6.1 cm	**50691**
NEXO E-400, with Outside Cable	11	7.1 cm	**50692**
NEXO E-400HD, with Outside Cable	8	7.1 cm	**50693**
NEXO Powerbow, Stainless Steel with Outside Cable Exit	8	7.1 cm	**60667**

Friction Elbow

US TH

Product Features

- Allows manual positioning of forearm
- Adjustable friction

Ordering information

DESCRIPTION	DIAMETER	WEIGHT	PRODUCT NUMBER
E-50F Friction Elbow, small	2.0 in. (51 mm)	6.9 oz. (196 g)	**50558**
E-200F Friction Elbow, medium	2.4 in. (61 mm)	12.3 oz. (350 g)	**58183**
E-400F Friction Elbow, standard	2.8 in. (71 mm)	14.8 oz. (420 g)	**53363**

Lift Assist Unit for E-200 & E-400 Elbows

US TR TH

Product Features

- May be installed on E-200 and E-400 elbows
- Mounted medially or laterally
- Supplied for installation on medial side unless otherwise specified
- Weigh: 1.5 oz. (42 g)

Ordering information

DESCRIPTION	PROD. NO. LEFT	PROD. NO. RIGHT
Lift assist unit	**50752**	**50609**

SPARE PARTS

A **54291** - Lift assist assembly - Right
50759 - Lift assist assembly - Left
B **50771** - Screw lock
C **50768** - Teflon washer
D **50769** - Screw
E **50764** - Case bolt - Right
50762 - Case bolt - Left
F **50770** - Spring
G **53901** - Dog assembly - Right
50765 - Dog assembly - Left
H **52022** - Washer



Endo - Arm Elbow

SE TH

Ordering information

DESCRIPTION	WEIGHT	PRODUCT NUMBER
EndoArm Elbow, Left, Infinite locking positions over its 150º ROM, M12 x 1.5 mm Thread	4.6 oz. (132 g)	**631028349**
EndoArm Elbow, Right, Infinite locking positions over its 150º ROM, M12 x 1.5 mm Thread	4.6 oz. (132 g)	**631028350**

SPARE PARTS	PRODUCT NUMBER
Lock Plate x 2 and Lock Rod	**631028351**
EndoArm Lock Side Button	**631028352**

Endoskeletal Elbow

US TR TH

Ordering information

DESCRIPTION	WEIGHT	PRODUCT NUMBER
Endoskeletal Locking Elbow, 8 Locking Positions, 1/2”-20 Thread	3.2 oz. (90 g)	**60012**

Manual Lock Elbow

US TR TH





Ordering information

DESCRIPTION	WEIGHT	PRODUCT NUMBER
Manual Lock Elbow, left	5.6 oz. (159 g)	**56344**
Manual Lock Elbow, right	5.6 oz. (159 g)	**55170**

Alternating Lock Elbow

US TR TH



Ordering information

DESCRIPTION	WEIGHT	PRODUCT NUMBER
Alternating Lock Elbow	5.7 oz. (163 g)	**55135**

Outside Locking Hinge

US TR TH



Product Features

- For elbow-disarticulation prosthesis
- Alternator type locking mechanism with seven locking positions, requires very short cable travel to operate
- Available without the lower anchor strap
- Each pair includes one locking and one non-locking hinge, with medial side locking

Ordering information

DESCRIPTION	WEIGHT	PROD. NO LEFT	PROD. NO RIGHT
Small (E-2500L/ E-2500R) pair	5 oz. (140 g)	**50915**	**53881**
Medium (E-1500L/ E-1500R) pair	7.5 oz. (210 g)	**50853**	**53879**
Large (E-500L/ E-500R) pair	10.5 oz. (294 g)	**50776**	**53877**

Step Up Below Elbow Hinge

US TR TH

Product Features

- Intended for short, below elbow amputees who have limited range of elbow flexion
- Multiplies residual limb action of forearm by factor of two
- Hinge made of tool steel which is heat treated and plated for long life

Ordering information

DESCRIPTION	WEIGHT	MA	PRODUCT NUMBER
Small, Pair	5 oz. (140 g)	50	**51478**
Medium, Pair	6 oz. (168g)	75	**51483**
Adult, Pair	7 oz. (196 g)	100	**51485**

SPARE PARTS	SMALL	MEDIUM	ADULT
A. Outer Strap, Right	52836	51645	51486
Outer Strap, Left	51637	51643	51487
B. Screw	51654	55460	51654
C. Upper Strap, Right	51636	51642	51648
Upper Strap, Left	51636	51642	51647
D. Lower Strap, Right	51479	53987	51649
Lower Strap, Left	51479	51484	51650
E. Plate	51638	51651	51651
F. Stud	51481	51488	51488



Residual Limb Activated Locking Hinge Below Elbow

US TR TH

Product Features

- Very short below elbow residual limb, with strength to operate a lever, cannot be fit with standard below elbow prosthesis
- Above elbow forearm lift control cable is used to position forearm
- Hinge is locked or unlocked by flexion or extension of residual limb
- With limb extended, forearm socket is free to swing or to be positioned
- Once positioned, forearm is locked by flexing limb
- Standard and small sizes

Ordering information

DESCRIPTION	WEIGHT	PROD. NO RIGHT	PROD. NO LEFT
Small, E-1600R, Pair	8 oz. (225 g)	**53886**	**50900**
Large, E-600R , Pair	14.5oz (406g)	**53885**	**50833**

SPARE PARTS	SMALL	LARGE
A. Locking Bar Assembly	50910	55764
B. Pin	50876	50819
C. Spring	50875	50818
D. Case Assembly	50909	50848
E. Long Bushing	50809	50809
F. Gear Strap Assembly, Right	54607	53980
Gear Strap Assembly, Left	55710	55615
G. Upper Strap, Right	50904	53974
Upper Strap, Left	50903	50834
H. Stud Screw	50843	50843
I. Screw	50831	50962
J. Short Bushing	50811	50811
K. Cam Strap	50907	50840
L. Teflon Washer	50885	50827
M. Washer	50913	50851
N. Screw	50845	50845
O. Free Side Assembly, Right	54172	53876
Free Side Assembly, Left	50905	55779



Prefabricated Forearms

US TR TH

Product Features

- Laminated in four pigment colors
- Prefabricated forearm components may be purchased separately or you may order a setup already assembled with forearm and elbow
- Wrists are sold separately, specify type when ordering
- Forearms can be cut to length

Ordering information

FOREARMS ONLY

SIZE	PROD. NO	PROD. NO	PROD. NO	PROD. NO
Small	**57941**	**57546**	**57549**	**57560**
Medium	**57940**	**57545**	**57548**	**57561**
Large	**57939**	**57544**	**57547**	**57562**
Large for XL Wrist	**57509**	**57510**	**57511**	**57563**

FOREARMS WITH ELBOW

SIZE	PROD. NO	PROD. NO	PROD. NO	PROD. NO
Small E-50	**57540**	**57505**	**57508**	**57565**
Medium E-200	**57541**	**57504**	**57507**	**57566**
Large E-400	**57939**	**57503**	**57506**	**57567**
Large for XL Wrist E-400	**57512**	**57513**	**57514**	**57568**

MEASUREMENT CHART

SIZE	SMALL	MEDIUM	LARGE	LARGE FOR XL WRIST
Elbow Type	E-50 & E-50F	E-200 & E-200F	E-400 & E-400F	E-400 & E-400F
Elbow Diameter	2 in. (51 mm)	2-3/8 in. (61 mm)	2-13/16 in. (71 mm)	2-13/16 in. (71 mm)
Forearm Length	4.5 - 9 in. (114 - 229 mm)	5.5 - 11 in. (140 - 279 mm)	6.5 - 13 in. (165 - 133 mm)	6.5 - 13 in. (165 - 133 mm)
Outer Forearm Diameter O.D	1-1/2 in. (38 mm)	1-3/4 in. (45 mm)	2 in. (50 mm)	2-3/16 in. (55 mm)
Inner Forearm Diameter I.D	1-1/4 in. (34 mm)	1-1/2 in. (40 mm)	1-3/4 in. (45 mm)	2 in. (50 mm)
Wrist Measurement D1	1-1/2 in. (38 mm)	1-3/4 in. (45 mm)	2 in. (50 mm)	2-3/16 in. (55 mm)
Wrist Measurement D2	1-1/4 in. (34 mm)	1-1/2 in. (40 mm)	1-3/4 in. (45 mm)	2 in. (50 mm)









Forearm may be cut to length

Shoulder Flexion Abduction Joint

US TR TH

Product Features

- Allows independent adjustment of friction for flexion and abduction

51010 55134

Ordering information

DESCRIPTION	WEIGHT	PRODUCT NUMBER
Adult	9 oz. (255 g)	**51010**
Endoskeletal model	8 oz. (225 g)	**55134**

SPARE PARTS

A **51011** - Strap
51022 - Lower strap
B 55119 - Lower strap for 55134
C **51014** - Hinge assembly, includes F-J
D **51019** - Screw, 4 pcs
E **50990** - Clamp center screw
F **51016** - Clamp
G **51017** - Hinge pin
H **50991** - Locking pin, 2 pcs
I **51015** - Hinge
J **51018** - Spring pin
K **51020** - Screw, sold separately
L **51021** - Nut, sold separately



Harnessing

Specification symbols

SE Manufactured in Sweden

US Manufactured in USA

TR Transradial

TH Transhumeral

Northwestern Ring Harness

US TR TH

Product Features

- Fabricated with high grade dacron web tape
- Stainless steel anchor ring prevents binding or bunching
- 4-bar buckles, axilla loop, "Y"-strap and anterior suspension
- Furnished ready to fit



Ordering information

BELOW ELBOW

DESCRIPTION	PRODUCT NUMBER
Bilateral Harness, adult	**71787**
Northwestern Ring Harness Kit 1/2 in. (12.5 mm), child	**51586**
Northwestern Ring Harness Kit 3/4 in. (19 mm), small - medium	**51588**
Northwestern Ring Harness Kit 1 in. (25 mm), adult	**51600**

ABOVE ELBOW

DESCRIPTION	PRODUCT NUMBER
Bilateral Harness, adult	**71786**
Northwestern Ring Harness Kit 1/2 in. (13 mm), child	**51602**
Northwestern Ring Harness Kit 3/4 in. (19 mm), small - medium	**51603**
Northwestern Ring Harness Kit 1 in. (25 mm), adult	**51604**

Heavy Duty harness

US TR TH

Product Features

- Heavy duty, used for either above or below elbow prosthesis
- Fabricated with leather shoulder saddle and chest strap
- Above elbow socket is attached with leather straps and "D" rings
- Michigan roller harness - modified version of the heavy duty harness, suspends the socket with cable and housing



"Y"-strap and anterior suspension



Michigan roller harness

Ordering information

DESCRIPTION	PROD. NO LEFT	PROD. NO RIGHT
Heavy Duty Harness (HD-100L/ HD-100R)	**51151**	**51152**
Michigan Roller Harness (MRH-100L/ MRH-100R)	**51514**	**53904**

Neo-Axilla Loop Padding

US TR TH



Product Features

- Washable
- Soft tan color, nylon outside (skinside)
- Velcro attachment
- 12 ft. (3.7 m) per role

Ordering Information

DESCRIPTION	WIDTH	PRODUCT NUMBER
AXL150 - 12ft roll	2-5/16 in	**699000043**

ELF-Straps

US TH TR

Ordering Information

DESCRIPTION	LENGTH	WIDTH	MAX. THICKNESS(@ CROSS BAR):	COLOR	PRODUCT NUMBER
ELF-Straps	16.5 cm	1.9 - 2.4 cm	1.3 cm	●	**699000151**
				●	**699001151**

Anchor System T-R & T-H

US TR TH

Product Features

- Transradial (T-R) and Transhumeral (T-H) kit systems
- Harness-less operation of body powered prostheses
- Multiple day wearing performance
- Skin friendly, high traction, adhesive mounting technology

699000181

699000182

Ordering information

DESCRIPTION	PRODUCT NUMBER
Transradial Anchor Kit	**699000181**
Transhumeral Anchor Kit	**699000182**
SPARE PARTS	
Double sided Patch for Anchor Base, 10 sheets x 5 patches	699001181
Cleani-Stump Antiseptic Wipe case, (case of 40 consumer boxes, 2000 total pieces)	631020000
Cleani-Stump Antiseptic Wipe case, (1 consumer box, 50 wipes pieces)	631020001

Anchor Companion Strap

US TR TH

Product Features

- 2.5 cm wide dacron webbing, approximately 50 cm long
- Includes rapid adjust buckle (black)

Ordering information

DESCRIPTION	PRODUCT NUMBER
C-strap, white	**699000183**
C-strap, black	**699000184**

Rapid Adjust Buckle

US TR TH

Product Features

- Low profile, uses clamp action for securing web
- One hand operation
- Black

Ordering information

DESCRIPTION	PRODUCT NUMBER
Rapid Adjust Buckles 1.9 cm	**699000139**
Rapid Adjust Buckles 2.5 cm.	**699000177**

Cable, Swaged Rolls

US TR TH

Product Features

- Stainless steel

Ordering information

DESCRIPTION	DIAMETER	25 FT. (7.6 M) ROLE	100 FT. (30.5 M) ROLE	500 FT. (152 M) ROLE
Small, C-101	3/64 in. (1.2 mm)	**50321**	**56858**	**55986**
Standard, C-100	1/16 in. (1.6 mm)	**50318**	**56856**	**56148**
Heavy Duty, C-100HD	3/32 in. (2.4 mm)	**50319**	**56857**	-
Nylon Coated, C-101P	3/64 in. (1.2 mm)	**50322**	-	-

Cable Housing & Housing Liner

US TR TH

50455

50482

Ordering information

DESCRIPTION	INNER DIAM.	OUTER DIAM.	LENGTH	PRODUCT NUMBER
Housing for C-100 & C-101 Cable	0.075 in. (1.9 mm)	0.136 in. (3.5 mm)	25 ft. (7.6 m)	**50455**
Housing for C-100HD Cable	0.165 in. (4.2 mm)	0.185 in. (4.7 mm)	2 x 25 ft. (2 x 3.8 m)	**50456**
Teflon liner for Heavy Duty Cable Housing. Cable of 1/16" diameter	–	–	–	**50482**

Cable Housing Cover

US TR TH

Ordering information

DESCRIPTION	PRODUCT NUMBER
Standard, CHC-100, 25 ft. (7.6 m) role	**50457**
Heavy Duty, CHC-100HD, 25 ft. (7.6 m) role	**50458**

Cable Housing Anchors

US TR TH



Product Features

- Cable housing anchors sold in package of 4 pcs

Ordering information

	DESCRIPTION	PRODUCT NUMBER
A	Cable Housing Anchor, Stainless Steel	**50427-P**
B	Plastic Retainer, 1/8 In. (3.2 Mm)	**54482**
C	Plastic Retainer, 3/16 In. (4.8 Mm)	**54483**
D	Plastic Retainer, 1/4 In. (6.4 Mm)	**54484**

Cable, Swaging Tool

US TR TH



Product Features

- Requires two of same size

Ordering information

DESCRIPTION	PRODUCT NUMBER
Cable Swaging Tool, complete 2 pcs	**50520**
Die 3/64 in. (1.2 mm), replacement 1 pc	**50524**
Die 1/16 in. (1.6 mm), replacement 1 pc	**50523**
Die 3/32 in. (2.4 mm), replacement 1 pc	**50522**

Triple Swivels

US TR TH

Product Features

- 9/32 in. (7.1 mm) diameter ball for hooks
- Furnished with grommet 50 448
- Sold in package of 4 pcs

Ordering information

	DESCRIPTION	PRODUCT NUMBER
A	Triple Swivel for 1/16 in. (1.6 mm) Cable (C-701)	**50348-P**
B	Triple Swivel for 3/64 in. (1.2 mm) Cable (C-701A)	**50352-P**
C	Triple Swivel for 3/32 in. (2.4 mm) Cable (C-701HD)	**50353-P**
C	Rubber Grommet, (C-759)	**50448-P**

Ball terminals 3/16 inch

US TR TH

Product Features

- 3/16 in. (4.8 mm) diameter ball
- For most hands
- Sold in package of 4 pcs

A B C

Ordering information

	DESCRIPTION	PRODUCT NUMBER
A	Ball Terminal for 1/16 in. Cable, C-703	**50354-P**
B	Ball Terminal for 3/64 in. Cable, C-703A	**50355-P**
C	Ball Terminal for 3/32 in. Cable, C-703HD	**50356-P**

Ball terminals 9/32 inch

US TR TH

Product Features

- 9/32 in. (7.1 mm) diameter ball
- Sold in package of 4 pcs

A B

Ordering information

	DESCRIPTION	PRODUCT NUMBER
A	Ball Terminal for 1/16 in. Cable, C-704	**50357-P**
B	Ball Terminal for 3/64 in. Cable, C-704A	**50358-P**

Ball Receivers

US TR TH

Product Features

- 9/32" (7.1 mm) diameter ball
- Sold in package of 4 pcs

A B C D E

Ordering information

	DESCRIPTION	PRODUCT NUMBER
A	3/16 in. Receiver for 1/16 in. Cable, C-713	**50411-P**
B	3/16 in. Receiver for 3/64 in. Cable, C-713A	**50419-P**
C	3/16 in. Receiver for 3/32 in. Cable, C-713HD	**50415-P**
D	9/32 in. Receiver for 1/16 in. Cable, C-714	**50422-P**
E	3/16 in. Receiver for 1/16 in. Cable, C-713L	**57072-P**

BAHA

US TR TH

Product Features

- Replaces the Figure 8 harness ring(s)
- Improves the biomechanics by optimizing the harness axilla angle and creating a more efficient cable control pathway
- Flexible & comfortable, conforms to the spine.

Ordering information

DESCRIPTION	LENGTH	WIDTH	THICKNESS	WEIGHT	PROD. NO ●	PROD. NO ●
Adult	3.9 in. (9.9 cm)	2.7 in. (6.9 cm)	0.125 in. (0.3 cm.	1/2 oz. (14 g)	**699000066**	**699002066**
Pediatric	2.9 in. (7.4 cm)	2.0 in. (5.0 cm)	0.125 in. (0.3 cm)	1/3 oz. (9.5 g)	**699000176**	**699000276**

Binary Swivels

US TR TH

Product Features

- Available with 3/16 and 9/32 in. diameter terminal balls for both standard 1/16 and 3/32 in. diameter heavy duty cable.

Ordering information

DESCRIPTION	PROD. NO 3/16 DIAMETER	PROD. NO 9/32 DIAMETER
Standard	**699000173**	**699000137**
Heavy Duty	**699000136**	**699000138**

Base Plates

US TR TH

Product Features

- Sold in package of 4 pcs

Ordering information

	DESCRIPTION	PRODUCT NUMBER
A	Base Plate for Retainer, C-708. Including Rubber Disc 50 360	**50359-P**
B	Rubber Disc, C-708A	**50360-P**

Retainers

US TR TH

Product Features

- Sold in package of 4 pcs

Ordering information

	DESCRIPTION	PRODUCT NUMBER
A	Retainer for Standard Ch-100 Housing, Aluminum, C-709	**50361-P**
B	Retainer for Standard Ch-100 Housing, Stainless Steel, C-709S	**50364-P**
C	Retainer for HD Cable Housing, Stainless Steel, C-709Hd	**50363-P**

Ferrule

US TR TH

Product Features

- Stainless steel
- Prevents the housing from fraying
- Sold in package of 4 pcs

Ordering information

DESCRIPTION	PRODUCT NUMBER
Ferrule, for Standard Cable Housing	**50423-P**
Ferrule, for Heavy Duty Cable Housing	**50424-P**
Ferrule, for Heavy Duty Cable Housing and Teflon Liner	**61445-P**

Python, Stainless Aircraft Cable

Python Standard

Python Heavy Duty

US TR TH

Product Features

- New cable design build up, containing 19 strong wires (standard)
- Four times the resistance to abrasion breakage
- Low friction coefficient leads to less fraying
- Length: 25 ft. (7.6 m)

Ordering information

DESCRIPTION	DIAMETER, COILS	PRODUCT NUMBER
Python Standard	1/16 in. (1.6mm)	**699000161**
Python Heavy Duty	3/32 in. (2.4mm)	**699000158**

Heavy Duty Cable Housing

US TR TH

Product Features

- For Heavy Duty Cable 3⁄32 in. (2.4 mm).
- Accepts standard diameter prosthetic cable 1⁄16 in. (1.6 mm) with a teflon Liner.
- Available in 25 ft. (7.5 m) coils.

Ordering information

DESCRIPTION	PRODUCT NUMBER
Heavy Duty Cable Housing	**50456**

Perfect Flare Tool

US TR TH

Product Features

- A simple, stainless steel tool that allows you to create perfect flares on the ends of teflon liners and similar materials used in prosthetics.
- Use with a standard heat gun and bench vice.

Ordering information

DESCRIPTION	PRODUCT NUMBER
Perfect Flare Tool	**699000027**

Spectra® Prosthetic Cable

US TR TH

Product Features

- Spectra cable is an alternative where stainless options do not perform well
- Very low friction
- Abrasion resistant
- Must be installed with a Teflon or copolymer cable housing liner
- Spectra Cable requires custom tie-on fittings, cannot be swaged
- Length: 50 ft (15.2 m)

Ordering information

DESCRIPTION	PROD. NO ●	PROD. NO ●
Spectra Cable	**699000040**	**699000140**

Spectra® Cable Hanger

US TR TH

H2

H1M

Specifications

Thickness: 0.06 in (0.15 cm) **Material:** Stainless steel

Ordering information

NOTE: ASPCH1M is tight on some dacron webbing. TRS suggests PolyPro webbing.

DESCRIPTION	WIDTH	PRODUCT NUMBER
H1M	1.125 in (2.9 cm)	**699000034**
H2	0.75 in (1.9 cm)	**699000026**

Spectra Ball Fittings

US TR TH

B1

B2

B3

Specifications

Length: 1 in (2.5 cm) **Material:** Stainless steel

Ordering information

DESCRIPTION	PRODUCT NUMBER
B1	**699000035**
B2	**699000036**
B3	**699000022**

In-Line Hook To Grip Adapter

US TR TH

Product Features

- Connects 9/32 in. diameter ball triple swivels (Fillauer®-Hosmer®) to TRS Grip Prehensors, easily and reliably.
- Adapter is stainless steel, 1 in. long.
- Supplied with a grommet.

Ordering information

DESCRIPTION	PRODUCT NUMBER
In-Line Hook To Grip Adapter	**699000031**

Adept Cable Adapters

US TR TH

Product Features

- One piece, stainless steel, in-line cable fittings with 3/16 in. diameter ball, which accept standard 1/16 in. dia. cable only.
- Designed exclusively for use with all ADEPT Prehensors and LiteTouch Hands.

Ordering information

DESCRIPTION	PRODUCT NUMBER
Adept Cable Adapters	**699000030**

Triple Swivel

US TR TH

Product Features

- TRS triple swivel is designed with 3/16 in. terminal balls, specifically sized for all Grip Prehensors.

Ordering information

DESCRIPTION	PRODUCT NUMBER
Standard 1/16" D. Cable	**699000032**
Heavy Duty 3/32" D. Cable	**699000033**

Control Cabel Insulator

US TR TH

Product Features

- Provides 15KV resistance to help protect patient from electrical shock
- May be swaged or soldered onto the cable receiving terminals

Ordering information

DESCRIPTION		PRODUCT NUMBER
A	Insulator for 1/16 in. Cable	**50428**
B	Insulator for 3/32 in. Cable	**53365**

NOTE: there is no guarantee implied or warranted that the insulator will shield the patient from shock

Adjustable Hanger

US TR TH

Product Features

- Acceptes 1/16 in. or 3/64 in. diameter cable

Ordering information

DESCRIPTION	PRODUCT NUMBER
Adjustable Hanger, C734	**50434**

Elbow Lock Cable Hanger

US TR TH

Ordering information

DESCRIPTION	PRODUCT NUMBER
Cable Hanger for 1/2 in. Tape, for 3/64 in. Cable	**50747**

Hangers

US TR TH



Product Features

- Sold in package of 4 pcs

Ordering information

DESCRIPTION		PRODUCT NUMBER
A	Hanger for 1/16 in. Cable, 1 in. Webbing	**50374-P**
B	Hanger for 3/64 in. Cable, 1 in. Webbing	**50377-P**
C	Hanger for 1/16 in. Cable, 1/2 in. Webbing	**50378-P**
D	Hanger for 3/64 in. Cable, 1/2 in. Webbing	**50381-P**
E	Hanger for 3/32 in. Cable, 1 in. Webbing	**50383-P**
F	Hanger for 1/16 in. Cable, 3/4 in. Webbing	**50384-P**
G	Hanger for 3/64 in. Cable, 3/4 in. Webbing	**50387-P**
H	Hanger for 3/32 in. Cable, 1/2 in. Webbing	**50382-P**

Anchor Plates

US TR TH

Product Features

- Sold in package of 4 pcs

Ordering information

DESCRIPTION	PRODUCT NUMBER
Anchor Plate for all sizes	**50370-P**

Cross Bars

US TR TH

Product Features

- Sold in package of 4 pcs
- Compatible with cable housing C-100 or C-100HD

Ordering information

DESCRIPTION	PRODUCT NUMBER
Cross Bar for Standard Housing	**50366-P**
Cross Bar for Heavy Duty Housing	**50367-P**

Housing Cross Bar Assembly

US TR TH

Ordering information

DESCRIPTION	PRODUCT NUMBER
Housing Cross Bar assembly, Standard size	**50365**
Housing Cross Bar, Heavy Duty	**50373**

Leather Cross Bar

US TR TH

Product Features

- Sold in package of 4 pcs

Ordering information

DESCRIPTION	PRODUCT NUMBER
Leather Cross Bar, Standard	**50368-P**
Leather Cross Bar, Heavy Duty	**50369-P**

Buckles

US TR TH

Product Features

- Stainless steel
- Provide added security and ease of adjustment to harnesses

Ordering information

DESCRIPTION	PRODUCT NUMBER
Four Bar Buckle, 1/2 in. (1.27 cm)	**51026-P**
Four Bar Buckle, 3/4 in. (1.91 cm)	**51027-P**
Four Bar Buckle, 1 in. (2.54 cm)	**51028-P**
Safety Buckle, 1 in. (2.54 cm)	**70178**

Northwestern Lift Tab Drilling Jig

US TH

Ordering information

DESCRIPTION	PRODUCT NUMBER
Forearm Lift Tab jig, FLJ-100	**51040**
Replacement Screw	**51042**

Forearm Lift Assembly

US TH

Ordering information

	DESCRIPTION	PRODUCT NUMBER
A	Lift Assembly for Standard size Cable Housing, C-712	**50388**
B	Lift Assembly for Heavy Duty Housing, C-712HD	**50408**

SPARE PARTS

50401 - Screw
50409 - Rivet
50410 - Spacer
50402 - Rivet cap
50389 - Leather for 50388
50452 - Leather for 50408
51016 - Clamp
51017 - Hinge pin
50991 - Locking pin, 2 pcs
51015 - Hinge
51018 - Spring pin
51020 - Screw, sold separately
51021 - Nut, sold separately

Deluxe Forearm Lift Assembly

US TH


B

Product Features

- Special forearm post screw eliminates lock nuts and prevents loosening

Ordering information

DESCRIPTION		PRODUCT NUMBER
A	Deluxe Lift Assembly for Standard size Cable Housing, C-712D	**50403**
B	Deluxe Lift Assembly for Heavy Duty Housing, C-712DHD	**50405**

SPARE PARTS

50407 - Screw
50409 - Rivet
50404 - Base
50402 - Rivet cap
50389 - Leather for 50388
50452 - Leather for 50408

Northwestern Harness Rings

US TR TH

Product Features

- Solid stainless steel ring

Ordering information

DESCRIPTION	DIAMETER	PRODUCT NUMBER
Small	1.8 in. (46 mm)	**51587**
Medium	2.1 in. (54 mm)	**51589**
Large	2.4 in. (62 mm)	**51601**

Axilla Loop Pads

US TR TH

Product Features

- Preshaped plastic tube, pads and protects dacron strap
- 13-1/4 in. (33.7 cm)

Ordering information

DESCRIPTION	PRODUCT NUMBER
Axilla Loop Pad, small for 1/2 in. (1.27 cm) Tape	**50114**
Axilla Loop Pad, large for 3/4 - 1 in. (1.91 - 2.54 cm) Strap	**50115**

Myoelectric Systems

Specification symbols

- SE — Manufactured in Sweden
- US — Manufactured in USA
- TR — Transradial
- TH — Transhumeral

Flowchart - Transradial setup



For full selection of Terminal Devices, visit the pages below

DEVICE	PAGE NUMBER
A. ProPlus Hand and Standard Wrist	**108 - 110**
B. ProPlus ETD and Standard Wrist	**109 - 110**

For full selection of Wrists, visit the pages below

DEVICE	PAGE NUMBER
C. External Wrists	**110- 112**
D. In Arm Wrists	**112**

For full selection of Quick Disconnect Components, visit the pages below

DEVICE	PAGE NUMBER
E. Forearm Endcap	**113**
F. Lamination Collar	**113**
G. Coaxial Plug	**114**

For full selection of Input Devices, visit the page below

DEVICE	PAGE NUMBER
H. Preamp Electrodes	**114**

For full selection of Connectors and Batteries, visit the pages below

DEVICE	PAGE NUMBER
I. Battery Harness/cables	**116-117**
J. Batteries	**116-17**

Flowchart - Terminal Device

1 Choose type of terminal device

A

B

Choose what terminal device to use

DEVICE	PAGE NUMBER
A. ProPlus Hand and Standard Wrist	**110**
B. ProPlus ETD and Standard Wrist	**110**

2 Other types of wrists

A

B

C

D

E

Choose what kind of wrist to use (If other than standard)

TYPE OF WRIST	PAGE NUMBER
A. Disarticulation Wrist	**110**
B. In Arm Wrist Rotator	**112**
C. Flexion Wrist (abd/ add or flex/ ext)	**111**
D. Multi-Flex Wrist	**111**
E. In TD Wrist Rotator	**112**

*If Disarticulation Wrist or In Arm Wrist rotator is chosen skip to step four.

3 Collars and Plugs

A

B

C

Choose what kind and what color

SIZE	PRODUCT NUMBER
A. Lamination Collar	**113**
B. Forearm Endcap	**113**
C. Coaxial Plug	**114**

Flowchart - Terminal Devices

4 Choose battery

A Complete battery set

B Separate units (All contained in the complete battery set)

For a complete list of order numbers and descriptions visit the pages listed below

DEVICE	PAGE NUMBER
A. Complete Battery Set	**117**
B. Separate Battery units	**116**

5 Choose Input Method

A Preamp Electrodes

B Alternative Inputs

For a complete list of order numbers and descriptions visit the pages listed below

DEVICE	PAGE NUMBER
A. Preamp Electrodes	**114**
B. Alternative Inputs	**115**

Flowchart - Proplus Hand

1 Choose size of hand (includes standard wrist)

PROPLUS HAND & STANDARD WRIST

SIZE	PROD. NO LEFT	PROD. NO RIGHT
7 1/4 in.	5010046	5010047
7 3/4 in.	5010048	5010049
8 1/4 in.	5010050	5010051

For more information regarding the different options, see page 110 - 117

2 Choose size & other style of wrist (optional)

1. WRIST DISARTICULATION OPTION

DESCRIPTION	PROD. NO
7 1/4 in.	3010607
7 3/4 in.	3010608
8 1/4 in.	3010609

2. SHORT HAND OPTION

DESCRIPTION	PROD. NO
7 1/4 in.	3010429
7 3/4 in.	3010451
8 1/4 in.	3010452

3. FLEXION WRIST OPTION

DESCRIPTION	PROD. NO
7 1/4 in.	3010439
7 3/4 in.	3010440
8 1/4 in.	3010441

4. MULTI-FLEX WRIST OPTION

DESCRIPTION	PROD. NO
ProPlus Hand	3010640

5. IN HAND WRIST ROTATOR

DESCRIPTION	PROD. NO
ProPlus Hand	3010683

6. FOREARM MOUNTING WRIST ROTATOR

PROWRIST	PROD. NO
●	5010057
●	5010058
●	5010056

3 Wrist 2-5: Choose wrist attachment
Wrist 1 & 6: Skip this step

LAMINATION COLLAR

DESCRIPTION	PROD. NO ●	PROD. NO ●	PROD. NO ●
7 1/4 in.	1100292	1100296	1100288
7 3/4 in.	1100293	1100297	1100289
8 1/4 in.	1100294	1100298	1100290

FOREARM ENDCAP

DESCRIPTION	PROD. NO ●	PROD. NO ●	PROD. NO ●
Forearm endcap	3010804	3010805	3010758

COAXIAL PLUG

DESCRIPTION	PROD. NO
Coaxial Plug	3010477

4 Choose battery type

BATTERY SET*

DESCRIPTION	PROD. NO
Lithium Ion 7.2 V, long/ thin	3010467
Lithium Ion 7.2 V, dual cell	3010596

* see page 114 - 115 for complete ordering information

5 Choose input

PREAMP ELECTRODES

PROD. NO DUAL CHANNEL	PROD. NO SINGLE CHANNEL
3010784	3010785

For other types of alternative inputs, please contact your Fillauer representative

Example order:
Proplus Hand left 7 3/4" (5010048),
Multi-Flex Wrist Option for ProPlus Hand (3010640),
7 3/4" Lamination Collar (tan) (1100293), Forearm Endcap (tan) (3010804),
Coaxial Plug (3010477), Lithium Ion 7.2V dual cell battery (3010596) &
Preamp Electrodes (3010785)

Flowchart - ProPlus ETD

1 Choose size of hook (includes standard wrist)

PROPLUS ETD & STANDARD WRIST

DESCRIPTION	PROD. NO LEFT	PROD. NO RIGHT
ETD (aluminum hook)	**5010052**	**5010053**
ETD (titanium hook)	**5010061**	**5010062**
ETD (black anodized aluminum hook)	**5010071**	**5010072**

For more information regarding the different options, see page 110 - 117

2 Choose size & style of wrist

1. WRIST DISARTICULATION OPTION

DESCRIPTION	PROD. NO
ETD	**3010610**

2. FLEXION WRIST OPTION

DESCRIPTION	PROD. NO
ETD (flex & extend)	**3010485**
ETD (ab/ad - duction)	**3010793**

3. MULTI-FLEX WRIST OPTION

DESCRIPTION	PROD. NO
ProPlus ETD	**3010641**

4. IN HAND WRIST ROTATOR

DESCRIPTION	PROD. NO
ProPlus ETD	**3010684**

5. FOREARM MOUNTING WRIST ROTATOR

PROPLUS WRIST	PROD. NO
	5010057
	5010058
	5010056

3 Wrist 2 - 4: Choose wrist attachment
Wrist 1 & 5: Skip this step

LAMINATION COLLAR

DESCRIPTION	PROD. NO	PROD. NO	PROD. NO
7 3/4"	**1100293**	**1100297**	**1100289**

FOREARM ENDCAP

DESCRIPTION	PROD. NO	PROD. NO	PROD. NO
Forearm Endcap	**3010804**	**3010805**	**3010758**

COAXIAL PLUG

DESCRIPTION	PROD. NO
Coaxial Plug	**3010477**

4 Choose battery type

BATTERY SET*

DESCRIPTION	PROD. NO
Lithium Ion 7.2 V, long/ thin	**3010467**
Lithium Ion 7.2 V, dual cell	**3010596**

* see page 114 - 115 for complete ordering information

5 Choose input

PREAMP ELECTRODES

PROD. NO DUAL CHANNEL	PROD. NO SINGLE CHANNEL
3010784	**3010785**

* For other types of alternative inputs, please contact your Fillauer representative

Example order:
ProPlus ETD (aluminum hook) left (5010052),
Multi-Flex Wrist Option for ProPlus ETD (3010641),
7 3/4" Lamination Collar (tan) (1100293), Forearm Endcap (tan) (3010804),
Coaxial Plug (3010477), Lithium Ion 7.2V dual cell battery (3010596) &
Preamp electrodes (3010785)

ProPlus Hand / ETD with Standard Wrist

US TR TH

Ordering information

PROPLUS HAND

SIZE	PROD. NO LEFT	PROD. NO RIGHT	GLOVE FEMALE LEFT	GLOVE FEMALE RIGHT	GLOVE MALE LEFT	GLOVE MALE RIGHT
7 1/4 in.	**5010046**	**5010047**	**20713**	**20714**	**30713**	**30714**
7 3/4 in.	**5010048**	**5010049**	**20715**	**20716**	**30715**	**30716**
8 1/4 in.	**5010050**	**5010051**	-	-	**30719**	**30720**

PROPLUS ETD

DESCRIPTION	PROD. NO LEFT	PROD. NO RIGHT
ETD (aluminum hook)	**5010052**	**5010053**
ETD (titanium hook)	**5010061**	**5010062**
ETD (black anodized aluminum hook)	**5010071**	**5010072**

PRODUCT NUMBER GLOVE

MATERIAL	PROD. NO LEFT	PROD. NO RIGHT
PVC Standard	**1YYYYYXXX1**	**1YYYYYXXX1**
PVC Expanded	**1YYYYYXXX2**	**1YYYYYXXX2**
MCV Standard	**1YYYYYXXX3**	**1YYYYYXXX3**
MCV Expanded	**1YYYYYXXX4**	**1YYYYYXXX4**

1 Replace YYYYY with the glove number from the table above
2 Replace XXX with the chosen color Y01-08 or R01-08

(Natural Definition Guide - 611220003)

Wrist Disarticulation Option

US TR TH

Ordering information

HAND (STANDARD AND PROPLUS)

SIZE	PRODUCT NUMBER
7 1/4 in.	**3010607**
7 3/4 in.	**3010608**
8 1/4 in.	**3010609**

ETD (STANDARD AND PROPLUS)

DESCRIPTION	PRODUCT NUMBER
ETD Hook	**3010610**

Short Hand Option

US TR TH

Ordering information

HAND (STANDARD AND PROPLUS), FOR GLOVE INFORMATION SEE TOP OF PAGE

SIZE	PRODUCT NUMBER
7 1/4 in.	**3010429**
7 3/4 in.	**3010451**
8 1/4 in.	**3010452**

Flexion Wrist Option

US TR TH

The Flexion Wrist allows the terminal device to be moved and locked in flexion/extension or abduction/ adduction (ETD only)
ProPlus Hand: 30° flexion and extension
ETD: 26°/52° flexion or abduction and 30° extension or adduction.
A manual lever locks the wrist in position

Ordering information

HAND (STANDARD AND PROPLUS), FOR GLOVE INFORMATION SEE PAGE 108

SIZE	PRODUCT NUMBER
7 1/4 in.	**3010439**
7 3/4 in.	**3010440**
8 1/4 in.	**3010441**

ETD (STANDARD AND PROPLUS)

DESCRIPTION	PRODUCT NUMBER
ETD hook (flexion / extension)	**3010485**
ETD hook (abd-/ adduction)*	**3010793**

*Flexion wrist rotated 90° in relation to ETD

Multi-Flex Wrist Option

US TR TH

The Multiflex Wrist is spring loaded and moves in four different directions. A manual latch enables locking and unlocking of the wrist in the sagittal plane only.

Ordering information

HAND

DESCRIPTION	PRODUCT NUMBER
Standard Hand	**3010638**
ProPlus Hand	**3010640**

ETD

DESCRIPTION	PRODUCT NUMBER
Standard ETD	**3010639**
ProPlus ETD	**3010641**

In Terminal Device Wrist Rotator

US TR TH

The Wrist Rotator is placed distal to the quick disconnect

Ordering information

HAND

DESCRIPTION	PRODUCT NUMBER
Standard Hand	**3010681**
ProPlus Hand	**3010683**
Flexion Wrist for In-Hand Wrist Rotator	**3010685**

ETD

DESCRIPTION	PRODUCT NUMBER
Standard Hand	**3010682**
ProPlus ETD	**3010684**
Flexion Wrist for In-ETD Wrist Rotator	**3010686**

Forearm Mounting Wrist Rotator

US TR TH

Standard

ProWrist

The Forearm Mounting Wrist Rotator places the electric Wrist Rotator proximal to the quick disconnect. The ProWrist version is designed for microprocessor-controlled terminal devices.

Ordering information

PROWRIST	PRODUCT NUMBER
	5010057
	5010058
	5010056

STANDARD WRIST ROTATOR	PRODUCT NUMBER
	5010054
	5010055
	5010045

Lamination Collar for Prowrist and Endcap

US TR TH

To be used with the Quick Disconnect Endcap or the Forearm Mounting Wrist Rotator

Product number 1100291, 1100295, 1100299 are straight sided to allow installation into 50 mm Prefab. Forearms

Ordering information

DESCRIPTION	PROD. NO	PROD. NO	PROD. NO
7 1/4 in.	**1100292**	**1100296**	**1100288**
7 3/4 in. & ETD	**1100293**	**1100297**	**1100289**
8 1/4 in.	**1100294**	**1100298**	**1100290**
Straight (for use in 50 mm ID forearms)	**1100295**	**1100299**	**1100291**

Forearm Endcap

US TR TH

Quick Disconnect Wrist. Needs Lamination Collar and Coaxial Plug

Ordering information

DESCRIPTION	PROD. NO	PROD. NO	PROD. NO
Forearm Endcap	**3010804**	**3010805**	**3010758**

Otto Bock Lamination Collar

US TR TH

Ordering information

DESCRIPTION	PRODUCT NUMBER
Hand 8 1/4 in.	**1701042**

Coaxial Plug

US TR TH

3010477

1701009

1701008

Ordering information

DESCRIPTION	PRODUCT NUMBER
6-band Coaxial Plug	**3010477**
Otto Bock Coaxial Plug (compatible with Fillauer endcap)	**1701009**
Otto Bock Coupling Piece	**1701008**

Preamp Electrodes

US TR TH

Triads are low interference preamps available as remote, surface and flush mount. Compatible with all Fillauer and virtually all other myoelectric systems

3010438

3010784

Ordering information

DESCRIPTION	PRODUCT NUMBER
Legacy ProControl 2 Preamp Set (Black), Dual Channel	**3010292**
Legacy ProControl 2 Preamp Set (Black), Snap, Dual Channel, Long 19 in. (48 cm)	**3010438**
Triad Preamp Set - Dual Channel	**3010784**
Triad Preamp Set - Single Channel	**3010785**
Triad Preamp Set - Single Channel (without Ribbon Cables)	**3010786**

Alternative Electrodes

US TR TH

3010090 & 3010091: Remote Electrode Discs with threaded stud, nuts, spacer and lock washers. Also used with the COAPT system

3010090

3010091

3010426

Ordering information

DESCRIPTION	PRODUCT NUMBER
High Profile, including set of 6 pcs	**3010091**
Low Profile, including set of 6 pcs	**3010090**
Snap Electrodes, including set of 6 pcs (for use with 3 mm liners)	**3010426**
Snap Electrodes, including set of 6 pcs (for use with 6 mm liners)	**3010762**
Electrode Wire Set (2) for remote application - Eyelet, 16 in. (40 cm)	**3010088**
Remote Electrode Kit, Single Channel (for dual channel order two)	**3010880**

Inputs

US TR TH

3010546

3010669

3010549

3010794

Ordering information

DESCRIPTION	PRODUCT NUMBER
Linear Potentiometer (for proportional harness control)	**3010546**
Touch Pad, tan	**3010669**
Touch Pad, brown	**3010670**
Touch Pad, black	**3010721**
Touch Pad Cable - single channel**	**3010548**
Touch Pad Cable - dual channel **	**3010549**
** add on adapter cable for Procontrol alt. Inputs (see below)	**3010794**

Adapter Cables

US TR TH

3010794

3010792

3010653

3010444

Ordering information

DESCRIPTION	PRODUCT NUMBER
Adapter for Alternate Input to Procontrol 2 / ProPlus i.e. 5-pin female connector to 9-pin male connector	**3010794**
Adapter Cable ProControl Preamps to Otto Bock Coax i.e. 9-pin female connector to (2) female 3-pin connectors	**3010653**
Adapter Cable 4-pin to 9-pin Connector i.e. 4-pin male connector to 9-pin male connector	**3010792**
T-cable (for hands without Bluetooth) eg. Connect to computer interface in ProPlus/ ETD from wrist coax	**3010444**

Battery Spare Parts

US TR TH

3010465

Ordering information

INTERNAL BATTERY

DESCRIPTION	PRODUCT NUMBER
Long/ Thin, 7.2 V Li-Ion, 4 x 1.3 x 0.31 in. (102 x 33 x 8 mm)	**3010465**
Split Dual Cell, 7.2 V Li-Ion, each cell 2.25 x 1.3 x 0.4 in. (57 x 33 x 10 mm)	**3010585**

BATTERY CHARGER

DESCRIPTION	PRODUCT NUMBER
For 7.2 V Li-Ion Batteries	**3010291**
Car Adapter	**1362022**
Cord for 7.2 V Internal Li-Ion Batteries	**1390030**
Wall Adapter, Euro (240 V)	**1390023**

BATTERY PLUG

DESCRIPTION	PRODUCT NUMBER
For 7.2 V Charging Port (turns power to arm off)	**1100193**

1100193

BATTERY WIRE HARNESS

DESCRIPTION	PROD. NO ●	PROD. NO ●	PROD. NO GENERAL
7.2 V (Internal)	**3010462**	**3010463**	–
7.2 V (Otto Bock system)	–	–	**3010583**

3010462

3010583

Internal Battery Sets

US TR TH

3010467

3010596

Product Features

- Includes battery, charger, car adaptor & wire harness
- Select battery type, color on wire harness and EU AC adapter, see chart below (order need to include 3 product numbers)

Ordering information

INTERNAL BATTERY/CHARGER SET - LITHIUM ION 7.2 V

DESCRIPTION	PRODUCT NUMBER
Long/ Thin (102 x 33 x 8 mm)	**3010467**
Dual Cell (57 mm x 33 mm x 10 mm)	**3010596**

INTERNAL BATTERY SET

DESCRIPTION	PROD. NO	PROD. NO	PROD. NO GENERAL
Select Battery Wire Harness	**3010462**	**3010463**	–
Select AC Adaptor EU, 230 V	–	–	**1390023**

Computer Interface

US TR TH

5010075

3010037

An Interface is required for U3+, U3 and the Utah Hybrid Elbow to communicate with a PC. It is also required for communication between a PC and Terminal Devices and the ProWrist. Newer Terminal Devices and the ProWrist have internal Bluetooth communication for connection to iOS devices, Apple iPhone, iPod touch and iPad.

Ordering information

DESCRIPTION	PRODUCT NUMBER
USB Serial Port Adapter	**5010075**
Bluetooth Interface pkg.	**5010037**

Flowchart - Transhumeral Setup



For full selection of terminal devices, visit the pages below

DEVICE	PAGE NUMBER
A. Standard Hand and Standard Wrist	**110**
B. Standard ETD and Standard Wrist	**110**

For full selection of wrists, visit the pages below

DEVICE	PAGE NUMBER
C. External Wrists	**110 - 112**
D. Forearm Mounting Wrist Rotator	**129**

For full selection of elbows and elbow options, visit the pages below

DEVICE	PAGE NUMBER
E. U3+ / Hybrid Elbows	**121 - 122**
F. Short Forearm Modification	**119**

For full selection of harnesses, visit the pages below

DEVICE	PAGE NUMBER
G. Harnesses	**122**

For full selection of Connectors and Switches, visit the pages below

DEVICE	PAGE NUMBER
H. Linear Potentiometer	**123**
I. Preamp Electrodes	**114**
J. Switches	**126 - 127**

OPTIONAL	PAGE NO.
I-Limb/ Be-Bionic Upgrade	**121**
Extended 2-year Warranty	**121**

Flowchart - Utah 3+ and Hybrid Arm

Utah Arm 3+

Hybrid Arm

1 Choose elbow

Includes: Batteries, 3-wire harness, Dual Preamp Electrodes

UTAH ARM

DESCRIPTION	PROD. NO ●	PROD. NO ●	PROD. NO ●
Utah Arm 3+	**5010039**	**5010040**	**5010041**
Hybrid Arm	**5010042**	**5010043**	**5010044**

2 Choose size of hand/hook (Includes standard wrist)

STANDARD HAND/ETD WITH STANDARD WRIST

SIZE/DESCRIPTION	PROD. NO LEFT	PROD. NO RIGHT
7 1/4“	**5010022**	**5010023**
7 3/4“	**5010024**	**5010025**
8 1/4“	**5010028**	**5010029**
ETD (aluminum hook)	**5010032**	**5010033**
ETD (titanium hook)	**5010059**	**5010060**
ETD (black anodized aluminum hook)	**5010073**	**5010074**

3 Choose size & other style of wrist (optional)

1. WRIST DISARTICULATION OPTION

DESCRIPTION	PROD. NO
7 1/4“	**3010607**
7 3/4“	**3010608**
8 1/4“	**3010609**
ETD hook	**3010610**

2. SHORT HAND OPTION

DESCRIPTION	PROD. NO
7 1/4“	**3010429**
7 3/4“	**3010451**
8 1/4“	**3010452**

3. FLEXION WRIST OPTION

DESCRIPTION	PROD. NO
7 1/4“	**3010439**
7 3/4“	**3010440**
8 1/4“	**3010441**
ETD (flex & extend)	**3010485**
ETD (abd-/adduction)	**3010793**

4. MULTI-FLEX WRIST OPTION

DESCRIPTION	PROD. NO
Standard Hand	**3010638**
Standard ETD	**3010639**

5. FOREARM MOUNTING WRIST ROT.

STANDARD	PROD. NO
●	**5010054**
●	**5010055**
●	**5010045**

4 Other options

DESCRIPTION	PRODUCT NUMBER
i-limb/Bebionic Upgrade (only for U3+)	**3010677**
2-Year Extended Warranty	**5010067**
1-Wire Harness	**3010544**
3-Wire Harness	**3010540**
Short forearm modification 9 in. (23 cm)	**3010551**
Remote On/Off*	**3010575**

*For Utah Arm 3+ only, not in combination with Bebionic Upgrade 301 0677

Example order:
In combination with the Utah Arms we recommend using Standard TD's.
Utah Arm 3+ black (5010041), Standard Hand 7 3/4" Right (5010025)
Multi-Flex Wrist Option for Standard Hand (3010638),
Forearm Mounting Wrist Rotator black (5010056).

Flowchart - E-Two Elbow with MC setup

1 Choose size of elbow

E-TWO ELBOW

DESCRIPTION	PRODUCT NUMBER
Medium	**1702047**
Large	**1702046**

2 Choose size of hand/hook (Includes standard wrist)

PROPLUS HAND/ ETD WITH STANDARD WRIST

SIZE/DESCRIPTION	PROD. NO LEFT	PROD. NO RIGHT
7 1/4 in.	**5010046**	**5010047**
7 3/4 in.	**5010048**	**5010049**
8 1/4 in.	**5010050**	**5010051**
ETD (aluminum hook)	**5010052**	**5010053**
ETD (titanium hook)	**5010061**	**5010062**
ETD (black anodized aluminum hook)	**5010071**	**5010072**

3 Order one of each product number below

PARTS REQUIRED

DESCRIPTION	PRODUCT NUMBER
ProC2 Base Package	**5010020**
Triad Preamp Set - Dual Channel	**3010784**
Preamp Extension Cable	**3010336**
E-Two Wire Harness	**3010756**
Forearm Endcap	**3010758**
Coaxial Plug	**1701009**

CHOOSE INTERNAL BATTERY/ CHARGER SET

PROD. NO LONG THIN	PROD. NO DUAL CELL
3010467	**3010596**

CHOOSE EU OR US PLUG FOR CHARGER:

PROD. NO EU PLUG	PROD. NO US PLUG
1390023	**1390032**

4 Choose size & other style of wrist (optional)

1. WRIST DISARTICULATION OPTION

DESCRIPTION	PROD. NO
7 1/4 in.	**3010607**
7 3/4 in.	**3010608**
8 1/4 in.	**3010609**
ETD hook	**3010610**

2. SHORT HAND OPTION

DESCRIPTION	PROD. NO
7 1/4 in.	**3010429**
7 3/4 in.	**3010451**
8 1/4 in.	**3010452**

3. FLEXION WRIST OPTION

DESCRIPTION	PROD. NO
7 1/4 in.	**3010439**
7 3/4 in.	**3010440**
8 1/4 in.	**3010441**
ETD Hook (flex & extend)	**3010485**
ETD Hook (ab / ad - duction)	**3010793**

4. MULTI-FLEX WRIST OPTION

DESCRIPTION	PROD. NO
ProPlus Hand	**3010640**
ProPlus ETD	**3010641**

5. IN TD WRIST ROTATOR

DESCRIPTION	PROD. NO
ProPlus Hand	**3010683**
ProPlus ETD	**3010684**

6. FOREARM MOUNTING WRIST ROT.

PROWRIST	PROD. NO
●	**5010057**
●	**5010058**
●	**5010046**

5 Choose Forearm (Optional)

FORE ARM

DESCRIPTION	PROD. NO ●	PROD. NO ●	PROD. NO ●
Medium	**57940**	**57545**	**57561**
Large	**57539**	**57944**	**57562**

5 Choose Lamination Collar

LAMINATION COLLAR

DESCRIPTION	PROD. NO ●	PROD. NO ●	PROD. NO ●
Large	**1100295**	**1100299**	**1100291**

Motion Control Utah Arm 3+

US TR TH



Specifications

Length: 10.8 - 9.8 in. (27.5 - 25 cm), (9.1 in. 23 cm minimum length w/ short forearm option)

Weight w/ Lithium Ion battery: 31.9 oz. (904 g)

Product Features

- Simultaneous elbow and hand control
- Elbow and hand control microprocessor
- Passive humeral rotator with adjustable friction
- External lock/unlock capability (order 5-wire harness)
- Bluetooth communication option (ordered separately)
- Dual lock system: friction lock, hi load lock pin
- Silent free swing
- Compatible with Otto Bock electrodes
- Auto - detect of most TD types (incl. i-Limb hands)

Ordering information

DESCRIPTION	PROD. NO	PROD. NO	PROD. NO
Utah Arm 3+	**5010039**	**5010040**	**5010041**
INCLUDES			
- Triad preamp kit, everything you need for 2-channel EMG control		- Carrying case, user manual	
- Lithium Ion - 5 rechargeable battery packs & 2 battery chargers		- 2 year warranty	

Motion Control Utah Hybrid Arm

US TR TH

Specifications

Length: 10.8 - 9.8 in. (27.5 - 25 cm), (9.1 in. 23 cm minimum length w/ short forearm option)

Weight: 26.9 oz. (763 g)

Product Features

- Lighter than the U3 but has the same hand contol, lock and structure
- Elbow drive is replaced by a spring-assisted flexion mechanism, reducing weight and complexity
- Easy elbow lock: hold steady for auto lock (no cable)
- Control cable optional (lift tab for left or right supplied)
- Dirt and moisture resistant
- Auto - detect of most TD types (incl. i-Limb hands)

Ordering information

DESCRIPTION	PROD. NO ●	PROD. NO ●	PROD. NO ●
Utah Hybrid Arm	**5010042**	**5010043**	**5010044**

INCLUDES

- Dual - Channel Triad Preamps (may be exchanged to alt. input)
- 5-wire Hybrid arm harness supplied
- Battery set (Li-ion, 2 rechargeable battery packs & 1 charger)*
- Utah Arm standard length (10.75 in, 27.5 cm) forearm cover without holes
- 2 year warranty**

Options for Motion Control Utah Arm 3+ and Hybrid Arm

US TR TH

Ordering information

WIRE HARNESS

DESCRIPTION	PRODUCT NUMBER
1-wire Harness: hand and elbow (sequential control)	**3010544**
3-wire Harness: hand, elbow and wrist switch	**3010540**
5-wire Harness: hand, elbow, wrist switch, lock, power (remote power requires modification to U3 - specify when ordering)	**3010545**
i-limb/ bebionic battery upgrade(allows for an additional battery to be mounted in the humeral section that is dedicated to the terminal device)	**3010677**

3010540

3010545

LI-ION BATTERIES AND CHARGERS UPGRADE

DESCRIPTION	PROD. NO ●	PROD. NO ●	PROD. NO ●
Existing U3+ (5 batteries, 2 chargers)	**3010797**	**3010798**	**3010799**

Options for Motion Control Utah Arm 3+ & Hybrid Arm

TOUCH PAD

DESCRIPTION	PROD. NO ●	PROD. NO ●	PROD. NO ●
U3 Touch Pad*	**3010669**	**3010670**	**3010721**
*Also order cable 3010548 for Single channel or 3010549 for Dual Channel			

3010669

UTAH ARM SYSTEM INPUT DEVICES

DESCRIPTION	PRODUCT NUMBER
Triad Preamps Set (dual channel) One set is included with an elbow order	**3010782**
Triad Preamp Set (single channel) Includes: cable to connect to the Utah arm, grommet flush mounting system, short, medium and long electrodes for direct mounting.	**3010783**
Force Sensor	**3010547**
Linear Potentiometer	**3010546**
Filter for alternate inputs	**3010761**

3010782

3010546

3010761

CABLES

DESCRIPTION	PRODUCT NUMBER
Touch Pad Cable, Single Channel	**3010548**
Touch Pad Cable, Dual Channel	**3010549**
Dual-Channel Alternate Input Cable for Utah Arm	**3010776**

3010548

WRIST SWITCHES

DESCRIPTION	PROD. NO ●	PROD. NO ●	PROD. NO ●	PROD. NO GENERAL
Push Switch, High Profile 3/4 in. (20 mm) tall	**3010250**	**3010251**	**3010715**	–
Push Switch, Low Profile 1/4 in. (6 mm) tall	**3010675**	**3010676**	**3010720**	–
Pull Switch	–	–	**3010259**	
Adapter for Otto Bock Switch	–	–	–	**3010105**

3010250

3010259

OTTO BOCK ELECTRIC WRIST CONTROL**

DESCRIPTION	PRODUCT NUMBER
Otto Bock Cable Pull Switch	**1701023**
Otto Bock Harness Pull Switch	**1701022**
Otto Bock Rocker Switch 9x25	**1701021**
Wrist Control Adapter Cable for Otto Bock Switches	**3010106**

** Controls wrist rotation directly, whenever pulled or pushed

1701021

OTHER OPTIONS

DESCRIPTION	PRODUCT NUMBER
Ultra Short Forearm Option (Elbow Length 9in. / 23 Cm)	**3010551**
2 Year Extended Warranty, Utah Arm 3+	**5010067**
2 Year Extended Warranty, Hybrid Arm	**5010066**

Cables

US TR TH

Ordering information

DESCRIPTION	PRODUCT NUMBER
Extension, 4-pin (12 in./ 30 cm)	**3010325**
Extension, 4-pin (24 in./ 60 cm)	**3010326**
Extension, 4-pin (36 in./ 90 cm)	**3010304**
Extension, 9-pin to 9-pin Preamp Extension Cable (18 in./ 46 cm)	**3010336**
Extension, 5-pin Utah Arm input (10 in./ 25 cm)	**3010094**
Extension, 5-pin Utah Arm input (6 ft./ 183 cm)	**3010073**
Adapter T-cable	**3010444**
Single-Channel Ribbon Cable, 9-pin connector	**3010731**
Dual-Channel Ribbon Cable, 9-pin connector	**3010730**
Wrist Control Cable for AFB Elbow	**3010287**
Myolab II T-Cable	**5030003**
Myolab II Therapy Cable	**3010228**

Adapter Cables

US TR TH

Ordering information

DESCRIPTION	PRODUCT NUMBER
Adapter for Alternate Input to Procontrol 2 / ProPlus i.e. 5-pin female connector to 9-pin male connector	**3010794**
Myolab II Adaptor Plug for Triad Preamps i.e. 5-pin female connector to 5-pin male connector	**3010760**
Adapter Cable ProControl Preamps to Otto Bock Coax i.e. 9-pin female connector to (2) female 3-pin connectors	**3010653**
Adapter Cable 4-pin to 9-pin Connector i.e. 4-pin male connector to 9-pin male connector	**3010792**
Hand/Wrist Switch Adapter Cable (for Otto Bock Switches), version “A”	**3010105**
Hand/Wrist Switch Adapter Cable (for Otto Bock Switches), version "B"	**3010106**
Lock/Unlock Adapter Cable (for Otto Bock Switches)	**3010107**
Adapter Cable Wrist Output to In-TD Rotator i.e. 2-pin male connector to (2) 3-pin female connectors	**3010645**

Adapter Cables for Battery

US TR TH

3010789

Ordering information

DESCRIPTION	PRODUCT NUMBER
Motion Control Battery to Otto Bock Coax Plug with Charging Port (no data port) i.e. 4-pin male connector to 2-pin female connector and charging port	**3010696**
Motion Control Battery to Otto Bock Coax (no data port) i.e. 4-pin male connector to 2-pin female connector	**3010825**
Motion Control Battery to Otto Bock 12K50 i.e. 4-pin male connector to 2-pin male connector and 4-pin female connector	**3010789**
Otto Bock Battery to Motion Control Coax (no data port) i.e. 2-pin male connector to 4-pin female connector	**3010790**
Otto Bock Battery and Switch to Motion Control Coax i.e. 2-pin male and 2-pin female connectors to 4-pin female connector	**3010826**

AFB Adapter

US TR TH

3010600

Ordering information

ADAPTER MOTION CONTROL & OB LITHIUM ION

DESCRIPTION	PRODUCT NUMBER
AFB Adapter for Procontrol 2 Preamps in Humeral Section i.e. 9-pin female connector to (2) 3-pin female connectors plus 2-pin female battery connector	**3010600**
AFB Adapter for ProControl 2 to Wire Harness in Forearm i.e. 9-pin male connector to (2) 3-pin male connectors plus 2-pin male battery connector	**3010601**
Otto Bock Battery to Motion Control AFB Forearm Adapter Cable i.e. (2) 2-pin male connectors to 2-pin female connector	**3010791**

Remote Power Switch

US TR TH

Product Features

- This option requires modification to the Utah arm. (Extra cost option that is installed with a new arm order)
- Cannot be combined with the iLimb/ bebionic battery upgrade.

Ordering information

DESCRIPTION	PROD. NO	PROD. NO	PROD. NO	PROD. NO GENERAL
Remote power modification (switch required)	–	–	–	**3010575**
High Profile, Push Switch, 3/4 in. (20 mm) tall	**3010254**	**3010255**	**3010716**	–
Low Profile, Push Switch, 1/4 in. (6 mm) tall	**3010671**	**3010672**	**3010723**	–
Pull Switch	–	–	**3010263**	–

MyoLab II

US TR TH

Ordering information

DESCRIPTION	PRODUCT NUMBER
Myolab II with Triad Preamps and T-Cable Two channel EMG monitor with analog meter displays, audio feedback, gain controls and audio volume control, sensitivity up to 0.2 microvolts.	**5030001**
Myolab II Adapter Plug for Triad Preamps i.e. 5-pin female connector to 5-pin male connector	**3010760**

Remote Lock/ Unlock Switches for U3+ and Hybrid Elbow

US TR TH

3010673

3010252

Ordering information

DESCRIPTION	PROD. NO ●	PROD. NO ●	PROD. NO ●	PROD. NO GENERAL
Push Switch, 3/4 in. (20 mm) tall	**3010252**	**3010253**		–
Low Profile Switch, 1/4 in. (6 mm) tall	**3010673**	**3010674**	–	–
Pull Switch	–	–	**3010261**	–
Lock/ unlock Adapter for O.B. Switch	–	–	–	**3010107**

Computer Interface

US TR TH

An Interface is required for U3+, U3 and the Utah Hybrid Elbow to communicate with a PC. It is also required for communication between a PC and Terminal Devices and the ProWrist. Newer Terminal Devices and the ProWrist have internal Bluetooth communication for connection to iOS devices, Apple iPhone, iPod touch and iPad.

5010075

3010037

Ordering information

DESCRIPTION	PRODUCT NUMBER
USB Serial Port Adapter	**5010075**
Bluetooth Interface pkg.	**5010037**

E-two Electric Elbows from Hosmer (Endoskeletal)

US TR TH

Product Features

- 3.25 Nm lift
- 24.9 lbs. (11.3 kg) breakaway
- 5 - 6.5V battery
- 100°/ second
- Uses up to 40% less power than previous version of this elbow in performing identical tasks
- New motor is significantly faster. For example, it is 47% faster with a 10 3/4 in. forearm lifting a 1 kg weight from a position of 5° to a position of 135°
- New motor is significantly stronger. For example with a 10 3/4 in. forearm the previous maximum weight was 2.2 lbs. (1.0 kg) and it is now 3.3 lbs. (1.5 kg)

Ordering information

DESCRIPTION	WEIGHT	PRODUCT NUMBER
HD Elbow, Free Swing, NYU medium	19 oz. (540 g)	**62690**
HD Elbow, Free Swing, NYU large	21.5 oz. (610 g)	**62691**
Elbow for use with ProControl 2, medium		**1702052**
Elbow for use with ProControl 2, large		**1702051**

E-two Electric Elbows from Hosmer (Exoskeletal)

US TR TH

Product Features

- 3.25 Nm lift
- 24.9 lbs. (11.3 kg) breakaway
- 5 - 6.5V battery
- 100°/ second
- Uses up to 40% less power than previous version of this elbow in performing identical tasks
- New motor is significantly faster. For example, it is 47% faster with a 10 3/4 in. forearm lifting a 1 kg weight from a position of 5° to a position of 135°
- New motor is significantly stronger. For example with a 10 3/4 in. forearm the previous maximum weight was 2.2 lbs. (1.0 kg) and it is now 3.3 lbs. (1.5 kg)

Ordering information

DESCRIPTION	WEIGHT	PRODUCT NUMBER
HD Elbow, Free Swing, NYU medium	19 oz. (540 g)	**62688**
HD Elbow, Free Swing, NYU large	21.5 oz. (610 g)	**62689**
Elbow for use with ProControl 2, medium		**1702047**
Elbow for use with ProControl 2, large		**1702046**

ProControl 2 system package

US TR TH

Product Features

- This is a modular cotroller for use wher precise, myoelectric control of hand or wrist is required. Inputs can be EMG, harness sensors or touch pads.
- Includes: input device (choise of triad preamp, linear potentiometer, force sensor or touch pads), standard wire harness and controller

Ordering information

DESCRIPTION	PRODUCT NUMBER
ProControl 2 System Package	**5010020**
Wrist Feature for ProControl 2 (Hand/Wrist Switching)	**4010000**

Forearm Mounting Wrist Rotator

US TR TH

Product Features

- The standard wrist rotator, compatible with Utah Arm, ProControl 2 and more. Mounts in the forearm

Ordering information

DESCRIPTION	PRODUCT NUMBER
	5010054
	5010055
	5010045

ProControl 2 Battery Sets

US TR TH

Ordering information

INTERNAL BATTERY SET - LITHIUM ION 7.2 V

DESCRIPTION	PRODUCT NUMBER
Dual Cell (57 x 33 x 8 mm)	**3010596**

Body Restorations

Specification symbols

- SE — Manufactured in Sweden
- US — Manufactured in USA
- TR — Transradial
- TH — Transhumeral

Partial Hand

SE TR TH

Product Features

- Positive plaster cast of stump in neutral, relaxed position is required
- Mark pressure sensitive areas, required length and cut offs clearly on plaster
- Cast should be longer than required length of glove
- A second cast of healthy side is required for size and structure
- Sewn zipper on request
- Fill out order form on page 130

Ordering information

DESCRIPTION	PROD. NO INITIAL ORDER	PROD. NO REPEAT ORDER
PVC Glove	**613010100**	**613010200**
MVC Glove	**613010500**	**613010600**
Silicone Glove	**613010101**	**613010201**
MCS glove	**613010501**	**613010601**

Partial Finger

SE TR TH

Product Features

- Positive plaster cast of stump in neutral, relaxed position is required
- The cast must have the length of at least half the hand
- A second cast of healthy side is required for size and structure
- Fill out order form on page 130

Ordering information

DESCRIPTION	PROD. NO INITIAL ORDER	PROD. NO REPEAT ORDER
PVC Finger with Extra Reinforcement	**613030100**	**613030200**
PVC Finger	**613040100**	**613040200**
Silicone Finger with Extra Reinforcement	**613030101**	**613030201**
Silicone Finger	**613040101**	**613040201**

Kung Hans väg 2
192 68 Sollentuna
Sweden

Phone: +46 8 505 332 00
Fax: +46 8 505 332 05
E-mail: order@fillauer.eu

Order Form Partial Hand / Finger

Patient name / number:

Customer:

Date & Ordered by:

Phone / email:

Purchasing order #:

Type:
☐ Hand ☐ Finger

☐ First Order
☐ Repeat order

Side:
☐ Right ☐ Left

Gender:
☐ Male ☐ Female

Finger stiffness (wire thickness):

☐ Standard (1.5 mm)
☐ Reinforced (2.0 mm)
☐ Super-reinforced (2.5 mm)

Glove type:

☐ PVC ☐ MCV ☐ Silicone* ☐ MCS*

*available in colors C01-18 only

Fillauer color guide number (Y/R 01-08 or C01-18):

Zip fastener:

☐ No ☐ Standard length (from thumb fold)
☐ Length _____ cm.

Instructions (sensitive areas etc.):

Provide us with pictures and positive plaster casts. Both sides are needed with visible structure for best results. Casts should be in a neutral and relaxed position 3 cm longer than desired glove length. Remember to mark casts clearly for anatomical orientation.



Measurements:

A _____

B _____

C _____

D _____

E _____

F* _____

G _____

*Most important measurement for both partial hand and finger

Recreational Devices

Specification symbols

- SE Manufactured in Sweden
- US Manufactured in USA
- TR Transradial
- TH Transhumeral

Greek Series Infant & Pediatric Hands

US TR TH

Patent# 5,085,665

Product Features

- Unisex semi realistic molded anatomical fingers and hand
- Elastic, flexible holding capability, no cable required
- Durable, easily cleaned soft polymer material
- Mounting: 1/2”-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WIDTH	BASE Ø	WEIGHT	WRIST UNIT	COLOR	PROD. NO LEFT	PROD. NO RIGHT
ALPHA 4 - 12 Months	5 cm	4 cm	3.3 cm	40 g*	TRS Infant		**699000201**	**699000202**
							699001201	**699001202**
							699002201	**699002202**
BETA 10 - 24 Months	6.4 cm	4.5 cm	3.7 cm	45 g*	TRS Child		**699000203**	**699000204**
							699001203	**699001204**
							699002203	**699002204**
GAMMA 10 - 24 Months	7 cm	4.8 cm	3.7 cm	48 g*	TRS Child		**699000207**	**699000208**
							699001207	**699001208**
							699002207	**699002208**

* Weights include the 1/2 inch diameter, threaded stud, that is removable

Infant 2 Hand 6 - 18 Months

US TR TH

Specifications

Length: 6.6 cm

Width: 5 cm

Base Diameter: 3.8 cm

Weight: 40 g

Wrist Units: Infant wrist

Patent# 5,085,665

Product Features

- Flexible, durable and easily cleaned polymer material
- Cup shaped palmar surface for pulling and pushing, no cable required
- 1/2”-20 threaded stud
- Application 6-18 months

Ordering Information

COLOR	PROD. NO LEFT	PROD. NO RIGHT
	699000251	**699000250**
	699001251	**699001250**
	699002251	**699002250**

L'il E-Z Infant Hand 6 - 24 Months

US TR TH

Specifications

Length: 6.6 cm
Weight: 85 g*
Wrist Units: TRS Infant E-Z
Width: 4.6 cm
Wrist Diameter: 3.3 cm

* Weights include the 1/2 inch diameter, threaded stud, that is removable

Product Features

- Soft, flexible polymer with molded anatomical features
- Spring powered auto grasp, voluntary opening
- Mounting: 1/2"-20 threaded stud
- Application: 6-24 months

Ordering Information

PRODUCT NUMBER

COLOR	PROD. NO LEFT	PROD. NO RIGHT
	699000245	**699000246**

Lite Touch Biomechanical Hands

US TR TH



Patent# D 402,033

Product Features

- Voluntary closing
- Spectra® Cable Adapters and Spectra® Cable also applicable (not included)
- Mounting: 1/2”-20 threaded stud

Ordering Information

MODEL	LENGTH	WIDTH	WEIGHT	WRIST Ø	WRIST UNIT	COLOR	PROD. NO LEFT	PROD. NO RIGHT
Micro 2-3 years	6.6 cm	4.8 cm	74 g	3.3 cm	- TRS Infant		699000205	699000206
							699001205	699001206
							699002205	699002206
Small 3-5 years	8.3 cm	5.7 cm	101 g	3.8 cm	- CAPP Small		699000211	699000212
							699001211	699001212
							699002211	699002212
Medium 5-9 years	9.2 cm	6 cm	153 g	4.4 cm	- CAPP medium Nylon - Medium Round - Wedgegrip - Disconnect - Friction Disconnect		699000221	699000222
							699001221	699001222
							699002221	699002222
Large 9 years - Young adult	10.8 cm	6.6 cm	207 g	4.4 cm			699000231	699000232
							699001231	699001232
							699002231	699002232
Adult	12 cm	7.1 cm	284 g	4.6 cm	- CAPP® Medium Round,- Fillauer-Hosmer®- Medium Round,- Wedgegrip Disconnect- Friction Disconnect		699000247	699000248
							699001247	699001248
							699002247	699002248

Adept Prehensors

US TR TH

Patent #D 294,174

Product Features

- Voluntary closing
- Lightweight
- Mounting: 1/2"-20 threaded stud

Ordering Information

MODEL	LENGTH	WIDTH	WEIGHT	WRIST Ø	WRIST UNIT	COLOR	PRODUCT NUMBER
Adept F3 1-3 years	6,8 cm	2,5 cm	49 g	2.7 cm	TRS® infant wrist		699000240
							699001240
							699002240
Adept E4 3-5 years	8 cm	2.7 cm	66 g	3.7 cm	- TRS® infant wrist - TRS® child wrist		699000241
							699001241
							699002241
Adept C2 5-9 years	8.9 cm	2.7 cm	83 g	3.3 cm	- TRS® child wrist, CAPP® round small - Hosmer wedge grip Oval medium - Disconnect oval medium		699000242
							699001242
							699002242
							699003242
Adept B1 9 years - Young adult	10.8 cm	3 cm	114 g	3.8 cm	- TRS child wrist- CAPP round small,- Wedge grip round - medium- Wedge grip oval medium- Disconnect round medium- Disconnect oval meium- Friction disconnect round medium - Friction disconnect oval medium		699000243
							699001243
							699002243
							699003243

Super Sports

US TR TH

Product Features

- Flexible, strong, durable polyurethane elastomers
- Stainless steel and aluminum support cores
- The polymer flexes and extends with external pressure and absorbs shock
- Mounting: 1/2"-20 threaded stud

Patent# 5,085,665

Ordering Information

MODEL	LENGTH	WIDTH	WEIGHT	WRIST Ø	WRIST UNIT	COLOR	PRODUCT NUMBER
SS 4 Age: 2 - 6	8.5 cm	4.8 cm	89 g	3 cm	- CAPP Round small - Wedgegrip round or oval - Disconnect medium round or oval		699000344 699001344 699002344
SS 3 Age: 6 - 13	10.8 cm	5.6 cm	139 g	3.8 cm	- CAPP Round small - Wedgegrip round or oval - Disconnect medium round or oval		699000343 699001343 699002343
SS 2 Age: 13 - adult	12 cm	6.5 cm	190 g	4.3 cm	- Wedgegrip round or oval - Disconnect medium round or oval - FM Friction disconnect medium round or oval		699000342 699001342 699002342
SS 1 Age: adult	14 cm	7.7 cm	332 g	4.6 cm			699000341 699001341 699002341

Free Flex

US TR TH

Product Features

- Flexible, strong, durable polyurethane elastomers
- Smooth, scoop-shaped, volar (palmar) surface
- Flexes and extends with external pressure and absorbs shock under external force
- Mounting: 1/2"-20 threaded stud

Patent# 5,085,665

Ordering Information

MODEL	LENGTH	WIDTH	WEIGHT	WRIST Ø	WRIST CIR.	WRIST UNIT	COLOR	PROD. NO RIGHT	PROD. NO LEFT
FF 4 Age: 2 - 6	8 cm	5.3 cm	80 g	3.8 cm	12 cm	- CAPP round small - Wedgegrip/ Disconnect medium round or oval		699000260 699001260 699002260	699000261 699001261 699002261
FF 3 Age: 6 - 13	10.7 cm	6.6 cm	139 g	3.8 cm	12 cm	- CAPP small nylon - Wedgegrip/ Disconnect medium round or oval		699000262 699001262 699002262	699000263 699001263 699002263
FF 2 Age: 13 - adult	12 cm	7 cm	195 g	4.3 cm	13.5 cm	- Wedgegrip/ Disconnect medium round or oval - Friction disconnect / FM friction disconnect medium round or oval		699000264 699001264 699002264	699000265 699001265 699002265
FF 1 Age: adult	14 cm	8.4 cm	266 g	4.3 cm	13.5 cm			699000266 699001266 699002266	699000267 699001267 699002267

Grip Prehensor

US TR TH

Patent# 4,225,983

Product Features

- High strength, reliable construction, low maintenance, replaceable gripping surfaces
- Range of gripping force can exceed 100 pounds. Voluntary closing design
- Mounting: 1/2"-20 threaded stud

Ordering Information

MODEL	LENGTH	WIDTH	WEIGHT	WRIST Ø	COLOR	PRODUCT NUMBER
Grip 2SS stainless steel 11-Adult	14,1 cm	1,6 cm	390 g	4,1 cm	⊘	**699000301**
Grip 2S titanium 11-Adult	14,1 cm	1,6 cm	312g	4,1 cm	⊘	**699000302**
Grip 3 titanium/polyurethan 5-9 years	14,5 cm	1,6 cm	278 g	4,1 cm	●	**699000303**
					●	**699004303**
					●	**699003303**
					●	**699002303**
Grip 1 stainless steel/aluminium 9-Adult	16,5 cm	1,3 cm	451 g	4,4 cm	⊘	**699000304**

Wrist units: Fillauer®-Hosmer® Wedgegrip, Disconnect, Friction Disconnect, FM; Medium or Large; Round or Oval.

Locking Pin

US TR TH

Product Features

- Stainless steel pin
- Prehensor must be modified by drilling through the outer plates with a #11 drill to accommodate this locking pin (Instructions included)
- NOTE: TRS does not perform the modification. Modified Grips are not returnable

Ordering Information

DESCRIPTION	PRODUCT NUMBER
Locking Pin	**699000041**

Grip 5 Evolution Prehensor

US TR TH

Product Features

- Directly proportional gripping control adn bio-feedback controlled by the user
- 7075 AL T6 aircraft aluminum and stainless steel core construction
- Outer shell in 10 colors (black, marine blue, sky blue, copper metallic, dove gray, pewter metallic, purple, red, silver metallic and yellow), see pic. 1
- Inlays (self adhesive) 5 colors and material (black foam, black synthetic leather, gray foam, blue foam, brown synthetic leather), see pic. 2
- Mounting: 1/2”-20 threaded stud

pic. 1

pic. 2

Ordering Information

MODEL	LENGTH	WIDTH	WEIGHT	WRIST Ø	OPENING	PRODUCT NUMBER
Grip 5, Stainless Steel	13.2 cm	2.5 - 4.3 cm	255 g	4.3 cm	7.8 cm	**699000307**

SPARE PARTS

699001310 - Outer Shell, Black
699001311 - Outer Shell, Marine Blue
699001312 - Outer Shell, Sky Blue
699001313 - Outer Shell, Copper Metalic
699001314 - Outer Shell, Dove Gray
699001315 - Outer Shell, Pewter Metalic
699001316 - Outer Shell, Purple
699001317 - Outer Shell, Red
699001318 - Outer Shell, Silver Metalic
699001319 - Outer Shell, Yellow

699001320 - Inlays, Black, Synthetic Leather
699001321 - Inlays, Brown, Synthetic Leather
699001322 - Inlays, Gray, Foam
699001323 - Inlays, Blue, Foam
699001324 - Inlays, Black, Foam
699001325 - Inlays, Red, Foam
699001326 - Inlays, White, Foam
699001327 - Inlays, Purple, Foam

How to order:

- Choose a color for the index finger and thumb, choose between black, gray and brown
- Choose a color for the outer shell, see picture 1
  (black, marine blue, sky blue, copper metallic, dove gray, pewter metallic, purple, red, silver metallic and yellow)
- Chooose a color/material for the inlays, see picture 2
  (black foam, black synthetic leather, gray foam, blue foam, brown synthetic leather, red foam, white foam and purple swirl foam)

Black Iron Lite

US TR TH

Product Features

- For light-weight dumbbell and resistance exercise. Not recommended in excess of 4.5kg
- High strength polymers, ratchet type lock strap
- Mounting: 1/2"-20 threaded stud

Application

Following wrist units: All Wedge Grips, All Disconnects, FM Disconnect

Ordering Information

DESCRIPTION	LENGTH	WIDTH	WEIGHT	LOAD RATING	BAR DIAMETERS	COLOR	PRODUCT NUMBER
						●	**699000165**
Black Iron Lite	8.4 cm	5.1 cm	332 g	4.5 kg	2.2-3.8 cm	●	**699000166**
						●	**699000167**

Black Iron Master and Trainer

US TR TH

Product Features

- Forged aluminum
- The Black Iron Master is for high performance,heavy duty and professional level weight lifting and training
- The Black Iron Trainer is for general everyday weight lifting. It is a lighter weight, lighter duty
- Mounting: 1/2"-20 threaded stud.

Ordering Information

DESCRIPTION	LENGTH	WIDTH	WEIGHT	LOAD RATING	BAR DIAMETERS	PRODUCT NUMBER
Master	9 cm	5 cm	709 g	750 kg	2.2-3.8 cm	**699000048**
Trainer	6.6 cm	5.1 cm	440 g	200 kg	2.2-3.8 cm	**699000049**

Wrist Units: For the Master we recommend using stirrups! Wedge grip Large Round or Oval, Disconnect Large Round or Oval, FM Disconnect Large Round

ACCESSORIES FOR BLACK IRON MASTER

DESCRIPTION	PRODUCT NUMBER
Wing Nut	**699000148**
Swing Bolt	**699000149**

HP Hoopster

US TR TH

Product Features

- Stiff but flexible dual surface “hoop”. Volar “heel” for greater accuracy in shooting
- High performance, polymer construction, with standard, stainless mounting hardware
- Lockable, wrist angle mechanism
- Mounting: 1/2”-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WIDTH	WEIGHT	PRODUCT NUMBER
HP Hoopster	22.2 cm	19.4 cm	170 g	**699000178**

Barrage Volley Ball TD

US TR TH

Product Features

- Flexible design and resilient surfaces to enhance volleyball specific competition
- Flexible polyurethane
- Color: Black (custom available for a surcharge)
- Mounting: 1/2”-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WIDTH	WEIGHT	PRODUCT NUMBER
Barrage Volley Ball TD	12.9 cm	13.4 cm	241 g	**699000179**

Swinger TD

US TR TH

Product Features

- Designed for children and young adults. Tested to 300 pounds load.
- Natural bar “Approach”, “Capture” and “Swing control” elements with a stance “saddle” for above bar support.
- High strength, aircraft aluminum (7075 ALT6) alloy core molded into abrasion resistant polyurethane rubber.
- Mounting: 1/2”-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WIDTH	WEIGHT	OPENING	COLOR	PRODUCT NUMBER
					●	**699000170**
Swinger TD	9.6 cm	8.4 cm	227 g	4.6 cm	●	**699000171**
					●	**699000172**

Downhill Racer Ski TD - Pediatric and Adult models

US TR TH

Product Features

- Custom formulated urethane material to meet the user's needs
- Rubber "Press-on" pole cap for protection, applicable to poles with ~1.6 cm diameter
- Solid, flexible, high performance polyurethane construction
- Mounting: 1/2"-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WIDTH	THICKNESS	WEIGHT	PRODUCT NUMBER
Downhill Racer, left	8.4 cm	6.4 cm	3.3 cm	114 g	**699000189**
Downhill Racer, right	8.4 cm	6.4 cm	3.3 cm	114 g	**699000192**

Ski 2

US TR TH

Product Features

- Can be used with or without cable for quick, precision pole plants. Accepts 3⁄16 in. dia. and 9⁄32 in. dia. cable ball fittings. Especially useful for nordic skiing
- Quick disconnect pole system. Adapts to poles from 1.5-1.9cm diameters
- Shock absorbing flexion mount, TRS provides alternate flexion mount in accessory pack
- Mounting: 1⁄2"-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WIDTH	WEIGHT	PRODUCT NUMBER
Novice/intermediate skier	8.4 cm	3.8 cm	114 g	**699000005**
Advanced skier	–	–	–	**699000006**

Hammerhead

US TR TH

Product Features

- Easy-to-use, wrap around paddle handle with quick manual release
- Synthetic polymer friction surfaces with stainless hardware
- Mounting: 1/2"-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WIDTH	WEIGHT	PRODUCT NUMBER
Hammerhead	11 cm	7 cm	340 g	**699000045**

Helix

US TR TH

Product Features

- Weave-in, “Snap-in” and “Snap-out” connection system
- Incredible flexible-strength and external, energy capture and return action
- Flexible HELIX Coils accepts a wide range of diameters and shapes

Ordering Information

DESCRIPTION	LENGTH	WIDTH	WEIGHT	PRODUCT NUMBER
HELIX, Left	11 cm	5.6 cm	142 g	**699000299**
HELIX, Right	11 cm	5.6 cm	142 g	**699000300**

Shroom Tumblers

US TR TH

Product Features

- Mushroom shaped accessory for floor exercise and tumbling. Supports weight up to 200lbs.
- Flexible, high strength, synthetic polymer rubber
- Application: 7-8 years and older
- Mounting: 1/2”-20 threaded stud

Ordering Information

DESCRIPTION	DIAMETER	HEIGHT	WEIGHT	COLOR	PRODUCT NUMBER
Tumbler	8.9 cm	5 cm	156 g	●	**699000063**
Mini Tumbler	6.9 cm	4.1 cm	85 g	●●	**699000092**
Mini Tumbler	6.9 cm	4.1 cm	85 g	●●	**699000093**

Cobra Baseball & Softball Throwing TD’s

US TR TH

Product Features

- Models for baseball (hardball), slow and fast pitch softballs (11” and 12” circumferences)
- Comes with a ball that should stay installed in the unit at all times
- Mounting: 1/2”-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WIDTH	WEIGHT	PRODUCT NUMBER
Cobra	18 cm	9 cm	227 g	**699000185**
Cobra SB11	19 cm	10.2 cm	270 g	**699000186**
Cobra SB12	20.3 cm	11 cm	298 g	**699000187**

HI-fly Fielders

US TR TH

Product Features

- Hi-fly Fielder pocket will handle both baseballs and softballs
- Hi-Fly Jr. pocket will handle baseballs only
- Lightweight stainless steel with rubber and nylon braided mesh
- Mounting: 1⁄2”-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WIDTH (MAX)	WEIGHT	PRODUCT NUMBER
Hi-Fly Fielder	32 cm	19 cm	314 g	**699000011**
Hi-Fly Junior	26 cm	16 cm	204 g	**699000012**

Pinch Hitter Bat Adapters

US TR TH

Product Features

- Recommended for leading arm
- Snap on and off aluminum bat handles. Needs to be “over-gripped”with the second hand
- Strong, flexible synthetic rubber
- Mounting: 1/2”-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WIDTH (MAX)	WEIGHT	PRODUCT NUMBER
Pinch Hitter - Kids/little league	11 cm	3.8 cm	114 g	**699000047**
Pinch Hitter HD - Young adults and adults	13 cm	3.8 cm	142 g	**699000174**
Pinch Hitter Flex - Adults, aggressive use	16.5 cm	3.8 cm	227 g	**699000175**

Mill’s Rebound Pro Basketball Hand

US TR TH

Product Features

- The compliant, flexible and strong polymer provide excellent ball handling capability
- Friction discs molded onto the palmer surface provide additional traction for control
- Mounting: 1/2”-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WIDTH	WEIGHT	WRIST Ø	PRODUCT NUMBER
Reboound Pro	19 cm	17 cm	184 g	4.5 kg	**699000017**

Grand Slam TD

US TR TH

Product Features

- Recommended for following arm
- Snap on and off aluminum bat handles. Needs to be “over-gripped”with the second hand
- Mounting: 1/2”-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	HEIGHT	THICKNESS	WEIGHT	PRODUCT NUMBER
Grand Slam TD - Right	15.2 cm	11.4 cm	3.8 cm	241 g	**699000009**
Grand Slam TD - Left	15.2 cm	11.4 cm	3.8 cm	241 g	**699000010**

Slap Shot Hockey TD

US TR TH

Product Features

- End Stick (closed) or Shaft Stick (clip-on) model
- Polyurethane construction
- Mounting: 1/2”-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WEIGHT	PRODUCT NUMBER
Slap Shot End Stick (closed)	13 cm	227 g	**699000007**
Slap Shot Shaft Stick (clip-on)	13 cm	227 g	**699000008**

Power Play Hockey

US TR TH

Product Features

- Designed to securely, slide-fit down over the last five inches of the hockey stick
- The all polymer construction is available in two stiffness models: 85 standard and 95 special order
- Mounting: 1/2”-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH TOTAL	DEPTH	WEIGHT	PRODUCT NUMBER
Power Play Hockey	23 cm	13 cm	326 g	**699000067**

Lamprey Gun Turret

US TR TH

Product Features

- Designed to fit most firearms, flexible polymer "yoke" snaps on securely to stock surface without marring
- Mounting: 1/2"-20 threaded stud

Ordering Information

DESCRIPTION	WEIGHT	PRODUCT NUMBER
Lamprey	440 g	**699000046**

Criterium bicycle handlebar adapters

US TR TH

Product Features

- Snap on/off cycling grip. Designed for 1 inch handlebars
- Criterium and Wedge models available in hardness 70 (soft) & 85 (hard). Pivot allows angle adjustments
- Pivot available in hardness 85 only
- Mounting: 1/2"-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WIDTH	WEIGHT	PRODUCT NUMBER
Criterium 70	8.6 cm	6.4 cm	184 g	**699000051**
Criterium 85	8.6 cm	6.4 cm	184 g	**699000052**
Wedge 70	8.1 cm	6.1 cm	156 g	**699000098**
Wedge 85	8.1 cm	6.1 cm	156 g	**699000099**
Pivot	10.2 cm	6.4 cm	213 g	**699000050**

Dual Bike Brake Lever

US TR TH

Product Features

- One handed activation operates both front and rear brakes. Mounts on right or left side of handlebar
- Fits 2.2cm diameter (Standard diameter) mountain bike handle bars
- Cables are independently adjustable for tension
- Compact lever and brake design

Ordering Information

DESCRIPTION	PRODUCT NUMBER
Dual Bike Brake Lever	**699000053**

Mountain Master Mountain Bike TD

US TR TH

Product Features

- Easy-release cycling device. Molded features provide bike frame carrying capability
- Fits all standard 22 mm handlebars
- Mounting: 1/2”-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	*COLOR	PRODUCT NUMBER
Mountain Master	10.7 cm	6.1 cm	8.4 cm	270 g	●	**699000169**
Mountain Master	10.7 cm	6.1 cm	8.4 cm	270 g	●	**699000469**

ISHI Archery and F-ISHI Fishing TDs

US TR TH

Product Features

- The strong, polyurethane “yoke” is same for both fishing and archery. The adjustable ratchet is different depending on activity
- **Archery:** ISHI for normal bows ISHI HD for heavy duty bows
- **Fishing:** F-ISHI for lighter duty F-ISHI HD for heavy duty saltwater fishing
- Mounting: 1/2”-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WIDTH	THICKNESS	WEIGHT	PRODUCT NUMBER
ISHI for normal bows	9 cm	7.9 cm	3.1 cm	170 g	**699000162**
ISHI HD for heavy duty					**699000163**
F-ISHI for lightweight fishing					**699000160**
F-ISHI Heavy duty					**699000159**

Kahuna TD

US TR TH

Product Features

- Specially designed for ocean surfing with paddle and "heel" shape. Also aggressive texture
- Constructed from high strength, polymer
- Mounting: 1/2"-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WIDTH	DEPTH	WEIGHT	COLOR	PRODUCT NUMBER
Kahuna	15.9 cm	12.1 cm	6.4 cm	230 g	●	**699000059**
					●	**699000060**

Freestyle Swimming Device

US TR TH

Product Features

- Folds during stroke recovery and flares open to provide maximum power stroke
- Rotates on prosthesis to create various swimming stroke options
- Polypropylene with aluminum and stainless steel hardware
- Mounting: 1/2"-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WIDTH	THICKNESS	WEIGHT	PRODUCT NUMBER
Freestyle Swimming	15 cm	14 cm	1.6 cm	96 g	**699000001**

Swim Fin Kit

US TR TH

Product Features

- Freestyle Swim Device without the need for a prosthesis
- Kit contains material to fit most patients. Note that product uses Latex® tubing
- Mounting: Latex tubing straps directly onto stump

Ordering Information

DESCRIPTION	THICKNESS	PRODUCT NUMBER
Swim Fin Kit	1.8 cm	**699000002**

Rocky Mountain High Skip Ropes

US TR TH

Product Features

- Skip rope adapter angled precisely to optimize rope skipping with the prosthesis
- Skip rope ordered separately
- Mounting: 1/2”-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WEIGHT	PRODUCT NUMBER
Adapter	13 cm	128 g	**699000064**
Skip rope			**699000065**

Multi-D TD

US TR TH

Product Features

- Multi-D (Multi Diameter, Multi Duty)
- Strong, quick release, 1 inch wide, ratchet and buckle system
- Flexible mold allows adjustable diameters from 1-1/8” to 1-3/4” wide
- Mounting: 1/2”-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WIDTH	WEIGHT	DIAMETERS	PRODUCT NUMBER
Multi-D TD	9.7 cm	5.1 cm	272 g	2.9 - 4.5 cm	**699000152**

Ener-Joint

US TR TH

Product Features

- Elbow with infinite locking positions. Non-adjustable flexible resistance
- Energy absorbing, isolation module, polyurethane core isolates external shock forces under both flexion and extension
- Please provide user activity info in order to determine right firmness. Priority order please contact Fillauer Europe
- Mounting: 1/2”-20 threaded stud in both ends

Ordering Information

DESCRIPTION	CYLINDER DIAMETER	CYLINDER WIDTH	TOTAL LENGTH	TOTAL WIDTH	WEIGHT	PRODUCT NUMBER
Ener-Joint	7.6 cm	3.8 cm	9.7 cm	9.9 cm	540 g	**699000168**

Golf Pro system

US TR TH



Product Features

- Slip over club shaft and them slide up to jam onto the grip
- Internal plastic sizing rings can be enlarged to custom fit the user´s club
- Mounting: 1/2”-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WEIGHT	PRODUCT NUMBER
Left (replaces upper hand on club grip)	13 cm	213 g	**699000015**
Right (replaces lower hand on club grip)	17 cm	227 g	**699000014**

Eagle & Eagle Flex Golf

US TR TH

Product Features

- The Eagle is a solid one piece molded design to capture and store external energy (recreational golfers)
- Eagle flex has a replaceable, steel braid reinforced, flexible oupling for ultimate durability (advanced golfers)
- Flexible polymer body that is slotted to receive teh club shaft and then is pulled up onto the club´s grip
- Mounting: 1/2”-20 threaded stud

Ordering Information

DESCRIPTION	OVERALL LENGTH	GRIP CHANNEL LENGTH	WIDTH	HEIGHT	WEIGHT	PRODUCT NUMBER
Eagle	15.9 cm	12 cm	3.8 cm	8.9 cm	170 g	**699000056**
Eagle Flex	18 cm	11 cm	3.8 cm	6.4 cm	227 g	**699000305**

TRS Dragon TD

US TT TF

Product Features

- Designed for grappling, contact sports and floor exercise type activities
- A soft to medium hardness shock absorbing, flexible polymer
- Mounting: 1/2”-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	PRODUCT NUMBER
TRS Dragon TD	9.4 cm	7.4 cm	11 cm	298 g	**699000057**

Hustler TD

US TR TH

Product Features

- Pool, billiards and snooker prosthetic
- Rigid, rubber tipped monopod creates a non-slip bridge, while the swivel ring guides the stick almost friction free
- Mounting: 1⁄2”-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WEIGHT	PRODUCT NUMBER
Hustler TD	13 cm	128 g	**699000003**

Amp-U-Pod

US TR TH

Product Features

- Fits all cameras with standard 1⁄4”-20 hole fitting
- Lockable tripod mount
- Mounting: 1⁄2”-20 threaded stud

Ordering Information

DESCRIPTION	LENGTH	WEIGHT	PRODUCT NUMBER
Amp-U-Pod	15 cm	71 g	**699000004**

Guitar Pick Adapter

US TR TH

Product Features

- The pick is securely held in place with set screws
- Lockable ball and socket component allowing for the pick to be adjusted to any suitable playing position
- Mounting: 1/2”-20 threaded stud

Ordering Information

DESCRIPTION	WEIGHT	PRODUCT NUMBER
Guitar Pick Adapter	85 g	**699000018**

Violin Bow Adapter 2

US TR TH

Product Features

- The bow is held firmly in place with set screws. Lockable ball and socket component for angle adjustment
- Bow pivots easily duplicating natural wrist action and control
- Mounting: 1/2”-20 threaded stud

Ordering Information

DESCRIPTION	WEIGHT	PRODUCT NUMBER
Violin Bow Adapter 2	128 g	**699000068**

Drum Stick Adapter

US TR TH

Product Features

- Allows the stick to pivot under an adjustable tension load
- The drum stick is held firmly in place with a set screw
- Mounting: 1/2”-20 threaded stud

Ordering Information

DESCRIPTION	WEIGHT	PRODUCT NUMBER
Drum Stick Adapter	142 g	**699000020**

Raptor Sky Hook Rock and Gym Climbing TD

US TR TH

Product Features

- Climbing hook with interchangable tips
- Friction adjustable “rocking” action “Hook” adapts to various approach angles
- 3 replaceable, “recyclable” tips, 2 Polyurethane Shore A 85 & 95 and one “shapeable” brass

Ordering Information

DESCRIPTION	LENGTH	WIDTH	THICKNESS	HEIGHT	WEIGHT	PRODUCT NUMBER
Raptor	8.6 cm	9.4 cm	1.6 cm	11.4 cm	170 g	**699000188**

Simulator

US TR TH

Product Features

- Partial hand and wrist disarticulate prosthese
- Adjusts to a wide variety of arm sizes and torsos using BOA® cable lacing tension and closure technology
- Constructed of low temperature (150-180°), easily formable Exos Laminates
- Sure-Lock cable locking and control technology
- One size, enlarges easily for entry and exit
- Insert thread: 1/2”-20

Ordering Information

DESCRIPTION	WEIGHT W/SS BRACKET	PRODUCT NUMBER
Simulator, left	511 g	**699000156**
Simulator, right	511 g	**699000157**

Pro Cuff "Prosthosis"

US TR TH

Product Features

- Allow TD attachment for weak, injured or paralyzed hands
- Constructed of low temperature (150-180°), easily formable Exos Laminates
- BOA® cable lacing tension and closure technology
- One size, enlarges easily for entry and exit
- Insert thread: 1/2"-20

Ordering Information

DESCRIPTION	LENGTH	WEIGHT W/SS BRACKET	INTERNAL CIRC. DISTAL END	INTERNAL CIRCU. PROXIMAL END	PRODUCT NUMBER
Pro Cuff Right	12.7 cm	187 g	14.6 cm - 20.3 cm	20.3 cm - 25.4 cm	**699000094**
Pro Cuff Left	12.7 cm	187 g	14.6 cm - 20.3 cm	20.3 cm - 25.4 cm	**699000095**

Pro Cuff "Prosthosis", Pediatric

US TR TH

Product Features

- Allow TD attachment for weak, injured or paralyzed hands
- Constructed of low temperature (150-180°), easily formable Exos Laminates
- BOA® cable lacing tension and closure technology
- One size, enlarges easily for entry and exit
- Insert thread: 1/2"-20

Ordering Information

DESCRIPTION	LENGTH	WEIGHT W/SS BRACKET	INTERNAL CIRC. DISTAL END	INTERNAL CIRC. PROXIMAL END	PRODUCT NUMBER
Left	10.4 cm	99 g	13.3 cm - 18.4 cm	16.8 cm - 21.6 cm	**699000141**
Right	10.4 cm	99 g	13.3 cm - 18.4 cm	16.8 cm - 21.6 cm	**699000142**

Prosthosos & Procuff Terminal Device Adapters

US TR TH

Product Features

- Rapid disconnect system to be mounted on Procuff or similar solution
- Dual set screws (included) to retain insert and adjust frictional rotation
- Aluminum TD Adapter and stainless steel insert with 1/2"-20 thread
- "On Board" magnetic-stored, Allen wrench (included) for convenience
- Order extra inserts for multiple TD's

Large Adapter Small Adapter

Ordering Information

DESCRIPTION	LENGTH	WIDTH	ARM DIAMETER	PRODUCT NUMBER
Prosthosis TD Adapter Small (Insert included)	1.4 in. (3.6 cm)	1.6 in. (4 cm)	2.0 in. (5 cm)	**699000295**
Insert Only, Short	0.94 in. (2.4 cm)	0.63 in. (1.6 cm)	-	**699000296**
Prosthosis TD Adapter Large (Insert included)	1.5 in. (3.8 cm)	1.9 in. (4.8 cm)	3.0 in. (7.6 cm)	**699000297**
Insert Only, Long	1.13 in. (2.9 cm)	0.63 in. (1.6 cm)	-	**699000298**

Sure-Lok Cable Lock Control Systems Surface Mount & Vertical Models

US TR TH

Surface mount

Product Features

- Eliminates the need to maintain continuous cable tension for control and grasping
- Manual On/Off switch
- 18 in. heavy duty cable and 4 TRS housing ferrules
- All instructions and mounting components included

Unlocked

Locked

Vertical mount

Ordering Information

DESCRIPTION	LENGTH	WIDTH	DEPTH BELOW SURFACE	COVER PLATE LENGTH	COVER PLATE WIDTH	COLOR	PROD. NO LEFT	PROD. NO RIGHT
Surface mount	3.6 cm	2.4 cm				● ●	**699000086**	**699000085**
Vertical mount	3.6 cm	3.8 cm	1.6 cm	5.8 cm	2 cm	(Specify color of cover plate) Silver, Gold or Black	**699000089** (Right & Left)	

Arm Skinz

US TR TH



Product Features

- Stain resistant and waterproof
- Custom colors available by special order at extra cost
- Extra long tapered cones in two models

Ordering Information

DESCRIPTION	LENGTH	THICKNESS	PRODUCT NUMBER
Arm Skinz	43 cm	0.15 cm	**699000180**

Regal Gloves

Specification symbols

SE Manufactured in Sweden

US Manufactured in USA

TR Transradial

TH Transhumeral

101 - Cosmetic Glove

US TR TH

Specifications

Warranty: 1 year

Glove thickness: 2.5 - 3 mm

Product Features

- High definition silicone glove without innerhand
- Reinforced fingertips
- Available in two different lengths
- See Regal size chart for measurements on page 164-165

Ordering information

When ordering please include the following information:

1 Side: Right | Left

2 Style: Male | Female | Child

3 Appearance: Standard | X-Series

4 Size: see measurement chart on page 164-165

5 Color: see Regal Color Guide

6 Length: Standard | Long Glove

COSMETIC GLOVE

DESCRIPTION	PRODUCT NUMBER
Length - standard	**101L**
Length - long	**101L Long**

Long Standard

102 - Glove and Passive Hand

US TR TH

Specifications

Warranty: 1 year

Glove thickness: 2.5 - 3 mm

Product Features

- High definition silicone cosmetic glove with inner hand
- Available in two different lengths
- Adjustable fingers
- Passive innerhand foam filling with or without thread

Ordering information

When ordering please include the following information:

1 Side: Right | Left

2 Style: Male | Female | Child

3 Appearance: Standard | X-Series

4 Size: see measurement chart on page 164-165

5 Color: see Regal Color Guide

6 Length: Standard | Long Glove

GLOVE AND PASSIVE HAND

DESCRIPTION	PRODUCT NUMBER
Without Thread	**102L**
External M12 x 1.5 Thread	**102LS**
Long Glove	**102LS Long**

OPTIONS	
Internal M12 x 1.5 Thread	**702090022**
Hinged Fingers	**702090176**
Reinforced Fingers	**702090026**

Hinged Finger (optional)

103 - Glove for Partial Hand with zipper

US TR TH

Specifications

Warranty: 1 year

Glove thickness: 2.5 - 3 mm

Product Features

- High definition silicone cosmetic glove with zipper
- For partial hand amputation
- See Regal size chart for measurements on page 164-165
- Fill out order form on page 163

Ordering information

DESCRIPTION	PRODUCT NUMBER
Glove with Zipper	**103**
Glove for Partial Hand	**103SCM**

200 - Set of Four Connected Fingers and Thumb

US TR TH

Specifications

Warranty: 1 year

Glove thickness: 2.5 - 3 mm

Product Features

- High definition silicone cosmetic fingers
- Design for fingers amputation

Ordering information

DESCRIPTION	PRODUCT NUMBER
Length - standard	**200**

Regal - Silicone Sleeve

US TR TH

Specifications

Upper arm circumference: 24.8 cm

Elbow circumference: 23.5 cm

Wrist circumference: 16.5 cm

Warranty: 1 year

Product Features

- Used to extend cosmetic cover length

Ordering information

DESCRIPTION	PRODUCT NUMBER
Length 27 cm	**702090011**
Length 50 cm	**702090021**

Regal - Glove Color Swatch

US TR TH

Ordering information

DESCRIPTION
Regal Glove Color Swatch - please contact Fillauer Europe

Kung Hans väg 2
192 68 Sollentuna
Sweden

Phone: +46 8 505 332 00
Fax: +46 8 505 332 05
E-mail: fillauer@fillauer.eu

Order Form Custom Made Regal Gloves

Customer:

Date & Ordered by: Phone./ Fax. E-mail:

Patient name / ID No: Date of Birth:

Fillauer PO#

☐ Male ☐ Female ☐ Child

☐ Right stump ☐ Left Stump

Size:

Color:

Hand fillings:

☐ Foam only ☐ Foam and silicone

Zipper:

☐ Metal ☐ Plastic ☐ No zipper

Comments:

1. Take applicable external measurements of patient's sound and residual hand, enter the data in picture below
2. Cast the sound and residual hands in a neutral position
3. Before making modifications, verify that the measurements of the positive cast corresponds to those of the Justification limb. Make changes if necessary.
4. Modify the cast on the residual side, indicating any specific changes and concerns directly on the cast

   a. Reduce by 3% on bony areas

   b. Reduce by 4-5% on fleshy areas

   Note: the prosthesis interior custom-shaped filling will be made accordingto the modified cast
5. Take photos of residual and sound sides
6. Mark the casts with the patient name or identification number.



Regal Silicone Prosthetic Gloves- Size measurement chart



Female gloves

MODEL 101L/102L - 102LS

SIZE	SIDE	C1	C3	C11	L5	E	F
XL	L	220	183	79	76	314	535
	R	223	183	76	80	323	536
L	L	205	179	72	67	297	487
	R	206	179	71	65	290	487
L1	L	202	170	66	74	315	532
	R	203	174	64	71	319	532
L2	L	202	174	72	70	313	470
	R	203	174	72	67	310	460
LM	L	189	163	62	67	288	481
	R	198	166	64	70	295	488
LM1	L	190	162	63	70	290	501
	R	198	162	65	71	303	497
M	L	182	156	66	69	293	452
	R	184	155	66	68	293	450
MS	L	188	162	62	69	307	463
	R	190	160	64	70	317	463
MS2	L	181	157	61	65	335	526
	R	185	157	63	64	330	522
S	L	180	160	62	60	286	479
	R	188	162	62	62	292	468
S1	L	178	144	54	65	299	481
	R	175	147	54	65	298	477
CL	L	178	144	54	65	299	481
	R	175	147	54	65	298	477
CM	L	173	142	57	62	310	473
	R	165	138	55	64	295	473
CS	L	141	119	51	48	255	443
	R	140	123	50	49	245	437
CXS	L	125	115	43	45	214	391
	R	131	120	43	44	223	383

MODEL 103

SIZE	SIDE	C1	C3	C11	L5	E
XL	L	216	189	79	76	215
	R	230	199	80	74	201
L	L	204	178	70	67	208
	R	208	180	71	67	198
L1	L	199	167	65	73	203
	R	203	168	65	71	203
L2	L	204	180	73	70	213
	R	203	179	71	67	203
LM	L	189	167	63	66	200
	R	198	163	64	69	196
LM1	L	190	165	61	69	195
	R	200	161	64	70	198
M	L	189	174	68	69	203
	R	185	167	66	68	198
MS	L	190	169	64	70	193
	R	193	167	64	70	195
MS2	L	183	163	61	65	206
	R	185	164	64	64	206
S	L	180	159	60	60	197
	R	186	165	62	62	195
S1	L	175	145	55	65	179
	R	175	150	55	67	185
CL	L	175	145	55	65	179
	R	175	150	55	67	185
CM	L	173	150	56	63	175
	R	166	139	55	64	180
CS	L	140	119	51	48	165
	R	143	123	51	49	155
CXS	L	125	115	43	45	165
	R	130	119	45	43	158



Male gloves

MODEL 101L/102L - 102LS

SIZE	SIDE	C1	C3	C11	L5	E	F
XL	L	235	196	80	74	310	544
	R	239	210	84	76	310	538
XL1	L	233	196	82	73	395	538
	R	230	194	77	77	373	530
L	L	230	190	74	78	320	533
	R	231	196	75	77	318	530
L1	L	220	193	76	67	335	556
	R	233	200	81	66	336	550
L2	L	228	187	73	76	370	545
	R	229	197	77	76	373	546
LM	L	220	183	79	76	314	535
	R	223	183	76	80	323	536
M	L	209	185	72	70	327	542
	R	212	188	72	72	320	532
M1	L	208	184	70	67	317	528
	R	212	184	73	68	320	518
M2	L	202	170	66	74	315	532
	R	203	174	64	71	319	532
M3	L	213	176	67	73	330	528
	R	204	175	70	67	345	538
M4	L	210	177	71	69	344	512
	R	202	167	67	67	340	530
MS	L	189	163	62	67	288	481
	R	198	166	64	70	295	488
MS1	L	190	162	63	70	290	501
	R	198	162	65	71	303	497
S	L	188	162	62	69	307	463
	R	190	160	64	70	317	463
CL	L	188	162	62	69	307	463
	R	190	160	64	70	317	463
CL1	L	181	157	61	65	335	526
	R	185	157	63	64	330	522
CM	L	178	144	54	65	299	481
	R	175	147	54	65	298	477
CS	L	141	119	51	48	255	443
	R	140	123	50	49	245	437
CXS	L	125	115	43	45	214	391
	R	131	120	43	44	223	383

MODEL 103

SIZE	SIDE	C1	C3	C11	L5	E
XL	L	238	201	80	73	208
	R	243	210	84	77	213
XL1	L	233	204	85	73	238
	R	230	195	78	77	235
L	L	234	205	75	76	219
	R	240	207	80	75	208
L1	L	214	192	72	66	211
	R	226	193	78	65	208
L2	L	228	185	71	76	240
	R	229	196	75	77	240
LM	L	216	189	79	76	215
	R	230	199	80	74	201
M	L	210	185	72	68	213
	R	215	188	71	69	200
M1	L	207	185	69	67	198
	R	213	180	72	67	198
M2	L	199	167	65	73	203
	R	203	168	65	71	203
M3	L	216	173	67	72	213
	R	204	166	69	67	223
M4	L	210	179	71	70	210
	R	207	173	68	67	203
MS	L	189	167	63	66	200
	R	198	163	64	69	196
MS1	L	190	165	61	69	195
	R	200	161	64	70	198
S	L	190	169	64	70	193
	R	193	167	64	70	195
CL	L	190	169	64	70	193
	R	193	167	64	70	195
CL1	L	183	163	61	65	206
	R	185	164	64	64	206
CM	L	175	145	55	65	179
	R	175	150	55	67	185
CS	L	140	119	51	48	165
	R	143	123	51	49	155
CXS	L	125	115	43	45	165
	R	130	119	45	43	158

Index

101 - Cosmetic Glove **161**
102 - Glove and Passive Hand **162**
103 - Glove for Partial Hand with zipper **163**
200 - Set of Four Connected Fingers and Thumb **163**
Adapter Cables **115**
Adapter Cables **124**
Adapter Cables for Battery **125**
Adept Cable Adapters **98**
Adept Prehensors **139**
Adjustable Hanger **99**
AFB Adapter **125**
Alternating Lock Elbow **82**
Alternative Electrodes **114**
Amp-U-Pod **154**
Anchor Companion Strap **90**
Anchor Plates **100**
Anchor system T-R & T-H **90**
APRL Child Wrist Flexion unit WF-50 **72**
Arm Frames **76**
Arm Skinz **159**
Axilla Loop Pads **103**
BAHA **94**
Ball Receivers **93**
Ball terminals 3/16 inch **93**
Ball terminals 9/32 inch **93**
Barrage Volley Ball TD **144**
Base Plates **95**
Battery Spare Parts **116**
Binary Swivels **94**
Black Iron Lite **143**
Black Iron Master and Trainer **143**
Buckles **101**
Cable Housing Anchors **92**
Cable Housing Cover **91**
Cable Housing & Housing Liner **91**
Cables **124**
Cable, Swaged Rolls **91**
Cable, Swaging Tool **92**
CAPP Delrin Body Friction Wrist **70**
Catalog symbol legend **6**
Child CAPP Hand **39**
Coaxial Plug **114**
Cobra Baseball & Softball Throwing TD's **146**
Computer Interface **117**
Computer Interface **127**
Connecting Pin **78**
Control Cabel Insulator **99**
Cosmetic Foam for TR **62**
Criterium bicycle handlebar adapters **149**
Cross Bars **100**
Deluxe Forearm Lift Assembly **103**
Downhill Racer Ski TD - Pediatric and Adult models **145**
Drum Stick Adapter **155**
Dual Bike Brake Lever **149**
Eagle & Eagle Flex Golf **153**
Economy Friction Wrists **68**
Economy Wrist With Straps **69**
Elbow Lock Cable Hanger **99**
Elbows E-50, E-200 & E-400 **80**
ELF-Straps **89**
Endo-Arm **62**
Endoskeletal Elbow **82**
Ener-Joint **152**
E-two Electric Elbows from Hosmer (Endoskeletal) **128**
E-two Electric Elbows from Hosmer (Exoskeletal) **128**
E-Z hook Tension Band Applier **59**
Female Soft Voluntary Closing (SVC) Hand **40**
Female Soft Voluntary Opening (SVO) Hand **41**
Ferrule **95**
Fillauer Product Warranty **6**
Flexion Wrist Option **111**
Flowchart - E-Two Elbow with MC setup **120**
Flowchart - ProPlus ETD **109**
Flowchart - Proplus Hand **108**
Flowchart - Terminal Device **106**
Flowchart - Terminal Devices **107**
Flowchart - Transhumeral Setup **118**
Flowchart - Transradial setup **105**
Flowchart - Utah 3+ and Hybrid Arm **119**
FM Quick Change Wrist **74**
Forearm Endcap **113**
Forearm Lift Assembly **102**
Forearm Mounting Wrist Rotator **112**
Forearm Mounting Wrist Rotator **129**
Four Function Wrist **76**
Free Flex **140**
Freestyle Swimming Device **151**
Friction Disconnect Wrist **75**
Friction Elbow **81**
FW Flexion Friction Wrist **73**
Golf Pro system **153**
Grand Slam TD **148**
Greek Series Infant & Pediatric Hands **136**
Grip 5 Evolution Prehensor **142**
Grip Prehensor **141**
Grooved Stem **78**
Guitar Pick Adapter **155**
Hammerhead **145**
Hand Plate, long stem **77**
Hand Plate, short stem **77**
Hangers **100**
Hard PVC Gloves - Child & Female **34**
Hard PVC Gloves - Female & Male **35**
Heavy Duty Cable Housing **96**
Heavy Duty harness **88**
HI-fly Fielders **147**
Hook Materials & Measurements **49**
Hook Tension Bands **59**
Hosmer #5 Hook **54**
Hosmer #5X Hook **54**
Hosmer #8 Hooks **55**
Hosmer #8X Hook **55**
Hosmer #10X Hook **52**
Hosmer #12P & 10P Hooks **52**
Hosmer #88X Hooks **56**
Hosmer #99P Hook **53**
Hosmer #99X Hook **53**
Hosmer #555 Hook **56**
Hosmer APRL Hook **58**
Hosmer Sierra 2 Hook **58**
Housing Cross Bar Assembly **101**
HP Hoopster **144**
Hustler TD **154**
Infant 2 Hand 6 - 18 Months **136**
In-Line Hook To Grip Adapter **98**
Inputs **115**

In Terminal Device Wrist Rotator 112
Internal Battery Sets 117
ISHI Archery and F-ISHI Fishing TDs 150
Kahuna TD 151
Lamination Collar for Prowrist and Endcap 113
Lamprey Gun Turret 149
Leather Cross Bar 101
Lift Assist Unit for E-200 & E-400 Elbows 81
L'il E-Z Infant Hand 6 - 24 Months 137
Lite Touch Biomechanical Hands 138
Locking Pin 141
Male APRL Voluntary Closing Hand 47
Male Becker Imperial Hand 46
Male Becker Lock Grip Hand 45
Male Dorrance 400 - 401 Mechanical Hand 44
Male Sierra Voluntary Opening Hand 48
Male Soft Voluntary Closing (SVC) Hand 42
Male Soft Voluntary Opening (SVO) Hand 43
Manual Lock Elbow 82
Mill's Rebound Pro Basketball Hand 147
Modular Endoskeletal System 63
Motion Control Utah Arm 3+ 121
Motion Control Utah Hybrid Arm 122
Mountain Master Mountain Bike TD 150
Multi-D TD 152
Multi-Flex Wrist Option 111
MyoLab II 126
Natural Definition Glove - 10900L/10900R Age 0-18 months 13
Natural Definition Glove - 10901/10902 Age 1-3 years 14
Natural Definition Glove - 10903/10904 Age 3-6 years 15
Natural Definition Glove - 10905/10906 Age 5-9 years 16
Natural Definition Glove - 13901/13902 Crawling Small 10
Natural Definition Glove - 13903/13904 Crawling Medium 11
Natural Definition Glove - 13905/13906 Crawling Large 12
Natural Definition Glove - 20909/20910 17
Natural Definition Glove - 20911/20912 18
Natural Definition Glove - 20913/20914 Long fingers and nails 19
Natural Definition Glove - 20915/20916 20
Natural Definition Glove - 20917/20918 Prominent skin structure 21
Natural Definition Glove - 22703/22704 Long nails 25
Natural Definition Glove - 22907/22908 Medium nails 22
Natural Definition Glove - 22909/22910 Medium nails 23
Natural Definition Glove - 22911/22912 Long nails 24
Natural Definition Glove - 22917/22918 Long nails & prominent skin 26
Natural Definition Glove - 30909/30910 27
Natural Definition Glove - 30911/30912 28
Natural Definition Glove - 30913/30914 Prominent veins 29
Natural Definition Glove - 30915/30916 30
Natural Definition Glove - 30917/30918 Long fingers 31
Natural Definition Glove - 30919/30920 Stout-Plump 32
Natural Definition Glove - 30921/30922 Stout-Plump 33
Neo-Axilla Loop Padding 89
NEXO Skeletal System 61
Northwestern Harness Rings 103
Northwestern Lift Tab Drilling Jig 102
Northwestern Ring Harness 88
Options for Motion Control Utah Arm 3+ and Hybrid Arm 122
Order Form Custom Made Regal Gloves 165
Order Form Partial Hand / Finger 132
Otto Bock Lamination Collar 113
Outside Locking Hinge 83
Partial Finger 131
Partial Hand 131
Perfect Flare Tool 96
Pinch Hitter Bat Adapters 147
Power Play Hockey 148
Preamp Electrodes 114
Prefabricated Forearms 85
ProControl 2 Battery Sets 129
ProControl 2 system package 129
Pro Cuff "Prosthosis" 157
Pro Cuff "Prosthosis", Pediatric 157
ProPlus Hand / ETD with Standard Wrist 110
Prosthosos & Procuff Terminal Device Adapters 158
Python, Stainless Aircraft Cable 96
Quick Disconnect Wrist 74
Rapid Adjust Buckle 90
Raptor Sky Hook Rock and Gym Climbing TD 156
Regal - Glove Color Swatch 164
Regal Silicone Prosthetic Gloves- Size measurement chart 166
Regal - Silicone Sleeve 164
Remote Lock/ Unlock Switches for U3+ and Hybrid Elbow 127
Remote Power Switch 126
Residual Limb Activated Locking Hinge Below Elbow 84
Retainers 95
Rocky Mountain High Skip Ropes 152
Rotational Wrist 76
Shapeable Passive Hand Wrist 70
Short Hand Option 110
Shoulder 133
Shoulder Flexion Abduction Joint 86
Shroom Tumblers 146
Sierra Wrist Flex Unit 72
Silicone Gloves - Child & Female 36
Silicone Gloves - Female & Male 37
Simulator 156
Ski 2 145
Slap Shot Hockey TD 148
Spectra Ball Fittings 97
Spectra® Cable Hanger 97
Spectra® Prosthetic Cable 97
Step Up Below Elbow Hinge 83
Super Sports 140
Sure-Lok Cable Lock Control Systems Surface Mount & Vertical Models 158
Swim Fin Kit 151
Swinger TD 144
Triple Swivel 98
Triple Swivels 92
TRS Dragon TD 154
Violin Bow Adapter 2 155
WA Disarticulation Friction Wrist 69
WD Quick Change Wrist 75
WedgeGrip Wrist 70
WE Friction Wrist 71
WE Infant Friction Wrist 71
Wooden Wrist Fitting 78
Work Hooks 57
Wrist Disarticulation Option 110
Wrist Socket With Ball Lock 68